


NATIONAL AFRONAUTICS. AND SPACE

SEPTEMBER 1958

INDEX OF NASA TECHNICAL PUBLICATIONS

(DOES NOT INCLUDE ENTRIES LISTED IN DECEMBER 1957 INDEX)



CLASSIFICATION CHANGE

TO = UNCLASSIFIED

By authority of T.D. No. 73-403

Changed by J. Werk Reisen Date 1/22/74

(NASA-TM-X-69863) INDEX OF NASA TECHNICAL PUBLICATIONS (NASA) 118 p

N74-71130

Unclas 00/99 30440 All pubs fisted herein have been declessified by NASA Hys Memorandom ath June 18, 1973 (attachment to NASA Hys T.D. 13-403)

PREFACE

This Index comprises those confidential Research Memorandums issued by the National Advisory Committee for Aeronautics between January 1, 1958, and September 30, 1958, that are available for distribution. NACA was absorbed into the National Aeronautics and Space Administration on September 30, 1958, and the Research Memorandum series was discontinued on that date. Research Memorandums that were listed in the preceding confidential Index, dated December 1957, are not listed herein. Some classified Research Memorandums are not included in either of the two Indexes, because they are not available for distribution. The absence of a Research Memorandum from the Indexes does not, therefore, indicate that it is unclassified.

Arrangement of this Index parallels that of the Unclassified Index of NACA Technical Publications, issued annually on a noncumulative basis; the subject-heading entries and subject-heading numbers are the same.

Contents of This Index

Subject heading outline	iii-viii
Indexed entries	1-94
(Entries are chronological under	each heading)
Alphabetical list of subject headings	95-105
Author index	107-110

Security Classification

Each Research Memorandum listed in this Index was classified Confidential as of September 30, 1958; those declassified since that date have not been deleted.

Most of the titles listed are, by themselves, unclassified. Each title that is classified is so designated at each listing of the title; a title not so designated is unclassified.


Availability of Publications


Classified publications will be sent only to those having proper security clearance, facility clearance, and "need to know."

Requests for publications should be sent to:

Technical Information Division National Aeronautics and Space Administration 1520 H Street, N. W. Washington 25, D. C.

April 1959





Market Control of the State of

14 Sept. 1

COMMENTAL

Subject			Subject		
Heading			Heading		
Number	Subject Heading Outline	Page	Number	Subject Heading Outline	Page
					-
1	AERODYNAMICS	1-52	1.2.2.3.2	Slots and Slats	11
	•		1.2.2.3.3	Leading-Edge Flaps	11
1.1	Fundamental Aerodynamics	1-7	1.2.2.4	Controls	11-12
*1.1.1	Incompressible Flow		1.2.2.4.1	Flap Type	12
1.1.2	Compressible Flow	1	1.2.2.4.2	Spoilers	12
1.1.2.1	Subsonic Flow	1	1.2.2.4.3	All-Movable	12-13
1.1.2.2	Mixed Flow	1	1.2.2.5	Reynolds Number Effec	ts 13
1.1.2.3	Supersonic Flow	1-3	1.2.2.6	Mach Number Effects	13-15
1.1.3	Viscous Flow	3	*1.2.2.7	Wake	
1.1.3.1	Laminar Flow	3	1.2.2.8	Boundary Layer	15
1.1.3.2	Turbulent Flow	3	1.2.2.8.1	Characteristics	15
1.1.3.3	Jet Mixing	3-4	1.2.2.8.2	Control	15
1.1.4	Aerodynamics With Heat	4	1.2.2.0.2	Control	10
1.1.4.1	Heating	4-5	1.3	Bodies	16-18
1.1.4.2	Heat Transfer	5-6	1.3.1		16
1.1.4.3	Additions of Heat	6	1.3.1	Theory	16-17
1.1.5	Flow of Rarefied Gases	. 7	•	Shape Variables Fineness Ratio	10-17
	Slip Flow		1.3.2.1		
*1.1.5.1	Free Molecule Flow		1.3.2.2	Cross Section	17
*1.1.5.2		7	*1.3.2.3	Thickness Distribution	
1.1.6	Time-Dependent Flow	ı	*1.3.2.4	Surface Conditions	
1.0	****	0 4 5	1.3.2.5	Protuberances	17
1.2	Wings	8-15	*1.3.3	Canopies	
1.2.1	Wing Sections	8	1.3.4	Ducted Bodies	17
*1.2.1.1	Section Theory	_	1.3.4.1	Nose Shape	17
1.2.1.2	Section Variables	8	*1.3.4.2	Tail Shape	
1.2.1.2.1	Camber	8	1.3.4.3	Side Inlets	17-18
*1.2.1.2.2	Thickness		1.3.4.4	Side Exits	18
*1.2.1.2.3	Thickness Distribution	1	*1.3.5	Hulls	
*1.2.1.2.4	Inlets and Exits				
*1.2.1.2.5	Surface Conditions		1.4	Internal Aerodynamics	19-25
*1.2.1.3	Designated Profiles		1.4.1	Air Inlets	19
1.2.1.4	High-Lift Devices	8	1.4.1.1	Nose, Central	19
*1.2.1.4.1	Plain Flaps .		*1.4.1.1.1	Propeller-Spinner-	
*1.2.1.4.2	Split Flaps			Cowl Combinations	
*1.2.1.4.3	Slotted Flaps		1.4.1.1.2	Subsonic	19
1.2.1.4.4	Leading-Edge Flaps	8	1.4.1.1.3	Supersonic	19-20
*1.2.1.4.5	Slots and Slats		1.4.1.2	Nose, Annular	20
*1.2.1.5	Controls		1.4.1.3	Wing Leading Edge	20
*1.2.1.5.1	Flap Type		1.4.1.4	Side	20-21
*1.2.1.5.2	Spoilers		1.4.1.4.1	Scoops	21
1.2.1.6	Boundary Layer	8	*1.4.1.4.2	Submerged	
1.2.1.6.1	Characteristics	8	1.4.2	Ducts	21
*1.2.1.6.2	Control	_	1.4 2.1	Diffusers	21
1.2.1.7	Reynolds Number Effect	ts 8	1.4 2.1.1	Subsonic	21-22
1.2.1.8	Mach Number Effects	8-9	1.4.2.1.2	Supersonic	22
*1.2.1.9	Wake	•	1 4.2.2	Nozzles	23
1.2.2	Complete Wings	9-15	*1.4.2.3	Pipes	23
1.2.2.1	Wing Theory	9	*1.4.2.4	Bends	
1.2.2.2	Wing Variables	9		Exits	99
*1.2.2.2.1		ð	$1.4.3 \\ 1.4.4$	Jet Pumps and Thrust	23
		9	1.4.4	<u>-</u>	0.0
1.2.2.2.2 1.2.2.2.3	<u>-</u>	_	1 / 5	Augmenters	23
-		9-10	1.4.5	Cascades	23-24
1.2.2.2.4		10	1.4.5.1	Theory	24
1.2.2.2.5		10	1.4.5.2	Experiment	24
1.2.2.2.6		10	1.4.6	Fans	24
1.2.2.2.7		10-11	1.4.7	Boundary Layer	24
1.2.2.3	High-Lift Devices	11	1.4.7.1	Characteristics	24
1.2.2.3.1	Trailing-Edge Flaps	11	1.4.7.2	Control	25

^{*}No reports under this category for this period.

Subject			Subject		
Heading Number	Subject Heading Outline	Page	Heading Number	Subject Heading Outline	Page
Number	Subject neading Outmie	rage	Number	Subject Heading Outline	rage
1.5	Propellers	26	1.8.1	Stability	38
*1.5.1	Theory		1.8.1.1	Static	38-39
1.5.2	Design Variables	26	1.8.1.1.1	Longitudinal	39-41
*1.5.2.1	Blade Sections		1.8.1.1.2	Lateral	41-43
*1.5.2.2	Solidity		1.8.1.1.3	Directional	43-44
*1.5.2.3	Pitch Distribution		1.8.1.2	Dynamic	44
*1.5.2.4	Blade Plan Forms		1.8.1.2.1	Longitudinal	44-45
1.5.2.5	Mach Number Effects	26	1.8.1.2.2	Lateral and	
*1.5.2.6	Pusher		2.0.2.2.2	Directional	45
*1.5.2.7	Dual Rotation		1.8.1.2.3	Damping Derivatives	45-46
*1.5.2.8	Interference of Bodies		1.8.2	Control	46
*1.5.2.9	Pitch and Yaw		1.8.2.1	Longitudinal	46-48
*1.5.2.10	Diameter		1.8.2.2	Lateral	48-49
*1.5.3	Designated Types		1.8.2.3	Directional	49
1.5.4	Slipstream	26	1.8.2.4	Air Brakes	49
*1.5.5	Selection Charts	20	_		49
			1.8.2.5	Hinge Moments	
*1.5.6	Operating Conditions Propeller-Spinner-		1.8.2.6	Automatic	49-50
*1.5.7	Cowl Combinations		1.8.2.7	Jet Reaction	50
	Cowi Combinations		*1.8.3	Spinning	
		0.5	1.8.4	Stalling	50
1.6	Rotating Wings	27	1.8.5	Flying Qualities	50
*1.6.1	Theory		1.8.6	Mass and Gyroscopic	
1.6.2	Experimental Studies	27		Problems	50-51
1.6.2.1	Power-Driven	27	*1.8.7	Tumbling	
*1.6.2.2	Autorotating		1.8.8	Automatic Stabilization	51
			1.8.9	Tracking	51
1.7	Aircraft	28-37			
1.7.1	Airplanes	28	1.9	Aeroelasticity	52
1.7.1.1	Components in				
	Combination	28-29	*1.10	Parachutes	
1.7.1.1.1	Wing-Fuselage	29-30			
1.7.1.1.2	Wing-Nacelle	30			
1.7.1.1.3	Tail-Wing and		2	HYDRODYNAMICS	53-55
	Fuselage	30-31	_		
*1.7.1.1.4	Propeller and Jet		*2.1	Theory	
	Interference		2.1	1110019	
1.7.1.1.5	Stores	31-32	2.2	General Arrangement Studi	es 53
1.7.1.1.6	Jet Interference	32	2.2	delicita iii migement branch	
1.7.1.2	Specific Airplanes	32-34	*2.3	Seaplane Hull Variables	
1.7.1.3	Performance	34	*2.3.1	Length-Beam Ratio	
1.7.2	Missiles	34-35	*2.3.1	Dead Rise	
1.7.2.1	Components in	01-00			
1.1.2.1	Components in	35-36	*2.3.3	Steps	
17911	Wing-Body	36	*2.3.4	Afterbody Shape	
1.7.2.1.1	Tail-Body	36	*2.3.5	Forebody Shape	
1.7.2.1.2	Jet Interference	36	*2.3.6	Chines	
1.7.2.1.3				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1.7.2.1.4	Wing-Tail-Body	36-37	*2.4	Specific Seaplanes and Hull	ls
1.7.2.2	Specific Missiles	37			
*1.7.3	Rotating-Wing Aircraft		*2.5	Lateral Stabilizers	
*1.7.3.1	Autogiros		*2.5.1	Wing-Tip Float	
*1.7.3.2	Helicopters				
*1.7.4	Seaplanes		2.6	Planing Surfaces	54
*1.7.4.1	General Studies				
*1.7.4.2	Specific Types		*2.7	Hydrofoils	
*1.7.5	Airships			-	
*1.7.6	Biplanes and Triplanes		*2.8	Surface Craft	
1.8	Stability and Control	38-51	*2.9	Ditching Characteristics	

^{*}No reports under this category for this period.



260HFDENTIALS

Subject			Subject		
Heading			Heading		
Number	Subject Heading Outline	Page	Number	Subject Heading Outline Pa	ıge
2.10	Stability and Control	55	3.4.1	Preparation	62
2.10.1	Longitudinal	55	3.4.2	Physical and Chemical	
*2.10.2	Lateral			Properties	62
*2.10.3	Directional		3.4.3	Relation to Engine Performance	62
			*3.4.3.1	Reciprocating Engines	-
3	PROPULSION	57-72	*3.4.3.1.1	Spark-Ignition	
	•		*3.4.3.1.2	Compression-Ignition	
3.1	Complete Systems	58		(Diesel) Engines	
*3.1.1	Reciprocating Engines		3.4.3.2	Turbine Engines, Ram Jets,	,
*3.1.1.1	Spark-Ignition Engines			and Pulse Jets	62
*3.1.1.2	Compression-Ignition		3.4.3.3	Rockets (Includes Fuel	
	(Diesel) Engines			and Oxidant)	63
*3.1.2	Reciprocating Engines -				
	Turbines		3.5	Combustion and	
*3.1.2.1	Turbosupercharged			Combustors 64-	-65
	Engines		3.5.1	General Combustion	
*3.1.2.2	Compound Engines			Research	64 ·
*3.1.2.3	Gas Generator - Turbin	e	*3.5.1.1	Laminar-Flow Combustion	
0.4.0	Engines		*3.5.1.2	Turbulent-Flow Combustion	L
3.1.3	Turbojet Engines	58 50	*3.5.1.3	Detonation	
3.1.4	Turbo-Propeller Engines	58	3.5.1.4	Effects of Fuel Atomization	
3.1.5	Ducted Propeller Engines	59	3.5.1.5	Reaction Mechanisms	64
*3.1.6	Pulse-Jet Engines	F O	*3.5.1.6	Ignition of Gases	
3.1.7	Ram-Jet Engines	59 50	3.5.2	Effect of Engine Operating	
3.1.8 *3.1.9	Rocket Engines	59		Conditions and Combustion-	
*3.1.10	Jet-Driven Rotors		*3.5.2.1	Chamber Geometry	64
*3.1.10	Nuclear Energy Systems		*3.5.2.1	Reciprocating Engines	
*3.1.12	Miscellaneous Engines Comparison of Engine Typ	oes	*3.5.2.1.2	Spark-Ignition Engines Compression-Ignition	
3.2	Control of Engines	60	2522	(Diesel) Engines	64
*3.2.1	Charging and Control of	00	3.5.2.2 *3.5.2.3	Turbine Engines Ram-Jet Engines	04
0.2.1	Reciprocating Engines		*3.5.2.4	Pulse-Jet Engines	
*3.2.1.1	Spark-Ignition Engines		3.5.2.5	Rocket Engines	65
*3.2.1.2	Compression-Ignition		0.0.2.0	Hocket Engines	00
	Engines		3.6	Compression and	
*3.2.1.3	Compound Engines		•	-	-67
3.2.2	Control of Turbojet Engin	es 60	3.6.1	Flow Theory and Experiment	
*3.2.3	Control of Turbine-Ram-		3.6.1.1	Axial Flow 66-	
	Jet Engines		*3.6.1.2	Radial Flow	
*3.2.4	Control of Turbine-		*3.6.1.3	Mixed Flow	
	Propeller Engines		*3.6.1.4	Positive Displacement	
*3.2.5	Control of Pulse-Jet Engi		*3.6.2	Stress and Vibration	
3.2.6	Control of Ram-Jet Engin	es 60	3. 6 . 3	Matching	67
*3.2.7	Control of Rocket Engines				
*3.2.8	Control of Gas Generator		3. 7		-69
	Engines		3.7.1	Flow Theory and Experiment	68
			3.7.1.1	Axial Flow	68
3.3	Auxiliary Booster Systems	61	*3.7.1.2	Radial Flow	
*3.3.1	Reciprocating Engines		3.7.1.3	Mixed Flow	68
3.3.2	Gas Turbines	61	3.7.2	Cooling	68
*3.3.2.1	Liquid Injection		3.7.3	Stress and Vibration	68
3.3.2.2	Afterburning	61	3.7.4	Matching	69
*3.3.2.3 *3.3.3	Bleedoff		*9 O	Friction and Yabete-ties	
	Rocket Assist		*3.8 *9.9.1	Friction and Lubrication	
3.4	Fuels	62-63	*3.8.1 *3.8.1.1	Theory and Experiment Hydrodynamic Theory	

^{*}No reports under this category for this period.



			Subject		
Subject			Heading		
Heading	- 11 O 411	Dogo	Number	Subject Heading Outline	Page
Number	Subject Heading Outline	Page	Mamper	Subject Heading Carani	0-
	Cl. 1.4 .C.Tbuinstion		4	AIRCRAFT LOADS AND	
*3.8.1.2	Chemistry of Lubrication		*	CONSTRUCTION	73-78
*3.8.1.3	Surface Conditions			COMBINGCION	••
*3 .8.2	Sliding Contact Surfaces			Londa	73-75
*3.8.2.1	Sleeve Bearings		4.1	Loads	73
*3.8.2.2	Cylinder and Piston		4.1.1	Aerodynamic	73
	Mechanisms		4.1.1.1	Wings	73
*3.8.2.3	Slipper Plate		4.1.1.1.1	Steady Loads	
*3.8.2.4	Kingsbury and Mitchell		4.1.1.1.2	Maneuvering	74
0.0.2.	Bearings		4.1.1.1.3	Gust Loads	74
*3.8.3	Rolling Contact Surfaces		4.1.1.1.4	Buffeting Loads	74
*3.8.3.1	Antifriction Bearings		4.1.1.2	Tail	74
	Sliding and Rolling Contact		4.1.1.2.1	Steady Loads	74
*3.8.4			4.1.1.2.2	Maneuvering	74
	Surfaces		4.1.1.2.3	Buffeting and Gust	74
*3.8.4.1	Gears		4.1.1.3	Bodies	74-75
*3 .8.5	Lubricants			Rotating Wings	
		=-	*4.1.1.4		75
3.9	Heat Transfer	70	4.1.1.5	Aeroelasticity	75
3.9.1	Theory and Experiment	70	4.1.2	Landing	10
3.9.1.1	Cascades	70	*4.1.2.1	Impact	
*3.9.2	Heat Exchangers		*4.1.2.1.1	Land	
*3.9.2.1	Radiators		*4.1.2.1.2	Water	
*3.9.2.2	Intercoolers		*4.1.2.2	Ground-Run	
	Aftercoolers		*4.1.2.2.1	Land	
*3.9.2.3			*4.1.2.2.2	Water	
*3.9.2.4	Regenerators		*4.1.2.3	Prelanding Conditions	
*3.9.2. 5	Oil Coolers		4.1.2.0	11 Claire Governo	
	C. N. and Burdana	71	4.2	Vibration and Flutter	76-77
3.10	Cooling of Engines	1.7	4.2.1	Wings and Ailerons	76
*3.10.1	Reciprocating Engines			Tails	76
*3.10.1.1	Liquid-Cooled		4.2.2	Elevators and Rudders	
*3.10.1.2	Air-Cooled		4.2.2.1		• • •
3.10.2	Gas-Turbine Systems	71	*4.2.2.2	Tabs	
*3.10.3	Ram Jets		*4.2.3	Bodies	
*3.10.4	Pulse Jets		*4.2.4	Propellers, Fans, and	
*3.10.5	Rockets			Compressors	
0.10.0			*4.2.5	Rotating-Wing Aircraft	
*3.11	Properties of Gases		*4.2.6	Panels and Surface Cove	rings
*3.11.1	Kinetic				
	Thermodynamic		4.3	Structures	78
*3.11.2	Thei modynamic		*4.3.1	Columns	
	A substitute of Associations		*4.3.1.1	Tubular	
3.12	Accessories and Accessory	79	*4.3.1.2	Beams	
	Functions	72		Sections	
3.12.1	Fuel Systems	72	*4.3.1.3	Frames, Gridworks, an	d
*3.12.1.1	Spark-Ignition Engines		*4.3.2		u
*3.12.1.2	Compression-Ignition			Trusses	
	Engines		*4.3.3	Plates	
*3.12.1.3	Compound Engines		*4.3.3.1	Flat	
*3.12.1.4	Turbojet Engines		*4.3.3.1.1	Unstiffened	
*3.12.1.5	Turbine-Propeller Engin	nes	*4.3.3.1.2	Stiffened	
*3.12.1.6	Pulse-Jet Engines		*4.3.3.2	Curved	
	Ram-Jet Engines		*4.3.3.2.1	Unstiffened	
*3.12.1.7		72	*4.3.3.2.2		
3.12.1.8	Rocket Engines	72	*4.3.4	Beams	
3.12.1.8.1	Turbopump	14	*4.3.4.1	Box	
*3.12.2	Ignition Systems		*4.3.4.2	Diagonal Tension	
*3.12.3	Starting Systems			Shells	
*3.12.4	Lubrication Systems		*4.3.5		
3.12.5	Cooling Systems	72	*4.3.5.1	Cylinders Circular	
			*4.3.5.1.1		
*3.13	Vibration and Flutter		*4.3.5.1.2	Elliptical	

^{*}No reports under this category for this period.



Subject			Subject		
Heading			Heading		
Number	Subject Heading Outline	Page	Number	Subject Heading Outline	Page
				a my or many outline	I mgc
*4.3.5.2	Boxes		*5.3.2	Propulsion System	
*4.3.6	Connections				
*4.3.6.1	Bolted				
*4.3.6.2	Riveted				
*4.3.6.3	Welded		*6	METEOROLOGY	
*4.3.6.4	Bonded				
4.3.7	Loads and Stresses	78	*6.1	Atmosphere	
*4.3.7.1	Tension		*6.1.1	Standard Atmosphere	
*4.3.7.2	Compression		*6.1.2	Gusts	
*4.3.7.3	Bending		*6.1.2.1	Structure	
*4.3.7.4	Torsion		*6.1.2.2	• Frequency	
*4.3.7.5	Shear		*6.1.2.3	Turbulence	
*4.3.7.6	Concentrated		*6.1.2.4	Alleviation	
4.3.7.7	Dynamic	78	*6.1.3	Electricity	
*4.3.7.7.1	Repeated		0.1.0	Electricity	
4.3.7.7.2	Transient	78	*6.2	Ice Formation	
*4.3.7.8	Normal Pressures		0.2	ice roi mation	
*4.3.8	Weight Analysis				
	··g		7	OPERATING PROBLEMS	83-88
			•	OF BILATING FRODERIS	05-00
5	MATERIALS	79-82	7.1	Safety	83
			7.1.1	Pilot-Escape Techniques	83
5.1	Types	80-81	*****		•••
*5.1.1	Aluminum		7.2	Navigation	84
*5.1.2	Magnesium				
5.1.3	Steels	80	*7.3	Ice Prevention and Removal	
5.1.4	Heat-Resisting Alloys	80	*7.3.1	Engine Induction Systems	-
5.1.5	Ceramics	80	*7.3.2	Propellers	
5.1.6	Plastics	80	*7.3.3	Wings and Tails	
*5.1.7	Woods		*7.3.4	Windshields	
*5.1.8	Adhesives		*7.3.5	Miscellaneous Accessorie	
5.1.9	Protective Coatings	80	*7.3.6	Propulsion Systems	,6
5.1.10	Fabrics	80	1.0.0	1 Topasson by Stems	
5.1.11	Sandwich and Laminates	81	7.4	Noise	85
*5.1.12	Ceramals	01	1.2	Notibe	00
5.1.13	Titanium	81	*7.5	Heating and Ventilating	
		••	1.0	meaning and ventriating	
5.2	Properties	82	*7.6	Lightning Hazards	
*5.2.1	Tensile	••	1.0	Ingitting Hazarus	
*5.2.2	Compressive		7.7	Piloting Techniques	86
*5.2.3	Creep			1 Hothig 1 echniques	00
5.2.4	Stress-Rupture	82	7.8	Physiological	87
*5.2.5	Fatigue	02	1.0	Physiological	01
*5.2.6	Shear		*7.9	Fire Hazards	
*5.2.7	Flexural		٠١٠٥	rii e nazarus	
*5.2.8	Corrosion Resistance		7.10	General	00
*5.2.9	Structure		1.10	General	88
*5.2.10	Effects of Nuclear Radiati	lon			
5.2.11	Thermal	82	8	THOUBTIMENUTC	00.00
*5.2.12	Multiaxial Stress	04	o	INSTRUMENTS	89-90
5.2.13	Plasticity	0.0	0 1	Disch	00
U. H. 10	Flasticity	82	8.1	Flight	90
*5.3	Operating Stresses and		*8.2	I aboratory	
	Conditions		.0.2	Laboratory	
*5.3.1	Airframe		*8.3	Matagralagies!	
0.0.1	Autrame		~0.3	Meteorological	

^{*}No reports under this category for this period.

Subject Heading Number	Subject Heading Outline	Page	Subject Heading Number	Subject Heading Outline	Page
9	RESEARCH EQUIPMENT A TECHNIQUES	ND 91-94	9.2.2 9.2.3 9.2.4	Aerodynamics Hydrodynamics Loads and Construction	93 93 93
9.1	Equipment	92	9.2.5	Propulsion	93
9.1.1	Wind Tunnels	92	9.2.6	Operating Problems	94
9.1.2	Free-Flight	92	*9.2.7	Mathematics	
*9.1.3	Towing Tanks and Impa Basins	ct			
9.1.4	Propulsion Research		*10	NOMENCLATURE	
	Equipment	92			
*9.1.5	Propeller		444	BIBLIOGRAPHIES AND INDE	EXES
9.1.6	Materials	92	*11	BIBLIOGRAPHIES AND INDI	JALLO
*9.1.7	Structures				
9.2 9.2.1	Technique Corrections	93-94 93	*12	TECHNICAL SUMMARIES	

^{*}No reports under this category for this period.



(1.1)

Fundamental Aerodynamics

(1.1.2) COMPRESSIBLE FLOW

INVESTIGATION OF VORTEX MOVEMENTS ABOUT A WING IN STEADY SUBSONIC FLOW UNDERGOING A LARGE ANGLE-OF-ATTACK CHANGE IN A BLAST-INDUCED GUST. Donald R. McFarland and Paul W. Huber. January 1958. 41p. diagrs., photos., tab. (NACA RM L57K04) CONFIDENTIAL

HEAT TRANSFER TO 0° AND 75° SWEPT BLUNT LEADING EDGES IN FREE FLIGHT AT MACH NUMBERS FROM 1.90 TO 3.07. Robert L. O'Neal and Aleck C. Bond. March 1958. 38p. diagrs., photos. (NACA RM L58A13) CONFIDENTIAL

AN ANALYSIS OF SURFACE PRESSURES AND AERODYNAMIC LOAD DISTRIBUTION OVER THE SWEPT WING OF THE DOUGLAS D-558-II RESEARCH AIRPLANE AT MACH NUMBERS FROM 0.73 TO 1.73. Norman V. Taillon. April 1958. 51p. diagrs., photo., tabs. (NACA RM H58A30)

PRELIMINARY AERODYNAMIC DATA PERTINENT TO MANNED SATELLITE REENTRY CONFIGURA-TIONS. Jim A. Penland and William O. Armstrong. July 1958. 16p. diagrs. (NACA RM L58E13a) CONFIDENTIAL

STABILITY OF BALLISTIC REENTRY BODIES.

John D. Bird and David E. Reese. August 1958.

16p. diagrs., tab. (NACA RM L58E02a)

CONFIDENTIAL

(1.1.2.1) SUBSONIC FLOW

COMPARISON OF EXPERIMENTALLY AND ANALYTICALLY DETERMINED WINDMILLING CHARACTERISTICS OF A COMPRESSOR WITH LOW OVER-ALL PRESSURE RATIO. James E. Hatch. February 1958. 18p. diagrs. (NACA RM E57L12a) CONFIDENTIAL

EFFECTS OF SHOCK-BOUNDARY-LAYER INTER-ACTION ON THE PERFORMANCE OF A LONG AND A SHORT SUBSONIC ANNULAR DIFFUSER. Charles C. Wood and John R. Henry. April 1958. 38p. diagrs. (NACA RM L58A31) CONFIDENTIAL (1.1.2.2) MIXED FLOW

EFFECT OF A HOT-JET EXHAUST ON PRESSURE DISTRIBUTIONS AND EXTERNAL DRAG OF SEVERAL AFTERBODIES ON A SINGLE-ENGINE AIR-PLANE MODEL AT TRANSONIC SPEEDS. Harry T. Norton, Jr., and John M. Swihart. March 1958. 58p. diagrs., photos., tab. (NACA RM L57J04) CONFIDENTIAL

INVESTIGATION AT TRANSONIC SPEEDS OF A FIXED DIVERGENT EJECTOR INSTALLED IN A SINGLE-ENGINE FIGHTER MODEL. John M. Swihart and Charles E. Mercer. March 1958. 32p. diagrs., photos. (NACA RM L57L10a)

CONFIDENTIAL

(1.1.2.3) SUPERSONIC FLOW

HEAT TRANSFER ON AN AFTERBODY IMMERSED IN THE SEPARATED WAKE OF A HEMISPHERE. Helmer V. Nielsen. January 1958. 13p. diagrs., photos. (NACA RM A57K07a) CONFIDENTIAL

FREE-FLIGHT PRESSURE MEASUREMENTS OVER A FLARE-STABILIZED ROCKET MODEL WITH A MODIFIED VON KARMAN NOSE FOR MACH NUMBERS UP TO 4.3. William M. Bland, Jr., and Ronald Kolenkiewicz. January 1958. 21p. diagrs., photos., tabs. (NACA RM L57J24)

CONFIDENTIAL

SOME EFFECTS OF REYNOLDS NUMBER ON THE STABILITY OF A SERIES OF FLARED-BODY AND BLUNTED-CONE MODELS AT MACH NUMBERS FROM 1.62 TO 6.86. Alan B. Kehlet. January 1958. 35p. diagrs., photos., tabs. (NACA RM L57J29)

CONFIDENTIAL

PRELIMINARY INVESTIGATION OF GRAPHITE, SILICON CARBIDE. AND SEVERAL POLYMER— GLASS-CLOTH LAMINATES IN A MACH NUMBER 2 AIR JET AT STAGNATION TEMPERATURES OF 3,000° F AND 4,000° F. Francis W. Casey, Jr., and Russell N. Hopko. January 1958. 18p. diagrs., photos. (NACA RM L57K15) CONFIDENTIAL

EXPERIMENTAL AND THEORETICAL DETERMINATION OF FORCES AND MOMENTS ON A STORE AND ON A STORE -PYLON COMBINATION MOUNTED ON A 45° SWEPT-WING-FUSELAGE CONFIGURATION AT A MACH NUMBER OF 1.61. Odell A. Morris, Harry W. Carlson, and Douglas J. Geler. January 1958. 123p. diagrs., photos. (NACA RM L57K18)



INVESTIGATION OF FIXED-GEOMETRY SUPER-SONIC INLETS WITH BYPASS DUCTS FOR MATCH-ING TURBOJET-ENGINE AIR-FLOW REQUIRE-MENTS OVER A RANGE OF TRANSONIC AND SUPERSONIC SPEEDS. Abraham Leiss and Walter L. Kouyoumjian. February 1958. 40p. diagrs., photos., tabs. (NACA RM L57K14)

CONFIDENTIAL

INVESTIGATION OF THE STATIC LATERAL STABILITY AND AILERON CHARACTERISTICS OF A 0.067-SCALE MODEL OF THE BELL X-2 AIR-PLANE AT MACH NUMBERS OF 2.29, 2.78, 3.22, AND 3.71. Roger H. Fournier and H. Norman Silvers. March 1958. 50p. diagrs., photos., tab. (NACA RM L57J28a) CONFIDENTIAL

AN INVESTIGATION AT MACH NUMBERS 1.94 AND 2.41 OF JET EFFECTS UPON THE LONGITUDINAL AND DIRECTIONAL STABILITY OF A GENERAL AIRCRAFT CONFIGURATION EMPLOYING WING-TIP-MOUNTED NACELLES. Frank L. Clark and Clyde L. W. Edwards. March 1958. 69p. diagrs., photos. (NACA RM L57L18a)

SOME EXPERIMENTAL HEATING DATA ON CON-VEX AND CONCAVE HEMISPHERICAL NOSE SHAPES AND HEMISPHERICAL DEPRESSIONS ON A 30° BLUNTED NOSE CONE. Russell N. Hopko and H. Kurt Strass. March 1958. 32p. diagrs., photos. (NACA RM L58A17a) . CONFIDENTIAL

SURVEY OF SUPERSONIC INLETS FOR HIGH MACH NUMBER APPLICATIONS. James F. Connors and John L. Allen. April 1958. 20p. diagrs., photos., tabs. (NACA RM E58A20) CONFIDENTIAL

EFFECTS OF SHOCK—BOUNDARY-LAYER INTERACTION ON THE PERFORMANCE OF A LONG AND A SHORT SUBSONIC ANNULAR DIFFUSER.
Charles C. Wood and John R. Henry. April 1958.
38p. diagrs. (NACA RM L58A31) CONFIDENTIAL

HIGH MACH NUMBER, LOW-COWL-DRAG, EXTERNAL-COMPRESSION INLET WITH SUBSONIC DUMP DIFFUSER James F. Connors and Richard J. Flaherty May 1958. 19p. diagrs., photos. (NACA RM E58AQ9) CONFIDENTIAL

HEAT TRANSFER FOR MACH NUMBERS UP TO 2.2 AND PRESSURE DISTRIBUTIONS FOR MACH NUMBERS UP TO 4.7 FROM FLIGHT INVESTIGATIONS OF A FLAT-FACE-CONE AND A HEMISPHERE-CONE. Katherine C. Speegle, Leo T. Chauvin, and Jack C. Heberlig. May 1958. 60p. diagrs., photos., tabs. (NACA RM L58B18) CONFIDENTIAL

THEORETICAL ANALYSIS OF THE INTERFERENCE EFFECTS OF SEVERAL SUPERSONIC-TUNNEL WALLS CAPABLE OF ABSORBING THE SHOCK CAUSED BY THE NOSE OF A MODEL. Clarence W. Matthews. May 1958. 50p. diagrs. (NACA RM L58B21) CONFIDENTIAL

SOME EFFECTS OF ROUGHNESS ON STAGNATION-POINT HEAT TRANSFER AT A MACH NUMBER OF 2, A STAGNATION TEMPERATURE OF 3,530° F, AND A REYNOLDS NUMBER OF 2.5 x 10⁸ PER FOOT. H. Kurt Strass and Thomas W. Tyner. May 1958. 31p. diagrs., photos., tabs. (NACA RM L58C10) CONFIDENTIAL

PRESSURE LOADS PRODUCED ON A FLAT-PLATE WING BY ROCKET JETS EXHAUSTING IN A SPANWISE DIRECTION BELOW THE WING AND PERPENDICULAR TO A FREE-STREAM FLOW OF MACH NUMBER 2.0. Ralph A. Falanga and Joseph J. Janos. June 1958. 47p. diagrs., photos., tabs. (NACA RM L58D09) CONFIDENTIAL

EFFECT OF SCREENS IN REDUCING DISTORTION
AND DIFFUSION LENGTH FOR A "DUMP" DIFFUSER AT A MACH NUMBER OF 3.85. Joseph F.
Wasserbauer. July 1958. 18p. diagrs., photos.
(NACA RM E58C19) CONFIDENTIAL
(Title, Confidential)

BOUNDARY-LAYER-TRANSITION MEASUREMENTS IN FULL-SCALE FLIGHT. Richard D. Banner, John G. McTigue, and Gilbert Petty, Jr. July 1958. 10p. diagrs., photos. (NACA RM H58E28) CONFIDENTIAL

HEAT TRANSFER AND PRESSURE MEASUREMENT ON A 5-INCH HEMISPHERICAL CONCAVE NOSE AT A MACH NUMBER OF 2.0. J. Thomas Markley. July 1958. 20p. diagrs., photos. (NACA RM L58C14a) CONFIDENTIAL

INVESTIGATION OF CONTROL EFFECTIVENESS AND STABILITY CHARACTERISTICS OF A MODEL OF A LOW-WING MISSILE WITH INTERDIGITATED TAIL SURFACES AT MACH NUMBERS OF 2.29, 2.97, AND 3.51. John G. Presnell, Jr. July 1958. 28p. diagrs., photos., tab. (NACA RM L58C19)

INVESTIGATION OF THE AERODYNAMIC CHARACTERISTICS OF A MODEL OF A SUPERSONIC BOMBER CONFIGURATION WITH A SWEPT AND AN UNSWEPT WING AT MACH NUMBERS FROM 1.79 TO 2.67. H. Norman Silvers and Raymond L. Zedekar. July 1958. 24p. diagrs., photos., tab. (NACA RM, L58C27)

TELEMETER TRANSMISSION AT 219.5 MEGA-CYCLES FROM TWO ROCKET-POWERED MODELS A MACH NUMBERS UP TO 15.7. George B. Graves, Jr., and J. Thomas Markley. July 1958. 38p. diagrs., photos. (NACA RM L58D18a) CONFIDENTIAL

HEAT-TRANSFER MEASUREMENTS ON A CON-CAVE HEMISPHERICAL NOSE SHAPE WITH UNSTEADY-FLOW EFFECTS AT MACH NUMBERS OF 1.98 AND 4.95. Morton Cooper, Ivan E. Beckwith, Jim J. Jones, and James J. Gallagher. July 1958. 20p. diagrs., photos. (NACA RM L58D25a) CONFIDENTIAL





HEAT TRANSFER TO SURFACES AND PROTUBER-ANCES IN A SUPERSONIC TURBULENT BOUNDARY LAYER. Paige B. Burbank and H. Kurt Strass. July 1958. 16p. diagrs., photos. (NACA RM L58E01a) CONFIDENTIAL

QUALITATIVE MEASUREMENTS OF THE EFFEC-TIVE HEATS OF ABLATION OF SEVERAL MATERI-ALS IN SUPERSONIC AIR JETS AT STAGNATION TEMPERATURES UP TO 11,0000 F. Bernard Rashis, William G. Witte, and Russell N. Hopko. July 1958. 25p. diagrs., photo., tabs. (NACA RM L58E22) CONFIDENTIAL

PERFORMANCE OF AN ALL-INTERNAL CONICAL COMPRESSION INLET WITH ANNULAR THROAT BLEED AT MACH NUMBER 5.0. Leonard E. Stitt and Leonard J. Obery. August 1958. 17p. diagrs. photos. (NACA RM E58E14) CONFIDENTIA CONFIDENTIAL (Title, Confidential)

LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS AT COMBINED ANGLES OF ATTACK AND SIDESLIP OF A GENERALIZED MISSILE MODEL HAVING A RECTANGULAR WING AT A MACH NUMBER OF 4.08. Fred M. Smith, Edward F. Ulmann, and Robert W. Dunning. August 1958. 91p. diagrs., photos., tabs. (NACA RM L58E26) CONFIDENTIAL

AERODYNAMIC PERFORMANCE AND STATIC STA-BILITY AND CONTROL OF FLAT-TOP HYPER-SONIC GLIDERS AT MACH NUMBERS FROM 0.6 TO 18. Clarence A. Syvertson, Hermilo R. Gloria, and Michael F. Sarabia. September 1958. 56p. diagrs., tabs. (NACA RM A58G17) CONFIDENTIAL

DESIGN AND EXPERIMENTAL INVESTIGATION OF A SINGLE-STAGE TURBINE WITH A ROTOR ENTERING RELATIVE MACH NUMBER OF 2. Thomas P. Moffitt. September 1958. 30p. diagrs., photos., tabs. (NACA RM E58F20a) CONFIDENTIAL

A PIVOTING-COWL-AND-SPIKE TECHNIQUE FOR EFFICIENT ANGLE-OF-ATTACK OPERATION OF SUPERSONIC INLETS. Nick E. Samanich and Robert W. Cubbison. September 1958. 20p. diagrs., photos. (NACA RM E58G11a) CONFIDENTIAL

(1.1.3)VISCOUS FLOW

SOME EFFECTS OF REYNOLDS NUMBER ON THE STABILITY OF A SERIES OF FLARED-BODY AND BLUNTED-CONE MODELS AT MACH NUMBERS FROM 1.62 TO 6.86. Alan B. Kehlet. January 1958. 35p. diagrs., photos., tabs. (NACA RM L57J29) CONFIDENTIAL

(1.1.3.1)LAMINAR FLOW

FREE-FLIGHT AERODYNAMIC-HEATING DATA AT MACH NUMBERS UP TO 10.9 ON A FLAT-FACED CYLINDER. William M. Bland, Jr., Andrew G. Swanson, and Ronald Kolenkiewicz. January 1958. 46p. diagrs., photos., tabs. (NACA RM L57K29) CONFIDENTIAL

HEAT TRANSFER TO 00 AND 750 SWEPT BLUNT LEADING EDGES IN FREE FLIGHT AT MACH NUMBERS FROM 1.90 TO 3.07. Robert L. O'Neal and Aleck C. Bond. March 1958. 38p. diagrs., photos. (NACA RM L58A13) CONFIDENTIAL

THE PROSPECTS FOR LAMINAR FLOW ON HYPERSONIC AIRPLANES. Alvin Seiff. June 1958. 17p. diagrs., photo. (NACA RM A58D25) CONFIDENTIAL

(1.1.3.2)TURBULENT FLOW

HEAT TRANSFER ON AN AFTERBODY IMMERSED IN THE SEPARATED WAKE OF A HEMISPHERE. Helmer V. Nielsen. January 1958. 13p. diagrs. photos. (NACA RM A57K07a) CONFIDENTIAL

EFFECT OF TARGET-TYPE THRUST REVERSER ON TRANSONIC AERODYNAMIC CHARACTERISTICS OF A SINGLE-ENGINE FIGHTER MODEL. John M. Swihart. January 1958. 42p. diagrs., photos., tab. (NACA RM L57J16) CONFIDENTIAL

HEAT TRANSFER TO 00 AND 750 SWEPT BLUNT LEADING EDGES IN FREE FLIGHT AT MACH NUMBERS FROM 1.90 TO 3.07. Robert L. O'Neal and Aleck C. Bond. March 1958. 38p. diagrs., photos. (NACA RM L58A13) CONFIDENTIAL

HEAT TRANSFER TO SURFACES AND PROTUBER-ANCES IN A SUPERSONIC TURBULENT BOUNDARY LAYER. Paige B. Burbank and H. Kurt Strass. July 1958. 16p. diagrs., photos. (NACA RM L58E01a) CONFIDENTIAL

> (1.1.3.3)JET MIXING

FREE-FLIGHT ROLL PERFORMANCE OF A STEADY-FLOW JET-SPOILER CONTROL ON AN 80° DELTA-WING MISSILE BETWEEN MACH NUM-BERS OF 0.6 AND 1.8. Eugene D. Schult. January 1958. 35p. diagrs., photos. (NACA RM L57J28) CONFIDENTIAL



AN INVESTIGATION AT MACH NUMBERS 1.94 AND 2.41 OF JET EFFECTS UPON THE LONGITUDINAL AND DIRECTIONAL STABILITY OF A GENERAL AIRCRAFT CONFIGURATION EMPLOYING WING-TIP-MOUNTED NACELLES. Frank L. Clark and Clyde L. W. Edwards. March 1958. 69p. diagrs., photos. (NACA RM L57L18a)

JET EFFECTS ON THE BASE DRAG OF A CYLIN-DRICAL AFTERBODY WITH EXTENDED NOZZLES. William J. Nelson and William R. Scott. April 1958. 41p. diagrs., photos. (NACA RM L58A27)

PRESSURE LOADS PRODUCED ON A FLAT-PLATE WING BY ROCKET JETS EXHAUSTING IN A SPANWISE DIRECTION BELOW THE WING AND PER-PENDICULAR TO A FREE-STREAM FLOW OF MACH NUMBER 2.0. Ralph A. Falanga and Joseph J. Janos. June 1958. 47p. diagrs., photos., tabs. (NACA RM L58D09) CONFIDENTIAL

EFFECT OF CONVERGENT EJECTOR NOZZLES ON THE BOATTAIL DRAG OF A 16° CONICAL AFTERBODY AT MACH NUMBERS OF 0.6 TO 1:26. James M. Cubbage, Jr. September 1958. 33p. diagrs., photos. (NACA RM L58G25) CONFIDENTIAL

(1.1.4) AERODYNAMICS WITH HEAT

EFFECTS OF SURFACE ROUGHNESS AND EXTREME COOLING ON BOUNDARY-LAYER TRANSITION FOR 15° CONE-CYLINDER IN FREE FLIGHT AT MACH NUMBERS TO 7.6. Leonard Rabb and Milan J. Krasnican. March 1958. 61p. diagrs., photos., tabs. (NACA RM E57K19) CONFIDENTIAL

(1.1.4.1) HEATING

HEAT TRANSFER ON AN AFTERBODY IMMERSED IN THE SEPARATED WAKE OF A HEMISPHERE. Helmer V. Nielsen. January 1958. 13p. diagrs., photos. (NACA RM A57K07a) CONFIDENTIAL

LIMITED TESTS OF MOLYBDENUM COATED WITH MOLYBDENUM DISILICIDE IN A SUPERSONIC HEATED-AIR JET AND BRIEF DESCRIPTION OF THE COATING FACILITY. E. M. Fields and N. T. Wakeiyn. January 1958. 21p. diagrs., photos., tabs. (NACA RM L57112) CONFIDENTIAL

AN INITIAL EXPERIMENTAL STUDY OF THE EFFECT OF VARIATIONS IN FREQUENCY AND IMPULSE ON THE REDUCTION IN TEMPERATURE RECOVERY FACTOR AFFORDED BY LARGE-SCALE UNSTEADY FLOW. Robert R. Howell. January 1958. 23p. diagrs., photo., tab. (NACA RM L57127)

INVESTIGATION OF TANTALUM IN A 3,800° F SUPERSONIC AIRSTREAM. Otto F. Trout, Jr., and Jerry L. Modisette. January 1958. 13p. diagrs., photos., tab. (NACA RM L57J07a) CONFIDENTIAL

MEASUREMENTS OF AERODYNAMIC HEAT TRANSFER ON A 15° CONE-CYLINDER-FLARE CONFIGURATION IN FREE FLIGHT AT MACH NUMBERS UP TO 4.7. Charles B. Rumsey and Dorothy B. Lee. January 1958. 61p. diagrs., photos., tabs. (NACA RM L57J10)

SOME EFFECTS OF FIN LEADING-EDGE SHAPE ON AERODYNAMIC HEATING AT MACH NUMBER 2.0 AT A STAGNATION TEMPERATURE OF ABOUT 2,600° R. William M. Bland, Jr. January 1958. 15p. diagrs., photos. (NACA RM L57K12) CONFIDENTIAL

PRELIMINARY INVESTIGATION OF GRAPHITE, SILICON CARBIDE. AND SEVERAL POLYMER—GLASS-CLOTH LAMINATES IN A MACH NUMBER 2 AIR JET AT STAGNATION TEMPERATURES OF 3,000° F AND 4,000° F. Francis W. Casey, Jr., and Russell N. Hopko. January 1958. 18p. diagrs., photos. (NACA RM L57K15) CONFIDENTIAL

FREE-FLIGHT AERODYNAMIC-HEATING DATA AT MACH NUMBERS UP TO 10.9 ON A FLAT-FACED CYLINDER. William M. Bland, Jr., Andrew G. Swanson, and Ronald Kolenkiewicz. January 1958. 46p. diagrs., photos., tabs. (NACA RM L57K29)

CONFIDENTIAL

HEAT-TRANSFER MEASUREMENTS IN FREE FLIGHT AT MACH NUMBERS UP TO 14.6 ON A FLAT-FACED CONICAL NOSE WITH A TOTAL ANGLE OF 29°. Charles B. Rumsey and Dorothy B. Lee. January 1958. 43p. diagrs., photos., tab. (NACA RM L57L03) CONFIDENTIAL

MEASUREMENTS OF AERODYNAMIC HEAT TRANSFER IN TURBULENT SEPARATED REGIONS AT A MACH NUMBER OF 1.8. Benjamine J. Garland and James R. Hall. February 1958. 16p. diagrs., photos., tab. (NACA RM L57L09) CONFIDENTIAL

HEAT TRANSFER MEASURED ON A FLAT-FACE CYLINDER-FLARE CONFIGURATION IN FREE FLIGHT AT MACH NUMBERS FROM 1.6 TO 2.7. Dorothy B. Lee and Andrew G. Swanson. February 1958. 33p. diagrs., photos., tabs. (NACA RM L58A06) CONFIDENTIAL



FEASIBILITY OF NOSE-CONE COOLING BY THE UPSTREAM EJECTION OF SOLID COOLANTS AT THE STAGNATION POINT. William H. Kinard. March 1958. 17p. diagrs., photos., tab. (NACA RM L57K22) CONFIDENTIAL

HEAT TRANSFER TO 0° AND 75° SWEPT BLUNT LEADING EDGES IN FREE FLIGHT AT MACH NUMBERS FROM 1.90 TO 3.07. Robert L. O'Neal and Aleck C. Bond. March 1958. 38p. diagrs., photos. (NACA RM L58A13) CONFIDENTIAL

PRELIMINARY SURVEY OF POSSIBLE COOLING METHODS FOR HYPERSONIC AIRCRAFT. Jack B. Esgar, Robert O. Hickel, and Francis S. Stepka. May 1958. 37p. diagrs. (NACA RM E57L19)

CONFIDENTIAL

TESTS OF AERODYNAMICALLY HEATED MULTI-WEB WING STRUCTURES IN A FREE JET AT MACH NUMBER 2. FOUR ALUMINUM-ALLOY MODELS OF 20-INCH CHORD AND SPAN WITH 0.064-INCH-THICK SKIN, 0.025-INCH-THICK RIBS AND WEBS, AND ZERO, ONE, TWO, OR THREE CHORDWISE RIBS. John R. Davidson, Richard Rosecrans, and Louis F. Vosteen. May 1958. 42p. diagrs., photos., tabs., film suppl. available on request. (NACA RM L57L13)

HEAT TRANSFER FOR MACH NUMBERS UP TO 2.2 AND PRESSURE DISTRIBUTIONS FOR MACH NUMBERS UP TO 4.7 FROM FLIGHT INVESTIGATIONS OF A FLAT-FACE-CONE AND A HEMISPHERE-CONE. Katherine C. Speegle, Leo T. Chauvin, and Jack C. Heberlig. May 1958. 60p. diagrs., photos., tabs. (NACA RM L58B18) CONFIDENTIAL

A FEASIBILITY STUDY OF THE FLARE-CYLINDER CONFIGURATION AS A REENTRY BODY SHAPE FOR AN INTERMEDIATE RANGE BALLISTIC MISSILE. James R. Hall and Benjamine J. Garland. May 1958. 23p. diagrs. (NACA RM L58C21) CONFIDENTIAL

TESTS OF AERODYNAMICALLY HEATED MULTI-WEB WING STRUCTURES IN A FREE JET AT MACH NUMBER 2. AN ALUMINUM-ALLOY MODEL OF 40-INCH CHORD WITH 0.125-INCH-THICK SKIN. George E. Griffith and Georgene H. Miltonberger. June 1958. 36p. diagrs., photos., tabs., film suppl. available on request. (NACA RM L58C24)

CONFIDENTIAL

EFFECT OF AERODYNAMIC HEATING ON THE FLUTTER OF A RECTANGULAR WING AT A MACH NUMBER OF 2. Harry L. Runyan and Nan H. Jones. June 1958. 16p. diagrs., photos. (NACA RM L58C31)

EFFECT OF SPIKE-TIP AND COWL-LIP BLUNTING ON INLET PERFORMANCE OF A MACH 3.0 EXTERNAL-COMPRESSION INLET. R. W. Cubbison and N. E. Samanich. September 1958. 19p. diagrs., photos. (NACA RM E58G02a) CONFIDENTIAL

FREE-FLIGHT INVESTIGATION OF AERODYNAMIC HEAT TRANSFER TO A SIMULATED GLIDE-ROCKET SHAPE AT MACH NUMBERS UP TO 10. Andrew G. Swanson. September 1958. 49p. diagrs., photos., tabs. (NACA RM L58G03) CONFIDENTIAL

HEAT TRANSFER MEASURED IN FREE FLIGHT ON A SLIGHTLY BLUNTED 25° CONE-CYLINDER-FLARE CONFIGURATION AT MACH NUMBERS UP TO 9.89. Dorothy B. Lee, Charles B. Rumsey, and Aleck C. Bond. September 1958. 63p. diagrs., photos., tabs. (NACA RM L58G21) CONFIDENTIAL

(1.1.4.2) HEAT TRANSFER

MEASUREMENTS OF AERODYNAMIC HEAT TRANS-FER ON A 15° CONE-CYLINDER-FLARE CONFIG-URATION IN FREE FLIGHT AT MACH NUMBERS UP TO 4.7. Charles B. Rumsey and Dorothy B. Lee. January 1958. 61p. diagrs., photos., tabs. (NACA RM L57J10) CONFIDENTIAL

SOME EFFECTS OF FIN LEADING-EDGE SHAPE ON AERODYNAMIC HEATING AT MACH NUMBER 2.0 AT A STAGNATION TEMPERATURE OF ABOUT 2,600° R. William M. Bland, Jr. January 1958. 15p. diagrs., photos. (NACA RM L57K12) CONFIDENTIAL

FREE-FLIGHT AERODYNAMIC-HEATING DATA AT MACH NUMBERS UP TO 10.9 ON A FLAT-FACED CYLINDER. William M. Bland, Jr., Andrew G. Swanson, and Ronald Kolenkiewicz. January 1958. 46p. diagrs., photos., tabs. (NACA RM L57K29)

HEAT-TRANSFER MEASUREMENTS IN FREE FLIGHT AT MACH NUMBERS UP TO 14.6 ON A FLAT-FACED CONICAL NOSE WITH A TOTAL ANGLE OF 29°. Charles B. Rumsey and Dorothy B. Lee. January 1958. 43p. diagrs., photos., tab. (NACA RM L57L03) CONFIDENTIAL

BEHAVIOR OF SOME MATERIALS AND SHAPES IN SUPERSONIC FREE JETS AT STAGNATION TEMPERATURES UP TO 4,210° F, AND DESCRIPTIONS OF THE JETS. E. M. Fields, Russell N. Hopko, Robert L. Swain, and Otto F. Trout, Jr. February 1958. 59p. diagrs., photos., tabs.
(NACA RM L57K26) CONFIDENTIAL

(1) AERODYNAMICS

MEASUREMENTS OF AERODYNAMIC HEAT TRANSFER IN TURBULENT SEPARATED REGIONS AT A MACH NUMBER OF 1.8. Benjamine J. Garland and James R. Hall. February 1958. 18p. diagrs., photos., tab. (NACA RM L57L09) CONFIDENTIAL

HEAT TRANSFER MEASURED ON A FLAT-FACE CYLINDER-FLARE CONFIGURATION IN FREE FLIGHT AT MACH NUMBERS FROM 1.6 TO 2.7. Dorothy B. Lee and Andrew G. Swanson. February 1958. 33p. diagrs., photos., tabs. (NACA RM L58A06) CONFIDENTIAL

HEAT TRANSFER TO 0° AND 75° SWEPT BLUNT LEADING EDGES IN FREE FLIGHT AT MACH NUMBERS FROM 1.90 TO 3.07. Robert L. O'Neal and Aleck C. Bond. March 1958. 38p. diagrs., photos. (NACA RM L58A13) CONFIDENTIAL

SOME EXPERIMENTAL HEATING DATA ON CON-VEX AND CONCAVE HEMISPHERICAL NOSE SHAPES AND HEMISPHERICAL DEPRESSIONS ON A 30° BLUNTED NOSE CONE. Russell N. Hopko and H. Kurt Strass. March 1958. 32p. diagrs., photos. (NACA RM L58A17a) CONFIDENTIAL

INVESTIGATION OF LITHIUM HYDRIDE AND MAGNESIUM AS HIGH-TEMPERATURE INTERNAL COOLANTS WITH SEVERAL SKIN MATERIALS. Jerry L. Modisette. May 1958. 16p. diagrs., photos., tab. (NACA RM L58B17) CONFIDENTIAL (Title, Confidential)

HEAT TRANSFER FOR MACH NUMBERS UP TO 2.2 AND PRESSURE DISTRIBUTIONS FOR MACH NUMBERS UP TO 4.7 FROM FLIGHT INVESTIGATIONS OF A FLAT-FACE-CONE AND A HEMISPHERE-CONE. Katherine C. Speegle, Leo T. Chauvin, and Jack C. Heberlig. May 1958. 60p. diagrs., photos., tabs. (NACA RM L58B18) CONFIDENTIAL

SOME EFFECTS OF ROUGHNESS ON STAGNATION-POINT HEAT TRANSFER AT A MACH NUMBER OF 2, A STAGNATION TEMPERATURE OF 3,530° F, AND A REYNOLDS NUMBER OF 2.5 x 10⁸ PER FOOT. H. Kurt Strass and Thomas W. Tyner. May 1958. 31p. diagrs., photos., tabs. (NACA RM L58C10)

HEAT TRANSFER AND PRESSURE MEASUREMENT ON A 5-INCH HEMISPHERICAL CONCAVE NOSE AT A MACH NUMBER OF 2.0. J. Thomas Markley. July 1958. 20p. diagrs., photos. (NACA RM L58C14a) CONFIDENTIAL

HEAT-TRANSFER MEASUREMENTS ON A CON-CAVE HEMISPHERICAL NOSE SHAPE WITH UNSTEADY-FLOW EFFECTS AT MACH NUMBERS OF 1.98 AND 4.95. Morton Cooper, Ivan E. Beckwith, Jim J. Jones, and James J. Gallagher. July 1958. 20p. diagrs., photos. (NACA RM L58D25a) CONFIDENTIAL HEAT TRANSFER TO SURFACES AND PROTUBER-ANCES IN A SUPERSONIC TURBULENT BOUNDARY LAYER. Paige B. Burbank and H. Kurt Strass. July 1958. 16p. diagrs., photos. (NACA RM L58E01a) CONFIDENTIAL

EXPERIMENTAL ABLATION COOLING. Aleck C. Bond, Bernard Rashis, and L. Ross Levin. July 1958. 17p. diagrs., photos., film suppl. available on request. (NACA RM L58E15a) CONFIDENTIAL

QUALITATIVE MEASUREMENTS OF THE EFFECTIVE HEATS OF ABLATION OF SEVERAL MATERIALS IN SUPERSONIC AIR JETS AT STAGNATION TEMPERATURES UP TO 11,000° F. Bernard Rashis, William G. Witte, and Russell N. Hopko. July 1958. 25p. diagrs., photo., tabs. (NACA RM L58E22)

EXPERIMENTAL INVESTIGATION OF THE EFFECT OF YAW ON RATES OF HEAT TRANSFER TO TRANSVERSE CIRCULAR CYLINDERS IN A 6500-FOOT-PER-SECOND HYPERSONIC AIR STREAM. Bernard E. Cunningham and Samuel Kraus. August 1958. 45p. diagrs., photos. (NACA RM A58E19) CONFIDENTIAL

AERODYNAMIC HEATING OF BLUNT NOSE SHAPES AT MACH NUMBERS UP TO 14. William E. Stoney, Jr. August 1958. 18p. diagrs., photo., film suppl. available on request. (NACA RM L58E05a) CONFIDENTIAL

FREE-FLIGHT INVESTIGATION OF AERODYNAMIC HEAT TRANSFER TO A SIMULATED GLIDE-ROCKET SHAPE AT MACH NUMBERS UP TO 10. Andrew G. Swanson. September 1958. 49p. diagrs., photos., tabs. (NACA RM L58G03) CONFIDENTIAL

HEAT TRANSFER MEASURED IN FREE FLIGHT ON A SLIGHTLY BLUNTED 25° COME-CYLINDER-FLARE CONFIGURATION AT MACH NUMBERS UP TO 9.89. Dorothy B. Lee, Charles B. Rumsey, and Aleck C. Bond. September 1958. 63p. diagrs., photos., tabs. (NACA RM L58G21) CONFIDENTIAL

(1.1.4.3) ADDITIONS OF HEAT

SURVEY OF SUPERSONIC INLETS FOR HIGH MACH NUMBER APPLICATIONS. James F. Connors and John L. Allen. April 1958. 20p. diagrs., photos.; tabs. (NACA RM E58A20) CONFIDENTIAL

(1.1.5) FLOW OF RAREFIED GASES

TELEMETER TRANSMISSION AT 219.5 MEGA-CYCLES FROM TWO ROCKET-POWERED MODELS A MACH NUMBERS UP TO 15.7. George B. Graves, Jr., and J. Thomas Markley. July 1958. 38p. diagrs., photos. (NACA RM L58D18a) CONFIDENTIAL

(1.1.6) TIME - DEPENDENT FLOW

AN INITIAL EXPERIMENTAL STUDY OF THE EFFECT OF VARIATIONS IN FREQUENCY AND IMPULSE ON THE REDUCTION IN TEMPERATURE RECOVERY FACTOR AFFORDED BY LARGE-SCALE UNSTEADY FLOW. Robert R. Howell. January 1958. 23p. diagrs., photo., tab. (NACA RM L57127)

INVESTIGATION OF VORTEX MOVEMENTS ABOUT A WING IN STEADY SUBSONIC FLOW UNDERGOING A LARGE ANGLE-OF-ATTACK CHANGE IN A BLAST-INDUCED GUST. Donald R. McFarland and Paul W. Huber. January 1958. 41p. dlagrs., photos., tab. (NACA RM L57K04) CONFIDENTIAL

HEAT-TRANSFER MEASUREMENTS ON A CON-CAVE HEMISPHERICAL NOSE SHAPE WITH UNSTEADY-FLOW EFFECTS AT MACH NUMBERS OF 1.98 AND 4.95. Morton Cooper, Ivan E. Beckwith, Jim J. Jones, and James J. Gallagher. July 1958. 20p. diagrs., photos. (NACA RM L58D25a) CONFIDENTIAL



(1.2) Wings

FREE-FLIGHT INVESTIGATION OF AERODYNAMIC HEAT TRANSFER TO A SIMULATED GLIDE-ROCKET SHAPE AT MACH NUMBERS UP TO 10. Andrew G. Swanson. September 1958. 49p. diagrs., photos., tabs. (NACA RM L58G03) CONFIDENTIAL

(1.2.1) WING SECTIONS

EFFECT OF LEADING-EDGE-FLAP DEFLECTION ON THE WING LOADS, LOAD DISTRIBUTIONS, AND FLAP HINGE MOMENTS OF THE DOUGLAS X-3 RESEARCH AIRPLANE AT TRANSONIC SPEEDS. Earl R. Keener, Norman J. McLeod, and Norman V. Taillon. July 1958. 87p. diagrs., photos., tabs. (NACA RM H58D29) CONFIDENTIAL

(1.2.1.2) SECTION VARIABLES

> (1.2.1.2.1) Camber

A TABULATION OF WIND-TUNNEL PRESSURE DATA AT MACH NUMBERS OF 1.61 AND 2.01 FOR FIVE SWEPT WINGS OF THE SAME PLAN FORM BUT DIFFERENT SURFACE SHAPES. Frederick C. Grant. June 1958. 191p. diagr., tabs. (NACA RM L58D23)

ANALYSIS OF PRESSURE DATA OBTAINED AT TRANSONIC SPEEDS ON A THIN LOW-ASPECT-RATIO CAMBERED DELTA WING-BODY COMBI-NATION. John P. Mugler, Jr. September 1958. 36p. diagrs., photos. (NACA RM L58F24) CONFIDENTIAL

(1.2.1.4)
HIGH-LIFT DEVICES

(1.2.1.4.4) Leading-Edge Flaps

EFFECT OF LEADING-EDGE-FLAP DEFLECTION ON THE WING LOADS, LOAD DISTRIBUTIONS, AND FLAP HINGE MOMENTS OF THE DOUGLAS X-3 RESEARCH AIRPLANE AT TRANSONIC SPEEDS. Earl R. Keener, Norman J. McLeod, and Norman V. Taillon. July 1958. 87p. diagrs., photos., tabs. (NACA RM H58D29)

(1.2.1.6) BOUNDARY LAYER

> (1.2.1.6.1) Characteristics

HEAT TRANSFER TO 0° AND 75° SWEPT BLUNT LEADING EDGES IN FREE FLIGHT AT MACH NUMBERS FROM 1.90 TO 3.07. Robert L. O'Neal and Aleck C. Bond. March 1958. 38p. diagrs., photos. (NACA RM L58A13) CONFIDENTIAL

(1.2.1.7)
REYNOLDS NUMBER EFFECTS

AERODYNAMIC CHARACTERISTICS OF A 45° SWEPT-WING FIGHTER-AIRPLANE MODEL AND AERODYNAMIC LOADS ON ADJACENT STORES AND MISSILES AT MACH NUMBERS OF 1.57, 1.87, 2.16, AND 2.53. Waldo I. Oehman and Kenneth L. Turner. June 1958. 107p. diagrs., photos., tabs. (NACA RM L58C17) CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF THE EFFECT OF YAW ON RATES OF HEAT TRANSFER TO TRANSVERSE CIRCULAR CYLINDERS IN A 6500-FOOT-PER-SECOND HYPERSONIC AIR STREAM. Bernard E. Cunningham and Samuel Kraus. August 1958. 45p. diagrs., photos. (NACA RM A58E19) CONFIDENTIAL

(1.2.1.8)
MACH NUMBER EFFECTS

AN ANALYSIS OF SURFACE PRESSURES AND AERODYNAMIC LOAD DISTRIBUTION OVER THE SWEPT WING OF THE DOUGLAS D-558-II RESEARCH AIRPLANE AT MACH NUMBERS FROM 0.73 TO 1.73. Norman V. Taillon. April 1958. S1p. diagrs., photo., tabs. (NACA RM H58A30).

EFFECT OF LEADING-EDGE-FLAP DEFLECTION ON THE WING LOADS, LOAD DISTRIBUTIONS, AND FLAP HINGE MOMENTS OF THE DOUGLAS X-3 RESEARCH AIRPLANE AT TRANSONIC SPEEDS. Earl R. Keener, Norman J. McLeod, and Norman V. Taillon. July 1958. 87p. diagrs., photos., tabs. (NACA RM H58D29)

AIRPLANE CONFIGURATIONS FOR CRUISE AT A MACH NUMBER OF 3. Donald D. Baals, Thomas A. Toll, and Owen G. Morris. August 1958. 22p. diagrs. (NACA RM L58E14a) CONFIDENTIAL

(1.2.2) COMPLETE WINGS

FLIGHT INVESTIGATION OF THE AERODYNAMIC FORCES ON A WING-MOUNTED EXTERNAL-STORE INSTALLATION ON THE DOUGLAS D-558-II RESEARCH AIRPLANE. Clinton T. Johnson. May 1958. 42p. diagrs., photos., tabs. (NACA RM H58B24) CONFIDENTIAL

(1.2.2.1) WING THEORY

CALCULATION OF FLUTTER CHARACTERISTICS FOR FINITE-SPAN SWEPT OR UNSWEPT WINGS AT SUBSONIC AND SUPERSONIC SPEEDS BY A MODI-FIED STRIP ANALYSIS. E. Carson Yates, Jr. March 1958. 121p. diagrs., tabs. (NACA RM L57L10) CONFIDENTIAL

TRANSONIC CHARACTERISTICS OF OUTBOARD AILERONS ON A 4-PERCENT-THICK 30° SWEPT-BACK WING, INCLUDING SOME EFFECTS OF AILERON TRAILING-EDGE THICKNESS AND AERO-DYNAMIC BALANCE. Charles F. Whitcomb and Chris C. Critzos. July 1958. 70p. diagrs., photos. (NACA RM L58E05)

LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS AT COMBINED ANGLES OF ATTACK AND SIDESLIP OF A GENERALIZED MISSILE MODEL HAVING A RECTANGULAR WING AT A MACH NUMBER OF 4.08. Fred M. Smith, Edward F. Ulmann, and Robert W. Dunning. August 1958. 91p. diagrs., photos., tabs. (NACA RM L58E26)

APPROXIMATE SOLUTIONS FOR THE FLOW ABOUT FLAT-TOP WING-BODY CONFIGURATIONS AT HIGH SUPERSONIC AIRSPEEDS. Raymond C. Savin. September 1958. 69p. diagrs., tab. (NACA RM A58F02) CONFIDENTIAL

(1.2.2.2) WING VARIABLES

TRANSONIC AERODYNAMIC AND TRIM CHARACTERISTICS OF A MULTI-ENGINE DELTA-WING AIRPLANE MODEL. John M. Swihart and Willard E. Foss, Jr. February 17, 1956. 67p. diagrs., photos., tabs. (NACA RM L55127b) CONFIDENTIAL

BUFFET TESTS OF AN ATTACK-AIRPLANE MODEL WITH EMPHASIS ON ANALYSIS OF DATA FROM WIND-TUNNEL TESTS. Don D. Davis, Jr., and Dewey E. Wornom. February 1958. 56p. diagrs., photos., tab. (NACA RM L57H13)

CONFIDENTIAL

(1.2.2.2.2) Aspect Ratio

TRANSONIC WIND-TUNNEL INVESTIGATION OF THE EFFECT OF A HORIZONTAL TAIL ON LONGITUDINAL STABILITY OF TWO 80° SWEPTBACK-WING-BODY CONFIGURATIONS WITH ASPECT RATIOS OF 2.67 AND 4.00. Joseph D. Brooks. February 1958. 21p. diagrs., photo., tabs. (NACA RM L57L11) CONFIDENTIAL

CALCULATION OF FLUTTER CHARACTERISTICS FOR FINITE-SPAN SWEPT OR UNSWEPT WINGS AT SUBSONIC AND SUPERSONIC SPEEDS BY A MODIFIED STRIP ANALYSIS. E. Carson Yates, Jr. March 1958. 121p. diagrs., tabs.

(NACA RM L57L10) CONFIDENTIAL

SOME EFFECTS OF MASS RATIO ON THE TRAN-SOMIC FLUTTER CHARACTERISTICS OF UN-TAPERED 450 SWEPTBACK WINGS OF ASPECT RATIOS 2 AND 3.5. H. Neale Kelly. June 1958. 19p. diagrs., tabs. (NACA RM L58D17) CONFIDENTIAL

> (1, 2, 2, 2, 3) Sweep

TRANSONIC WIND-TUNNEL INVESTIGATION OF THE EFFECT OF A HORIZONTAL TAIL ON LONGITUDINAL STABILITY OF TWO 60° SWEPTBACK-WING-BODY CONFIGURATIONS WITH ASPECT RATIOS OF 2.67 AND 4.00. Joseph D. Brooks. February 1958. 21p. diagrs., photo., tabs. (NACA RM L57L11)

CALCULATION OF FLUTTER CHARACTERISTICS FOR FINITE-SPAN SWEPT OR UNSWEPT WINGS AT SUBSONIC AND SUPERSONIC SPEEDS BY A MODI-FIED STRIP ANALYSIS. E. Carson Yates, Jr. March 1958. 121p. diagrs., tabs. (NACA RM L57L10) CONFIDENTIAL

THE PROSPECTS FOR LAMINAR FLOW ON HYPERSONIC AIRPLANES. Alvin Seiff. June 1958. 17p. diagrs., photo. (NACA RM A58D25)

CONFIDENTIAL



LOW-SPEED INVESTIGATION OF THE EFFECTS
OF FREQUENCY AND AMPLITUDE OF OSCILLATION IN SIDESLIP ON THE LATERAL STABILITY
DERIVATIVES OF A 60° DELTA WING, A 45°
SWEPTBACK WING, AND AN UNSWEPT WING.
Jacob H. Lichtenstein and James L. Williams. June
1958. 19p. diagrs., photos. (NACA RM L58B28)
CONFIDENTIAL

SOME EFFECTS OF MASS RATIO ON THE TRAN-SONIC FLUTTER CHARACTERISTICS OF UN-TAPERED 45° SWEPTBACK WINGS OF ASPECT RATIOS 2 AND 3.5. H. Neale Kelly. June 1958. 19p. diagrs., tabs. (NACA RM L58D17) CONFIDENTIAL

EFFECTS OF WING SWEEP, HORIZONTAL-TAIL CONFIGURATION, AND A VENTRAL FIN ON STATIC STABILITY CHARACTERISTICS OF A MODEL WITH A WING OF ASPECT RATIO 3 AT MACH NUMBERS FROM 2.29 TO 4.65. Byron M. Jaquet and Roger H. Fournier. July 1958. 88p. diagrs., photos., tabs. (NACA RM L58E06)

EXPERIMENTAL INVESTIGATION OF THE EFFECT OF YAW ON RATES OF HEAT TRANSFER TO TRANSVERSE CIRCULAR CYLINDERS IN A 6500-FOOT-PER-SECOND HYPERSONIC AIR STREAM. Bernard E. Cunningham and Samuel Kraus. August 1958. 45p. diagrs., photos. (NACA RM A58E19) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS 2.36 AND 2.87 OF AN AIRPLANE CON-FIGURATION HAVING A CAMBERED ARROW WING WITH A 75° SWEPT LEADING EDGE. Joseph M. Hallissy, Jr., and Dennis F. Hasson. August 1958. 63p. diagrs., photos., tabs. (NACA RM L58E21) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE EFFECT
OF SWEEP AND TAPER RATIO ON EFFECTIVENESS
OF SPOILER-SLOT-DEFLECTOR CONTROLS ON
ASPECT-RATIO-4 WINGS AT TRANSONIC SPEEDS.
Alexander D. Hammond and Linwood W. McKinney.
August 1958. 69p. diagrs., tabs.
(NACA RM L58E29) CONFIDENTIAL

(1.2.2.2.4) Taper and Twist

A TABULATION OF WIND-TUNNEL PRESSURE DATA AT MACH NUMBERS OF 1.61 AND 2.01 FOR FIVE SWEPT WINGS OF THE SAME PLAN FORM BUT DIFFERENT SURFACE SHAPES. Frederick C. Grant. June 1958. 191p. diagr., tabs. (NACA RM L58D23) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE EFFECT
OF SWEEP AND TAPER RATIO ON EFFECTIVENESS
OF SPOILER-SLOT-DEFLECTOR CONTROLS ON
ASPECT-RATIO-4 WINGS AT TRANSONIC SPEEDS.
Alexander D. Hammond and Linwood W. McKinney.
August 1958. 69p. diagrs., tabs.
(NACA RM L58E29) CONFIDENTIAL

(1.2.2.2.5)
Inlets and Exits

FREE-FLIGHT ROLL PERFORMANCE OF A STEADY-FLOW JET-SPOILER CONTROL ON AN 80° DELTA-WING MISSILE BETWEEN MACH NUMBERS OF 0.6 AND 1.8. Eugene D. Schult. January 1958. 35p. diagrs., photos. (NACA RM L57J28)

LONGITUDINAL STABILITY INVESTIGATION OF A VERTICAL-TAKE-OFF-AND-LANDING AIRPLANE CONFIGURATION WITH SIMULATED JET INTAKE AND EXHAUST AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord. January 1958. 80p. diagrs., photos., tab. (NACA RM L57K05)

CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE LOW-SPEED STABILITY AND PERFORMANCE CHARAC-TERISTICS OF A JET-POWERED LOW-ASPECT-RATIO VERTICAL-TAKE-OFF-AND-LANDING CONFIGURATION WITH ENGINES BURIED IN TILTABLE WINGS. William I. Scallion and Clarence D. Cone, Jr. August 1958. 58p. diagrs., photos. (NACA RM L58F02) CONFIDENTIAL

(1.2.2.2.6)
Surface Conditions

THE PROSPECTS FOR LAMINAR FLOW ON HYPERSONIC AIRPLANES. Alvin Seiff. June 1958. 17p. diagrs., photo. (NACA RM A58D25)

CONFIDENTIAL

BOUNDARY-LAYER-TRANSITION MEASUREMENTS IN FULL-SCALE FLIGHT. Richard D. Banner, John G. McTigue, and Gilbert Petty, Jr. July 1958. 10p. diagrs., photos. (NACA RM H58E28) CONFIDENTIAL

> (1.2.2.2.7) Dihedral

EFFECTS OF VERTICAL LOCATION OF THE WING AND HORIZONTAL TAIL ON THE STATIC LATERAL AND DIRECTIONAL STABILITY OF A TRAPEZOIDAL-WING AIRPLANE MODEL AT MACH NUMBERS OF 1.41 AND 2.01. Ross B. Robinson. July 1958. 166p. diagrs., tabs. (NACA RM L58C18)



(1) AERODYNAMICS

EXPERIMENTAL INVESTIGATION OF EFFECTS OF WING PLAN FORM AND DIHEDRAL ANGLE ON SIDESLIP DERIVATIVES OF SWEPTBACK-WING—BODY COMBINATIONS AT SUPERSONIC SPEEDS. William B. Boatright. July 1958. 66p. diagrs., photo., tab. (NACA RM L58E08) CONFIDENTIAL

(1.2.2.3) HIGH-LIFT DEVICES

A COMPARISON OF FLIGHT-MEASURED CARRIER-APPROACH SPEEDS WITH VALUES PREDICTED BY SEVERAL DIFFERENT CRITERIA FOR 41 FIGHTER-TYPE AIRPLANE CONFIGURATIONS. Maurice D. White, Bernard A. Schlaff, and Fred J. Drinkwater III. May 1958. 127p. diagrs., tabs. (NACA RM A57L11) CONFIDENTIAL

(1.2.2.3.1) Trailing-Edge Flaps

EFFECTS OF A LEADING-EDGE SLAT AND A TRAILING-EDGE SPLIT FLAP ON THE AERODY-NAMIC CHARACTERISTICS OF A WING-FUSELAGE COMBINATION HAVING A NEARLY TRIANGULAR WING OF ASPECT RATIO 2.9 AT MACH NUMBERS FROM 0.60 TO 0.92. Fred A. Demele. January 1958. 66p. diagrs., photos., tabs. (NACA RM A57H19)

CONFIDENTIAL

LARGE-SCALE WIND-TUNNEL TESTS OF AN AIR-PLANE MODEL WITH A 45° SWEPTBACK WING OF ASPECT RATIO 2.8 EMPLOYING HIGH-VELOCITY BLOWING OVER THE LEADING- AND TRAILING-EDGE FLAPS. David H. Hickey and Kiyoshi Aoyagi. May 1958. 65p. diagrs., photos., tabs. (NACA RM A58A09) CONFIDENTIAL

ANALYSIS OF PRESSURE DISTRIBUTIONS FOR A SERIES OF TIP AND TRAILING-EDGE CONTROLS ON A 60° DELTA WING AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord and K. R. Czarnecki. May 1958. ii, 231p. diagrs., photos., tabs. (NACA RM L58C07)

STATIC STABILITY AND CONTROL OF HYPER-SONIC GLIDERS. Robert W. Rainey. July 1958. 16p. diagrs., tab. (NACA RM L58E12a) CONFIDENTIAL

FLIGHT INVESTIGATION OF THE LOW-SPEED CHARACTERISTICS OF A 45° SWEPT-WING FIGHTER-TYPE AIRPLANE WITH BLOWING BOUNDARY-LAYER CONTROL APPLIED TO THE TRAILING-EDGE FLAPS. Hervey C. Quigley, Seth B. Anderson, and Robert C. Innis. August 1958. 50p. diagrs., photos., tabs. (NACA RM A58E05)

(1.2.2.3.2) Slots and Slats

EFFECTS OF A LEADING-EDGE SLAT AND A TRAILING-EDGE SPLIT FLAP ON THE AERODY-NAMIC CHARACTERISTICS OF A WING-FUSELAGE COMBINATION HAVING A NEARLY TRIANGULAR WING OF ASPECT RATIO 2.9 AT MACH NUMBERS FROM 0.60 TO 0.92. Fred A. Demele. January 1958. 66p. diagrs., photos., tabs. (NACA RM A57H19)

FLIGHT EVALUATION OF THE EFFECTS OF LEADING-EDGE-SLAT SPAN ON THE STABILITY AND CONTROL CHARACTERISTICS OF A SWEPT-WING FIGHTER-TYPE AIRPLANE DURING ACCEL-ERATED LONGITUDINAL MANEUVERS AT TRANSONIC SPEEDS. Gene J. Matranga and Katharine H. Armistead. March 1958. 46p. diagrs., photo., tab. (NACA RM H58A03a) CONFIDENTIAL

(1.2.2.3.3) Leading-Edge Flaps

AERODYNAMIC LOAD DISTRIBUTION ON A 45° SWEPTBACK WING WITH LEADING-EDGE CHORD-EXTENSIONS AT TRANSONIC SPEEDS, INCLUDING EFFECTS OF A SPOILER-SLOT-DEFLECTOR AILERON. James W. Schmeer, Charles F. Whitcomb, and F. E. West, Jr. February 1958. 78p. diagrs., tabs. (NACA RM L57L02)

LARGE-SCALE WIND-TUNNEL TESTS OF AN AIR-PLANE MODEL WITH A 45° SWEPTBACK WING OF ASPECT RATIO 2.8 EMPLOYING HIGH-VELOCITY BLOWING OVER THE LEADING- AND TRAILING-EDGE FLAPS. David H. Hickey and Kiyoshi Aoyagi. May 1958. 65p. diagrs., photos., tabs. (NACA RM A58A09) CONFIDENTIAL

EFFECT OF LEADING-EDGE-FLAP DEFLECTION ON THE WING LOADS, LOAD DISTRIBUTIONS, AND FLAP HINGE MOMENTS OF THE DOUGLAS X-3 RESEARCH AIRPLANE AT TRANSONIC SPEEDS. Earl R. Keener, Norman J. McLeod, and Norman V. Taillon. July 1958. 87p. diagrs.. photos., tabs. (NACA RM H58D29) CONFIDENTIAL

(1.2.2.4) CONTROLS

TRANSONIC FLUTTER INVESTIGATION OF TWO 50° SEMISPAN MODIFIED-DELTA WINGS WITH TIP AILERONS. Robert J. Platt, Jr. February 1958. 18p. diagrs., photos., tabs. (NACA RM L57J14a) CONFIDENTIAL



(1) AERODYNAMICS

INVESTIGATION OF FLUTTER CHARACTERISTICS OF THREE LOW-ASPECT-RATIO ALL-MOVABLE HALF-SPAN CONTROL SURFACES AT MACH NUMBERS FROM 1.49 TO 2.87. Homer G. Morgan, Irving E. Figge, and John G. Presnell, Jr. May 1958. 35p. diagrs., photos., tabs. (NACA RM L58B20) CONFIDENTIAL

ANALYSIS OF PRESSURE DISTRIBUTIONS FOR A SERIES OF TIP AND TRAILING-EDGE CONTROLS ON A 60° DELTA WING AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord and K. R. Czarnecki. May 1958. ii, 231p. diagrs., photos., tabs. (NACA RM L58C07) CONFIDENTIAL

AIRPLANE CONFIGURATIONS FOR CRUISE AT A MACH NUMBER OF 3. Donald D. Baals, Thomas A. Toll, and Owen G. Morris. August 1958. 22p. diagrs. (NACA RM L58E14a) CONFIDENTIAL

(1.2.2.4.1) Flap Type

EFFECT OF CONTROL TRAILING-EDGE THICK-NESS OR ASPECT RATIO ON THE OSCILLATING HINGE-MOMENT AND FLUTTER CHARACTERIS-TICS OF A FLAP-TYPE CONTROL AT TRANSONIC SPEEDS. William C. Moseley, Jr., and Robert F. Thompson. April 1958. 43p. diagrs., photo., tabs. (NACA RM L58B25) CONFIDENTIAL

EFFECTS OF MODIFICATIONS TO A CONTROL SURFACE ON A 6-PERCENT-THICK UNSWEPT WING ON THE TRANSONIC CONTROL-SURFACE FLUTTER DERIVATIVES. John A. Wyss, Robert M. Sorenson, and Bruno J. Gambucci. May 1958. 61p. diagrs., photos., tabs. (NACA RM A58B04) CONFIDENTIAL

SOME EFFECTS OF FLOW SPOILERS AND OF AERODYNAMIC BALANCE ON THE OSCILLATING HINGE MOMENTS FOR A SWEPT FIN-RUDDER COMBINATION IN A TRANSONIC WIND TUNNEL. Robert W. Herr, Frederick W. Gibson, and Robert S. Osborne. May 1958. 31p. diagrs., photos. (NACA RM L58C28) CONFIDENTIAL

TRANSONIC CHARACTERISTICS OF OUTBOARD AILERONS ON A 4-PERCENT-THICK 30° SWEPT-BACK WING, INCLUDING SOME EFFECTS OF AILERON TRAILING-EDGE THICKNESS AND AERO-DYNAMIC BALANCE. Charles F. Whitcomb and Chris C. Critzos. July 1958. 70p. diagrs., photos. (NACA RM L58E05)

A WIND-TUNNEL INVESTIGATION OF THE WING LOADS DUE TO DEFLECTED INBOARD AILERONS ON A 45° SWEPTBACK WING AT TRANSONIC SPEEDS. Atwood R. Heath, Jr., and Ann W. Igoe. July 1958. 101p. diagrs., photos., tabs. (NACA RM L58E12)

STATIC STABILITY AND CONTROL OF HYPER-SONIC GLIDERS. Robert W. Rainey. July 1958. 16p. diagrs., tab. (NACA RM L58E12a) CONFIDENTIAL

PRELIMINARY AERODYNAMIC DATA PERTINENT TO MANNED SATELLITE REENTRY CONFIGURATIONS. Jim A. Penland and William O. Armstrong. July 1958. 16p. diagrs. (NACA RM L58E13a)

CONFIDENTIAL

(1, 2, 2, 4, 2) Spoilers

FREE-FLIGHT ROLL PERFORMANCE OF A STEADY-FLOW JET-SPOILER CONTROL ON AN 80° DELTA-WING MISSILE BETWEEN MACH NUMBERS OF 0.6 AND 1.8. Eugene D. Schult. January 1958. 35p. diagrs., photos. (NACA RM L57J28)

AERODYNAMIC LOAD DISTRIBUTION ON A 45° SWEPTBACK WING WITH LEADING-EDGE CHORD-EXTENSIONS AT TRANSONIC SPEEDS, INCLUDING EFFECTS OF A SPOILER-SLOT-DEFLECTOR AILERON. James W. Schmeer, Charles F. Whitcomb, and F. E. West, Jr. February 1958. 78p. diagrs., tabs. (NACA RM L57L02) CONFIDENTIAL

STATIC LONGITUDINAL AND LATERAL STABILITY AND CONTROL CHARACTERISTICS OF A MODEL OF A SWEPT-WING FIGHTER-BOMBER-TYPE AIRPLANE WITH A TOP INLET AT MACH NUMBERS FROM 1.6 TO 2.35. A. Vernon Gnos and Richard L. Kurkowski. March 1958. 55p. diagrs., photos., tab. (NACA RM A57K20)

AERODYNAMIC CHARACTERISTICS OF SEVERAL JET-SPOILER CONTROLS ON A 45° SWEPTBACK WING AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord. June 1958. 93p. diagrs., tab. (NACA RM L58D18) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE EFFECT
OF SWEEP AND TAPER RATIO ON EFFECTIVENESS
OF SPOILER-SLOT-DEFLECTOR CONTROLS ON
ASPECT-RATIO-4 WINGS AT TRANSONIC SPEEDS.
Alexander D. Hammond and Linwood W. McKinney.
August 1958. 69p. diagrs., tabs.
(NACA RM L58E29) CONFIDENTIAL

(1.2.2.4.3) All-Movable

TRANSONIC LATERAL AND LONGITUDINAL AERO-DYNAMIC CHARACTERISTICS OF A LATERAL-CONTROL SYSTEM EMPLOYING ROTATABLE AIRFOILS MOUNTED VERTICALLY AT THE WING TIPS OF AN UNSWEPT WING-FUSELAGE-TAIL COMBINATION. John A. Axelson. January 1958. 43p. diagrs., photos. (NACA RM A57J16) CONFIDENTIAL

(1) AERODYNAMICS

EVALUATION OF SOME AERODYNAMIC CONTROLS FOR A LOW-ASPECT-RATIO MISSILE. Warren Winovich and Nancy S. Higdon, July 1958. 12p. diagrs. (NACA RM A58D17b) CONFIDENTIAL

(1.2, 2.5)

REYNOLDS NUMBER EFFECTS

EFFECTS OF A LEADING-EDGE SLAT AND A TRAILING-EDGE SPLIT FLAP ON THE AERODY-NAMIC CHARACTERISTICS OF A WING-FUSELAGE COMBINATION HAVING A NEARLY TRIANGULAR WING OF ASPECT RATIO 2.9 AT MACH NUMBERS FROM 0.60 TO 0.92. Fred A. Demele. January 1958. 66p. diagrs., photos., tabs. (NACA RM A57H19)

CONFIDENTIAL

ANALYSIS OF PRESSURE DISTRIBUTIONS FOR A SERIES OF TIP AND TRAILING-EDGE CONTROLS ON A 60° DELTA WING AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord and K. R. Czarnecki. May 1958. ii, 231p. diagrs., photos., tabs. (NACA RM L58C07)

FORCES AND PITCHING MOMENTS ON AN ASPECT-RATIO-3.1 WING-BODY COMBINATION AT MACH NUMBERS FROM 2.5 TO 3.5 AND SUBLIMATION STUDIES OF THE EFFECT OF SINGLE-ELEMENT ROUGHNESS ON THE BOUNDARY-LAYER FLOW. Edward J. Hopkins, Stephen J. Keating, Jr., and Richard R. Muhl. August 1958. 21p. diagrs., photos. (NACA RM A58E212)

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS FROM 2.5 TO 3.5 OF A CANARD BOMBER CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Melvin M. Carmel, Thomas C. Kelly, and Donald T. Gregory. September 1958. 53p. diagrs., photos., tab. (NACA RM L58G16) CONFIDENTIAL

(Title, Confidential)

(1.2.2.6) MACH NUMBER EFFECTS

EFFECTS OF A LEADING-EDGE SLAT AND A TRAILING-EDGE SPLIT FLAP ON THE AERODY-NAMIC CHARACTERISTICS OF A WING-FUSELAGE COMBINATION HAVING A NEARLY TRIANGULAR WING OF ASPECT RATIO 2.9 AT MACH NUMBERS FROM 0.60 TO 0.92. Fred A. Demele. January 1958. 66p. diagrs., photos., tabs. (NACA RM A57H19) CONFIDENTIAL

FREE-FLIGHT ROLL PERFORMANCE OF A STEADY-FLOW JET-SPOILER CONTROL ON AN 80° DELTA-WING MISSILE BETWEEN MACH NUMBERS OF 0.6 AND 1.8. Eugene D. Schult.

January 1958. 35p. diagrs., photos.
(NACA RM L57J28)

CONFIDENTIAL

BUFFET TESTS OF AN ATTACK-AIRPLANE
MODEL WITH EMPHASIS ON ANALYSIS OF DATA
FROM WIND-TUNNEL TESTS. Don D. Davis, Jr.,
and Dewey E. Wornom. February 1958. 56p.
diagrs., photos., tab. (NACA RM L57H13)
CONFIDENTIAL

TRANSONIC FLUTTER INVESTIGATION OF TWO 50° SEMISPAN MODIFIED-DELTA WINGS WITH TIP AILERONS. Robert J. Platt, Jr. February 1958. 18p. diagrs., photos., tabs. (NACA RM L57J14a)

EFFECT AT HIGH SUBSONIC SPEEDS OF FUSE-LAGE FOREBODY STRAKES ON THE STATIC STABILITY AND VERTICAL-TAIL-LOAD CHAR-ACTERISTICS OF A COMPLETE MODEL HAVING A DELTA WING. Edward C. Polhamus and Kenneth P. Spreemann. February 1958. 32p. diagrs., photo. (NACA RM L57K15a)

AERODYNAMIC LOAD DISTRIBUTION ON A 45° SWEPTBACK WING WITH LEADING-EDGE CHORD-EXTENSIONS AT TRANSONIC SPEEDS, INCLUDING EFFECTS OF A SPOILER-SLOT-DEFLECTOR AILERON. James W. Schmeer, Charles F. Whitcomb, and F. E. West, Jr. February 1958. 78p. diagrs., tabs. (NACA RM L57L02)

TRANSONIC WIND-TUNNEL INVESTIGATION OF THE EFFECT OF A HORIZONTAL TAIL ON LONGITUDINAL STABILITY OF TWO 60° SWEPTBACKWING-BODY CONFIGURATIONS WITH ASPECT RATIOS OF 2.87 AND 4.00. Joseph D. Brooks. February 1958. 21p. diagrs., photo., tabs (NACA RM L57L11) CONFIDENTIAL

CALCULATION OF FLUTTER CHARACTERISTICS FOR FINITE-SPAN SWEPT OR UNSWEPT WINGS AT SUBSONIC AND SUPERSONIC SPEEDS BY A MODI-FIED STRIP ANALYSIS. E. Carson Yates, Jr. March 1958. 121p. diagrs., tabs. (NACA RM L57L10) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OVER A MACH NUMBER RANGE OF 1.40 TO 2.78 OF A ROCKET-PROPELLED AIRPLANE CONFIGURATION HAVING A LOW 52.50 DELTA WING AND AN UNSWEPT HORIZONTAL TAIL. Alan B. Kehlet. March 1958. 26p. diagrs., photos., tab. (NACA RM L58A23) CONFIDENTIAL

ANALYSIS OF FLIGHT-DETERMINED AND PREDICTED EFFECTS OF FLEXIBILITY ON THE STEADY-STATE WING LOADS OF THE B-52 AIR-PLANE. Albert E. Kuhl, John T. Rogers, and Mary V. Little. April 1958. 57p. diagrs., photo., tab. (NACA RM H57C25) CONFIDENTIAL

(1) AERODYNAMICS

AN ANALYSIS OF SURFACE PRESSURES AND AERODYNAMIC LOAD DISTRIBUTION OVER THE SWEPT WING OF THE DOUGLAS D-558-II RESEARCH AIRPLANE AT MACH NUMBERS FROM 0.73 TO 1.73. Norman V. Taillon. April 1958. 51p. diagrs., photo., tabs. (NACA RM H58A30) CONFIDENTIAL

TRANSONIC FLUTTER INVESTIGATION OF MODELS OF THE SWEPTBACK WING OF A FIGHTER AIRPLANE. Samuel L. Smith III and Robert W. Boswinkle, Jr. April 1958. 26p. diagrs., photos., tabs. (NACA RM L58A15) CONFIDENTIAL

EFFECT OF CONTROL TRAILING-EDGE THICK-NESS OR ASPECT RATIO ON THE OSCILLATING HINGE-MOMENT AND FLUTTER CHARACTERIS-TICS OF A FLAP-TYPE CONTROL AT TRANSONIC SPEEDS. William C. Moseley, Jr., and Robert F. Thompson. April 1958. 43p. diagrs., photo., tabs. (NACA RM L58B25) CONFIDENTIAL

EFFECTS OF MODIFICATIONS TO A CONTROL SURFACE ON A 6-PERCENT-THICK UNSWEPT WING ON THE TRANSONIC CONTROL-SURFACE FLUTTER DERIVATIVES. John A. Wyss, Robert M. Sorenson, and Bruno J. Gambucci. May 1958. 61p. diagrs., photos., tabs. (NACA RM A58B04) CONFIDENTIAL

ANALYSIS OF PRESSURE DISTRIBUTIONS FOR A SERIES OF TIP AND TRAILING-EDGE CONTROLS ON A 60° DELTA WING AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord and K. R. Czarnecki. May 1958. ii, 231p. diagrs., photos., tabs. (NACA RM L58C07) CONFIDENTIAL

TRANSONIC INVESTIGATION OF YAWED WINGS OF ASPECT RATIOS 3 AND 6 WITH A SEARS-HAACK BODY AND WITH SYMMETRICAL AND ASYMMETRICAL BODIES INDENTED FOR A MACH NUMBER OF 1.20. George H. Holdaway and Elaine W. Hatfield. June 1958. 111p. diagrs., photos., tabs. (NACA RM A58C03) CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF THE DRAG DUE TO WEDGES ALONG THE TRAILING EDGE OF A SWEPT WING. Bruno J. Gambucci and John A. Wyss. June 1958. 15p. diagrs., photos. (NACA RM A58D15) CONFIDENTIAL

THE PROSPECTS FOR LAMINAR FLOW ON HYPERSONIC AIRPLANES. Alvin Seiff. June 1958. 17p. diagrs., photo. (NACA RM A58D25)

CONFIDENTIAL

SOME EFFECTS OF MASS RATIO ON THE TRAN-SONIC FLUTTER CHARACTERISTICS OF UN-TAPERED 45° SWEPTBACK WINGS OF ASPECT RATIOS 2 AND 3.5. H. Neale Kelly. June 1958. 19p. diagrs., tabs. (NACA RM L58D17) CONFIDENTIAL AERODYNAMIC CHARACTERISTICS OF SEVERAL JET-SPOILER CONTROLS ON A 450 SWEPTBACK WING AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord. June 1958. 93p. diagrs., tab. (NACA RM L58D18) CONFIDENTIAL

EVALUATION OF SOME AERODYNAMIC CONTROLS FOR A LOW-ASPECT-RATIO MISSILE. Warren Winovich and Nancy S. Higdon. July 1958. 12p. diagrs. (NACA RM A58D17b) CONFIDENTIAL

EFFECT OF LEADING-EDGE-FLAP DEFLECTION ON THE WING LOADS, LOAD DISTRIBUTIONS, AND FLAP HINGE MOMENTS OF THE DOUGLAS X-3 RESEARCH AIRPLANE AT TRANSONIC SPEEDS. Earl R. Keener, Norman J. McLeod, and Norman V. Taillon. July 1958. 87p. diagrs., photos., tabs. (NACA RM H58D29)

BOUNDARY-LAYER-TRANSITION MEASUREMENTS IN FULL-SCALE FLIGHT. Richard D. Banner, John G. McTigue, and Gilbert Petty, Jr. July 1958. 10p. diagrs., photos. (NACA RM H58E28) CONFIDENTIAL

TRANSONIC CHARACTERISTICS OF OUTBOARD AILERONS ON A 4-PERCENT-THICK 30° SWEPT-BACK WING, INCLUDING SOME EFFECTS OF AILERON TRAILING-EDGE THICKNESS AND AERO-DYNAMIC BALANCE. Charles F. Whitcomb and Chris C. Critzos. July 1958. 70p. diagrs., photos. (NACA RM L58E05) CONFIDENTIAL

EFFECTS OF WING SWEEP, HORIZONTAL-TAIL CONFIGURATION, AND A VENTRAL FIN ON STATIC STABILITY CHARACTERISTICS OF A MODEL WITH A WING OF ASPECT RATIO 3 AT MACH NUMBERS FROM 2.29 TO 4.65. Byron M. Jaquet and Roger H. Fournier. July 1958. 88p. diagrs., photos., tabs. (NACA RM L58E06)

A WIND-TUNNEL INVESTIGATION OF THE WING LOADS DUE TO DEFLECTED INBOARD AILERONS ON A 45° SWEPTBACK WING AT TRANSONIC SPEEDS. Atwood R. Heath, Jr., and Ann W. Igoe. July 1958. 101p. diagrs., photos., tabs. (NACA RM L58E12) CONFIDENTIAL

FORCES AND PITCHING MOMENTS ON AN ASPECT-RATIO-3.1 WING-BODY COMBINATION AT MACH NUMBERS FROM 2.5 TO 3.5 AND SUBLIMATION STUDIES OF THE EFFECT OF SINGLE-ELEMENT ROUGHNESS ON THE BOUNDARY-LAYER FLOW. Edward J. Hopkins, Stephen J. Keating, Jr., and Richard R. Muhl. August 1958. 21p. diagrs., photos. (NACA RM A58E21a) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE EFFECT
OF SWEEP AND TAPER RATIO ON EFFECTIVENESS
OF SPOILER-SLOT-DEFLECTOR CONTROLS ON
ASPECT-RATIO-4 WINGS AT TRANSONIC SPEEDS.
Alexander D. Hammond and Linwood W. McKinney.
August 1958. 69p. diagrs., tabs.
(NACA RM L58E29)
CONFIDENTIAL





ANALYSIS OF PRESSURE DATA OBTAINED AT TRANSONIC SPEEDS ON A THIN LOW-ASPECT-RATIO CAMBERED DELTA WING-BODY COMBI-NATION. John P. Mugler, Jr. September 1958. 36p. diagrs., photos. (NACA RM L58F24) CONFIDENTIAL

ROCKET-MODEL INVESTIGATION TO DETER-MINE THE LIFT AND PITCHING EFFECTIVENESS OF SMALL PULSE ROCKETS EXHAUSTED FROM THE FUSELAGE OVER THE SURFACE OF AN ADJACENT WING AT MACH NUMBERS FROM 0.9 TO 1.8. C. William Martz. September 1958. 22p. diagrs., photos. (NACA RM L58G29) CONFIDENTIAL

(1.2.2.8)
BOUNDARY LAYER

THE PROSPECTS FOR LAMINAR FLOW ON HYPERSONIC AIRPLANES. Alvin Seiff. June 1958. 17p. diagrs., photo. (NACA RM A58D25)

CONFIDENTIAL

BOUNDARY-LAYER-TRANSITION MEASUREMENTS IN FULL-SCALE FLIGHT. Richard D. Banner, John G. McTigue, and Gilbert Petty, Jr. July 1958. 10p. diagrs., photos. (NACA RM H58E28) CONFIDENTIAL (1.2.2.8.1)
Characteristics

FORCES AND PITCHING MOMENTS ON AN ASPECT-RATIO-3.1 WING-BODY COMBINATION AT MACH NUMBERS FROM 2.5 TO 3.5 AND SUBLIMATION STUDIES OF THE EFFECT OF SINGLE-ELEMENT ROUGHNESS ON THE BOUNDARY-LAYER FLOW. Edward J. Hopkins, Stephen J. Keating, Jr., and Richard R. Muhl. August 1958. 21p. diagrs., photos. (NACA RM A58E21a) CONFIDENTIAL

(1, 2, 2, 8, 2) Control

A COMPARISON OF FLIGHT-MEASURED CARRIER-APPROACH SPEEDS WITH VALUES PREDICTED BY SEVERAL DIFFERENT CRITERIA FOR 41 FIGHTER-TYPE AIRPLANE CONFIGURATIONS. Maurice D. White, Bernard A. Schlaff, and Fred J. Drinkwater III. May 1958. 127p. diagrs., tabs. (NACA RM A57L11) CONFIDENTIAL

LARGE-SCALE WIND-TUNNEL TESTS OF AN AIR-PLANE MODEL WITH A 45° SWEPTBACK WING OF ASPECT RATIO 2.8 EMPLOYING HIGH-VELOCITY BLOWING OVER THE LEADING- AND TRAILING-EDGE FLAPS. David H. Hickey and Kiyoshi Aoyagi. May 1958. 65p. diagrs., photos., tabs. (NACA RM A58A09) CONFIDENTIAL

FLIGHT INVESTIGATION OF THE LOW-SPEED CHARACTERISTICS OF A 45° SWEPT-WING FIGHTER-TYPE AIRPLANE WITH BLOWING BOUNDARY-LAYER CONTROL APPLIED TO THE TRAILING-EDGE FLAPS. Hervey C. Quigley, Seth B. Anderson, and Robert C. Innis. August 1958. 50p. diagrs., photos., tabs. (NACA RM A58E05).

(1.3) Bodies

AN INITIAL EXPERIMENTAL STUDY OF THE EFFECT OF VARIATIONS IN FREQUENCY AND IMPULSE ON THE REDUCTION IN TEMPERATURE RECOVERY FACTOR AFFORDED BY LARGE-SCALE UNSTEADY FLOW. Robert R. Howell. January 1958. 23p. diagrs., photo., tab. (NACA RM L57127)

FREE-FLIGHT PRESSURE MEASUREMENTS OVER A FLARE-STABILIZED ROCKET MODEL WITH A MODIFIED VON KARMAN NOSE FOR MACH NUMBERS UP TO 4.3. William M. Bland, Jr., and Ronald Kolenkiewicz. January 1958. 21p. diagrs., photos., tabs. (NACA RM L57J24)

CONFIDENTIAL

FREE-FLIGHT AERODYNAMIC-HEATING DATA AT MACH NUMBERS UP TO 10.9 ON A FLAT-FACED CYLINDER. William M. Bland, Jr., Andrew G. Swanson, and Ronald Kolenkiewicz. January 1958. 46p. diagrs., photos., tabs. (NACA RM L57K29) CONFIDENTIAL

HEAT TRANSFER MEASURED ON A FLAT-FACE CYLINDER-FLARE CONFIGURATION IN FREE FLIGHT AT MACH NUMBERS FROM 1.6 TO 2.7. Dorothy B. Lee and Andrew G. Swanson. February 1958. 33p. diagrs., photos., tabs. (NACA RM L58A06) CONFIDENTIAL

PRELIMINARY AERODYNAMIC DATA PERTINENT TO MANNED SATELLITE REENTRY CONFIGURATIONS. Jim A. Penland and William O. Armstrong. July 1958. 16p. diagrs. (NACA RM L58E13a)

CONFIDENTIAL

HEAT TRANSFER MEASURED IN FREE FLIGHT ON A SLIGHTLY BLUNTED 25° CONE-CYLINDER-FLARE CONFIGURATION AT MACH NUMBERS UP TO 9.89. Dorothy B. Lee, Charles B. Rumsey, and Aleck C. Bond. September 1958. 63p. diagrs., photos., tabs. (NACA RM L58G21) CONFIDENTIAL

(1.3.1) THEORY

APPROXIMATE SOLUTIONS FOR THE FLOW ABOUT FLAT-TOP WING-BODY CONFIGURATIONS AT HIGH SUPERSONIC AIRSPEEDS. Raymond C. Savin. September 1958. 69p. diagrs., tab. (NACA RM A58F02) CONFIDENTIAL

(1.3.2) SHAPE VARIABLES

SOME EFFECTS OF REYNOLDS NUMBER ON THE STABILITY OF A SERIES OF FLARED-BODY AND BLUNTED-CONE MODELS AT MACH NUMBERS FROM 1.62 TO 6.86. Alan B. Kehlet. January 1958. 35p. diagrs., photos., tabs. (NACA RM L57J29) CONFIDENTIAL

A WIND-TUNNEL INVESTIGATION OF SEVERAL WINGLESS MISSILE CONFIGURATIONS AT SUPERSONIC SPEEDS. David E. Reese, Jr. February 1958. 51p. diagrs., photos., tabs. (NACA RM A57J22) CONFIDENTIAL

BEHAVIOR OF SOME MATERIALS AND SHAPES IN SUPERSONIC FREE JETS AT STAGNATION TEMPERATURES UP TO 4,210° F, AND DESCRIPTIONS OF THE JETS. E. M. Fields, Russell N. Hopko, Robert L. Swain, and Otto F. Trout, Jr. February 1958. 59p. diagrs., photos., tabs. (NACA RM L57K26) CONFIDENTIAL

A FEASIBILITY STUDY OF THE FLARE-CYLINDER CONFIGURATION AS A REENTRY BODY SHAPE FOR AN INTERMEDIATE RANGE BALLISTIC MISSILE. James R. Hall and Benjamine J. Garland. May 1958. 23p. diagrs. (NACA RM L58C21)

CONFIDENTIAL

AN EXPERIMENTAL INVESTIGATION OF THE STATIC LONGITUDINAL STABILITY AND CONTROL CHARACTERISTICS OF A WINGLESS MISSILE CONFIGURATION AT MACH NUMBERS FROM 3.0 TO 6.3. Hermito R. Gloria. June 1958. 29p. diagrs., photos., tabs. (NACA RM A58C20) CONFIDENTIAL

AERODYNAMIC HEATING OF BLUNT NOSE SHAPES AT MACH NUMBERS UP TO 14. William E. Stoney, Jr. August 1958. 18p. diagrs., photo., film suppl. available on request. (NACA RM L58E05a) CONFIDENTIAL

APPROXIMATE SOLUTIONS FOR THE FLOW ABOUT FLAT-TOP WING-BODY CONFIGURATIONS AT HIGH SUPERSONIC AIRSPEEDS. Raymond C. Savin. September 1958. 69p. diagrs., tab. (NACA RM A58F02) CONFIDENTIAL



ANALYSIS OF PRESSURE DATA OBTAINED AT TRANSONIC SPEEDS ON A THIN LOW-ASPECT-RATIO CAMBERED DELTA WING-BODY COMBINATION. John P. Mugler, Jr. September 1958. 36p. diagrs., photos. (NACA RM L58F24)

CONFIDENTIAL

(1.3.2.1) FINENESS RATIO

INVESTIGATION OF TWO BLUFF SHAPES IN AXIAL FREE FLIGHT OVER A MACH NUMBER RANGE FROM 0.35 TO 2.15. Lucitle C. Coltrane. March 1958. 33p. diagrs., photos., tabs.
(NACA RM L58A16) CONFIDENTIAL

STABILITY INVESTIGATION OF A BLUNT CONE AND A BLUNT CYLINDER WITH A SQUARE BASE AT MACH NUMBERS FROM 0.64 TO 2.14. Lucille C. Coltrane. September 1958. 32p. diagrs., photos., tabs. (NACA RM L58G24) CONFIDENTIAL

(1.3.2.2) CROSS SECTION

EFFECTS OF NOSE AND AFTERBODY MODIFICA-TIONS ON AERODYNAMIC CHARACTERISTICS OF A BODY WITH AND WITHOUT A VERTICAL TAIL AT A MACH NUMBER OF 2.01. Gerald V. Foster. April 1958. 85p. diagrs., photos., tabs. (NACA RM L58A10) CONFIDENTIAL

EFFECTS OF BOATTAIL AREA CONTOURING AND SIMULATED TURBOJET EXHAUST ON THE LOADING AND FUSELAGE-TAIL COMPONENT DRAG OF A TWIN-ENGINE FIGHTER-TYPE AIRPLANE MODEL. Willard E. Foss, Jr., Jack F. Runckel, and Edwin E. Lee, Jr. July 1958. 62p. diagrs., photos., tabs. (NACA RM L58CO4) CONFIDENTIAL

(1.3.2.5) PROTUBERANCES

SOME EXPERIMENTAL HEATING DATA ON CON-VEX AND CONCAVE HEMISPHERICAL NOSE SHAPES AND HEMISPHERICAL DEPRESSIONS ON A 30° BLUNTED NOSE CONE. Russell N. Hopko and H. Kurt Strass. March 1958. 32p. diagrs., photos. (NACA RM L58A17a) CONFIDENTIAL

(1.3.4) DUCTED BODIES

WIND-TUNNEL INVESTIGATION OF THE EFFECTS OF LIP GEOMETRY ON DRAG AND PRESSURE RECOVERY OF A NORMAL-SHOCK NOSE INLET ON A BODY OF REVOLUTION AT MACH NUMBERS OF 1.41 AND 1.81. A. Warner Robins. February 1958. 96p. diagrs., photos., tabs. (NACA RM L57K08)

AERODYNAMIC AND INLET-FLOW-FIELD CHARACTERISTICS AT A FREE-STREAM MACH NUMBER OF 3.0 FOR AIRPLANES WITH CIRCULAR FUSELAGE CROSS SECTIONS AND FOR TWO ENGINE LOCATIONS. Murray Dryer and Roger W. Luidens. March 1958. 32p. diagrs., tab. (NACA RM E57K26)

(1.3.4.1) NOSE SHAPE

FREE-FLIGHT INVESTIGATION TO DETERMINE THE INLET EXTERNAL DRAG OF FOUR INLET MODELS AT MACH NUMBERS FROM 1.50 TO 3.00. Walter L. Kouyoumjian. April 1958. 25p. diagrs., photos., tabs. (NACA RM L58B04)

CONFIDENTIAL

INDUCTION SYSTEM CHARACTERISTICS AND ENGINE SURGE OCCURRENCE FOR TWO FIGHTER-TYPE AIRPLANES. Terry J. Larson, George M. Thomas, and Donald R. Bellman. May 1958. 36p. diagrs., photos., tab. (NACA RM H58C14)

CONFIDENTIAL

(1.3.4.3) SIDE INLETS

INVESTIGATION OF CONTROL SIGNALS FOR VARIABLE RAMPS OF TWIN-DUCT SIDE INLETS.
Milton A. Beheim and Richard A. Yeager.
January 1958. 43p. diagrs., photo.
(NACA RM E57G22)

CONFIDENTIAL

PERFORMANCE OF AN INLET HAVING A VARIABLE-ANGLE TWO-DIMENSIONAL COMPRESSION SURFACE AND A FIXED-GEOMETRY SUBSONIC DIFFUSER FOR APPLICATION TO REDUCED ENGINE ROTATIVE SPEEDS: MACH NUMBERS 0.66, 1.5, 1.7, AND 2.0. John L. Allen. January 1958. 29p. diagrs., photos. (NACA RM E57J02)

INVESTIGATION OF AN UNDERSLUNG HALF-CONE INLET WITH COMPRESSION SURFACE MOUNTED OUTBOARD FROM FUSELAGE AT MACH NUMBERS OF 1.5, 1.8, AND 2.0. Richard A. Yeager and Laurence W. Gertsma. May 1958. 16p. diagrs., photos. (NACA RM E58A27b) CONFIDENTIAL

(1) AERODYNAMICS

INDUCTION SYSTEM CHARACTERISTICS AND ENGINE SURGE OCCURRENCE FOR TWO FIGHTER-TYPE AIRPLANES. Terry J. Larson, George M. Thomas, and Donald R. Bellman. May 1958. 36p. diagrs., photos., tab. (NACA RM H58C14)

CONFIDENTIAL

(1.3.4.4) SIDE EXITS

INVESTIGATION OF FIXED-GEOMETRY SUPERSONIC INLETS WITH BYPASS DUCTS FOR MATCHING TURBOJET-ENGINE AIR-FLOW REQUIRE-MENTS OVER A RANGE OF TRANSONIC AND SUPERSONIC SPEEDS. Abraham Letss and Walter L. Kouyoumjian. February 1958. 40p. diagrs., photos., tabs. (NACA RM L57K14)

(1.4)

Internal Aerodynamics

ANALYSIS OF TRANSONIC ROTOR-BLADE PASSAGE LOSS WITH HOT-WIRE ANEMOMETERS. George W. Lewis, Edward R. Tysl, and Theodore E. Fessler. June 1958. 28p. diagrs., photos. (NACA RM E58C04) CONFIDENTIAL

PERFORMANCE OF MULTIPLE JET-EXIT INSTAL-LATIONS. John M. Swihart and William J. Nelson. July 1958. 13p. diagrs., photos. (NACA RM L58E01) CONFIDENTIAL

(1.4.1) AIR INLETS

INVESTIGATION OF FIXED-GEOMETRY SUPER-SONIC INLETS WITH BYPASS DUCTS FOR MATCHING TURBOJET-ENGINE AIR-FLOW REQUIRE-MENTS OVER A RANGE OF TRANSONIC AND SUPERSONIC SPEEDS. Abraham Leiss and Walter L. Kouyoumjian. February 1958. 40p. diagrs., photos., tabs. (NACA RM L57K14)

SURVEY OF SUPERSONIC INLETS FOR HIGH MACH NUMBER APPLICATIONS. James F. Connors and John L. Allen. April 1958. 20p. diagrs., photos., tabs. (NACA RM E58A20) CONFIDENTIAL

PERFORMANCE AT MACH NUMBERS 3.07, 1.89, AND 0 OF INLETS DESIGNED FOR INLET-ENGINE MATCHING UP TO MACH 3. L. W. Gertsma and M. A. Beheim. May 1958. 49p. diagrs., photos. (NACA RM E58B13) CONFIDENTIAL

EFFECT OF SPIKE-TIP AND COWL-LIP BLUNTING ON INLET PERFORMANCE OF A MACH 3.0 EXTERNAL-COMPRESSION INLET. R. W. Cubbison and N. E. Samanich. September 1958. 19p. diagrs., photos. (NACA RM E58G02a)

CONFIDENTIAL

A PIVOTING-COWL-AND-SPIKE TECHNIQUE FOR EFFICIENT ANGLE-OF-ATTACK OPERATION OF SUPERSONIC INLETS. Nick E. Samanich and Robert W. Cubbison. September 1958. 20p. diagrs., photos. (NACA RM E58611a) CONFIDENTIAL

(1.4.1.1) NOSE, CENTRAL

EXPERIMENTAL INVESTIGATION OF DISTORTION REMOVAL CHARACTERISTICS OF SEVERAL FREE-WHEELING FANS. Harold H. Valentine and William T. Beale. January 1958. 37p. diagrs., photos. (NACA RM E57112) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE EFFECTS
OF LIP GEOMETRY ON DRAG AND PRESSURE
RECOVERY OF A NORMAL-SHOCK NOSE INLET
ON A BODY OF REVOLUTION AT MACH NUMBERS
OF 1.41 AND 1.81. A. Warner Robins. February
1958. 96p. diagrs., photos., tabs.
(NACA RM L57K08) CONFIDENTIAL

(1.4.1.1.2) Subsonic

INDUCTION SYSTEM CHARACTERISTICS AND ENGINE SURGE OCCURRENCE FOR TWO FIGHTER-TYPE AIRPLANES. Terry J. Larson, George M. Thomas, and Donald R. Bellman. May 1958. 36p. diagrs., photos., tab. (NACA RM H58C14)

CONFIDENTIAL

(1.4.1.1.3) Supersonic

EXPERIMENTAL INVESTIGATION OF DISTORTION REMOVAL CHARACTERISTICS OF SEVERAL FREE-WHEELING FANS. Harold H. Valentine and William T. Beale. January 1958. 37p. diagrs., photos. (NACA RM E57112) CONFIDENTIAL

INVESTIGATION AT SUPERSONIC SPEEDS OF THE COMPRESSOR STALL AND INLET BUZZ CHARACTERISTICS OF A J34 - SPIKE-INLET COMBINATION.

J. Cary Nettles and Robert C. Campbell. March 1958. 30p. diagrs., photo. (NACA RM E57K19b)

CONFIDENTIAL

AERODYNAMIC AND INLET-FLOW-FIELD CHARACTERISTICS AT A FREE-STREAM MACH NUMBER OF 3.0 FOR AIRPLANES WITH CIRCULAR FUSELAGE CROSS SECTIONS AND FOR TWO ENGINE LOCATIONS. Murray Dryer and Roger W. Luidens. March 1958. 32p. diagrs., tab. (NACA RM E57K26) CONFIDENTIAL

(1) AERODYNAMICS

FREE-FLIGHT INVESTIGATION TO DETERMINE THE INLET EXTERNAL DRAG OF FOUR INLET MODELS AT MACH NUMBERS FROM 1.50 TO 3.00. Walter L. Kouyoumjian. April 1958. 25p. diagrs., photos., tabs. (NACA RM L58B04)

CONFIDENTIAL

USE OF SHOCK-TRAP BLEED TO IMPROVE PRES-SURE RECOVERY OF FIXED- AND VARIABLE-CAPTURE-AREA INTERNAL-CONTRACTION IN-LETS: MACH NUMBER 2.0 TO 3.0. Roger W. Luidens and Richard J. Flaherty. August 1958. 18p. diagrs., photos. (NACA RM E58D24)

PERFORMANCE OF AN ALL-INTERNAL CONICAL.
COMPRESSION INLET WITH ANNULAR THROAT
BLEED AT MACH NUMBER 5.0. Leonard E. Stitt
and Leonard J. Obery. August 1958. 17p. diagrs.,
photos. (NACA RM E58E14) CONFIDENTIAL
(Title, Confidential)

AN EXPERIMENTAL INVESTIGATION OF TWO INTERNAL-COMPRESSION AIR-INLET DESIGNS WHICH USE FLUID BOUNDARIES AS A MEANS OF SUPERSONIC COMPRESSION. Robert R. Howell and Charles D. Trescot, Jr. August 1958. 28p. diagrs., tab. (NACA RM L58F06) CONFIDENTIAL

PERFORMANCE OF AN ISENTROPIC, ALL-INTERNAL-CONTRACTION, AXISYMMETRIC INLET DESIGNED FOR MACH 2.50. David N. Bowditch and Bernhard H. Anderson. September 1958. 26p. diagrs., photos., tab. (NACA RM E58E16)

CONFIDENTIAL

INVESTIGATION OF INLET CONTROL PARAMETERS FOR AN EXTERNAL-INTERNAL-COMPRESSION INLET FROM MACH 2.1 TO 3.0. Bernhard H. Anderson and David N. Bowditch. September 1958. 15p. diagrs. (NACA RM E58G08)

A PIVOTING-COWL-AND-SPIKE TECHNIQUE FOR EFFICIENT ANGLE-OF-ATTACK OPERATION OF SUPERSONIC INLETS. Nick E. Samanich and Robert W. Cubbison. September 1958. 20p. diagrs., photos. (NACA RM E58G11a) CONFIDENTIAL

(1.4.1.2) NOSE, ANNULAR

INVESTIGATION OF FIXED-GEOMETRY SUPERSONIC INLETS WITH BYPASS DUCTS FOR MATCHING TURBOJET-ENGINE AIR-FLOW REQUIRE-MENTS OVER A RANGE OF TRANSONIC AND SUPERSONIC SPEEDS. Abraham Leiss and Walter I. Kouyoumjian. February 1958. 40p. diagrs., photcs., tabs. (NACA RM L57K14)

CONFIDENTIAL

HIGH MACH NUMBER, LOW-COWL-DRAG, EXTERNAL-COMPRESSION INLET WITH SUBSONIC DUMP DIFFUSER James F. Connors and Richard J. Flaherty May 1958. 19p. diagrs., photos. (NACA RM E58A09) CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF EXTREME INTERNAL FLOW TURNING AT THE COWL LIP OF AN AXISYMMETRIC INLET AT A MACH NUMBER OF 2.95. Kenneth C. Weston and Kenneth L. Kowalski. May 1958. 20p. diagrs., photos., tab. (NACA RM E58A27a) CONFIDENTIAL

A FLIGHT-TEST STUDY OF TOTAL-PRESSURE DISTORTION IN A THICK-LIPPED NOSE INLET. Rodney C. Wingrove. June 1958. 30p. diagrs., photos. (NACA RM A58B07) CONFIDENTIAL

EFFECT OF SCREENS IN REDUCING DISTORTION
AND DIFFUSION LENGTH FOR A "DUMP" DIFFUSER AT A MACH NUMBER OF 3.85. Joseph F.
Wasserbauer. July 1958. 18p. diagrs., photos.
(NACA RM E58C19) CONFIDENTIAL
(Title, Confidential)

PERFORMANCE OF AN ISENTROPIC, ALL-INTERNAL-CONTRACTION, AXISYMMETRIC INLET DESIGNED FOR MACH 2.50. David N. Bowditch and Bernhard H. Anderson. September 1958. 26p. diagrs., photos., tab. (NACA RM E58E16)

CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF EFFECT OF SPIKE-TIP AND COWL-LIP BLUNTING ON THE INTERNAL PERFORMANCE OF A TWO-CONE CYLINDRICAL-COWL INLET AT MACH NUMBER 4.95. Kenneth C. Weston. September 1958. 15p. diagrs. (NACA RM E58G02) CONFIDENTIAL

(1.4.1.3) WING LEADING EDGE

PERFORMANCE OF A TWO-DIMENSIONAL CAS-CADE INLET AT A FREE-STREAM MACH NUMBER OF 3.05 AND AT ANGLES OF ATTACK OF -3°, 0°, 3°, AND 6°. Richard R. Woollett and Harold M. Ferguson. March 1958. 28p. diagrs., photos. (NACA RM E57L06) CONFIDENTIAL

> (1.4.1.4) SIDE

INVESTIGATION OF CONTROL SIGNALS FOR VARIABLE RAMPS OF TWIN-DUCT SIDE INLETS.
Milton A. Beheim and Richard A. Yeager.
January 1958. 43p. diagrs., photo.
(NACA RM E57G22) CONFIDENTIAL

(1) AERODYNAMICS

PERFORMANCE OF AN INLET HAVING A VARIABLE-ANGLE TWO-DIMENSIONAL COMPRESSION SURFACE AND A FIXED-GEOMETRY SUBSIONIC DIFFUSER FOR APPLICATION TO REDUCED ENGINE ROTATIVE SPEEDS: MACH NUMBERS 0.66, 1.5, 1.7, AND 2.0. John L. Allen. January 1958. 29p. diagrs., photos. (NACA RM E57J02)

AN INVESTIGATION OF THE PERFORMANCE OF A SEMIELLIPTICAL SCOOP INLET AT MACH NUMBERS OF 1.60, 1.76, AND 2.02. Clyde Hayes and Ernest A. Mackley. January 1958. 65p. diagrs., photos. (NACA RM L57G15) CONFIDENTIAL

INVESTIGATION OF AN UNDERSLUNG HALF-CONE INLET WITH COMPRESSION SURFACE MOUNTED OUTBOARD FROM FUSELAGE AT MACH NUMBERS OF 1.5, 1.8, AND 2.0. Richard A. Yeager and Laurence W. Gertsma. May 1958. 16p. diagrs., photos. (NACA RM E58A27b) CONFIDENTIAL

INDUCTION SYSTEM CHARACTERISTICS AND ENGINE SURGE OCCURRENCE FOR TWO FIGHTER-TYPE AIRPLANES. Terry J. Larson, George M. Thomas, and Donald R. Bellman. May 1958. 36p. diagrs., photos., tab. (NACA RM H58C14)

CONFIDENTIAL

(1.4.1.4.1) Scoops

EFFECT OF INLET ASPECT RATIO ON THE STARTING AND PRESSURE RECOVERY CHARACTERISTICS OF A RECTANGULAR SWEPT SCOOP INLET TESTED AT A MACH NUMBER OF 3.1.

Ernest A. Mackley. January 1958. 56p. diagrs., photos., tab. (NACA RM L57J07) CONFIDENTIAL

(1.4.2) DUCTS

EXPERIMENTAL INVESTIGATION OF DISTORTION REMOVAL CHARACTERISTICS OF SEVERAL FREE-WHEELING FANS. Harold H. Valentine and William T. Beale. January 1958. 37p. diagrs., photos. (NACA RM E57112) CONFIDENTIAL

A FLIGHT-TEST STUDY OF TOTAL-PRESSURE
DISTORTION IN A THICK-LIPPED NOSE INLET.
Rodney C. Wingrove. June 1958. 30p. diagrs.,
photos. (NACA RM A58B07) CONFIDENTIAL

(1.4.2.1) DIFFUSERS

PERFORMANCE OF A TWO-DIMENSIONAL CAS-CADE INLET AT A FREE-STREAM MACH NUMBER OF 3.05 AND AT ANGLES OF ATTACK OF -3°, 0°, 3°, AND 6°. Richard R. Woollett and Harold M. Ferguson. March 1958. 28p. diagrs., photos. (NACA RM E57L06) CONFIDENTIAL

SURVEY OF SUPERSONIC INLETS FOR HIGH MACH NUMBER APPLICATIONS. James F. Connors and John L. Allen. April 1958. 20p. diagrs., photos., tabs. (NACA RM E58A20) CONFIDENTIAL

HIGH MACH NUMBER. LOW-COWL-DRAG.
EXTERNAL-COMPRESSION INLET WITH SUBSONIC
DUMP DIFFUSER James F. Connors and Richard
J. Flaherty May 1958. 19p. diagrs., photos.
(NACA RM E58A09) CONFIDENTIAL

(1.4.2.1.1) Subsonic

PERFORMANCE OF AN INLET HAVING A VARIABLE-ANGLE TWO-DIMENSIONAL COMPRESSION SURFACE AND A FIXED-GEOMETRY SUBSONIC DIFFUSER FOR APPLICATION TO REDUCED ENGINE ROTATIVE SPEEDS: MACH NUMBERS 0.66, 1.5, 1.7, AND 2.0. John L. Allen. January 1958. 29p. diagrs., photos. (NACA RM E57J02) CONFIDENTIAL

EFFECTS OF SHOCK-BOUNDARY-LAYER INTERACTION ON THE PERFORMANCE OF A LONG AND A SHORT SUBSONIC ANNULAR DIFFUSER. Charles C. Wood and John R. Henry. April 1958. 38p. diagrs. (NACA RM L58A31) CONFIDENTIAL

INDUCTION SYSTEM CHARACTERISTICS AND ENGINE SURGE OCCURRENCE FOR TWO FIGHTER-TYPE AIRPLANES. Terry J. Larson, George M. Thomas, and Donald R. Bellman. May 1958. 36p. diagrs., photos., tab. (NACA RM H58C14)

CONFIDENTIAL

VISCOUS FLOWS IN INLETS. Richard Scherrer, John H. Lundell, and Lewis A. Anderson. June 1958. 16p. diagrs., photos. (NACA RM A58D17a) CONFIDENTIAL.

INVESTIGATION OF THE PERFORMANCE AND INTERNAL FLOW OF A VARIABLE-AREA, VARIABLE-INTERNAL-CONTRACTION INLET AT MACH NUMBERS OF 2.00, 2.50, AND 2.92. Richard Scherrer and Warren E. Anderson. July 1958. 36p. diagrs., photo. (NACA RM A58C24)

CONFIDENTIAL

EFFECT OF SCREENS IN REDUCING DISTORTION AND DIFFUSION LENGTH FOR A "DUMP" DIF-FUSER AT A MACH NUMBER OF 3.85. Joseph F. Wasserbauer. July 1958. 18p. diagrs., photos.
(NACA RM E58C19) CONFIDENTIAL (NACA RM E58C19)

(Title, Confidential)

PERFORMANCE OF AN ALL-INTERNAL CONICAL COMPRESSION INLET WITH ANNULAR THROAT BLEED AT MACH NUMBER 5.0. Leonard E. Stitt and Leonard J. Obery. August 1958. 17p. diagrs., photos. (NACA RM E58E14) CONFIDENTIAL (Title, Confidential)

> (1.4.2.1.2)Supersonic

INVESTIGATION OF CONTROL SIGNALS FOR VARI-ABLE RAMPS OF TWIN-DUCT SIDE INLETS. Milton A. Beheim and Richard A. Yeager. January 1958. 43p. diagrs., photo. (NACA RM E57G22) CONFIDENTIAL

AN INVESTIGATION OF THE PERFORMANCE OF A SEMIELLIPTICAL SCOOP INLET AT MACH NUM-BERS OF 1.60, 1.76, AND 2.02. Clyde Hayes and Ernest A. Mackley. January 1958. 65p. diagrs., photos. (NACA RM L57G15) CONFIDENTIAL

EFFECT OF INLET ASPECT RATIO ON THE STARTING AND PRESSURE RECOVERY CHARAC-TERISTICS OF A RECTANGULAR SWEPT SCOOP INLET TESTED AT A MACH NUMBER OF 3.1. Ernest A. Mackley, January 1958, 56p. diagrs photos., tab. (NACA RM L57J07) CONFIDENTIAL

INVESTIGATION OF AN UNDERSLUNG HALF-CONE INLET WITH COMPRESSION SURFACE MOUNTED OUTBOARD FROM FUSELAGE AT MACH NUMBERS OF 1.5, 1.8, AND 2.0. Richard A. Yeager and Laurence W. Gertsma. May 1958. 16p. diagrs. photos. (NACA RM E58A27b) CONFIDENTIAL

PERFORMANCE AT MACH NUMBERS 3.07, 1.89, AND 0 OF INLETS DESIGNED FOR INLET-ENGINE MATCHING UP TO MACH 3. L. W. Gertsma and M. A. Beheim. May 1958. 49p. diagrs., photos. (NACA RM E58B13) CONFIDENTIAL

VISCOUS FLOWS IN INLETS. Richard Scherrer, John H. Lundell, and Lewis A. Anderson. June 1958. 16p. diagrs., photos. (NACA RM A58D17a) CONFIDENTIAL

EXPERIMENTAL SHOCK CONFIGURATIONS AND SHOCK LOSSES IN A TRANSONIC-COMPRESSOR ROTOR AT DESIGN SPEED. Genevieve R. Miller and Melvin J. Hartmann. June 1958. 55p. diagrs. photos. (NACA RM E58A14b) CONFIDENTIAL

ANALYSIS OF TRANSONIC ROTOR-BLADE PASSAGE LOSS WITH HOT-WIRE ANEMOMETERS. George W. Lewis, Edward R. Tysl, and Theodore E. Fessler. June 1958. 28p. diagrs., photos. CONFIDENTIAL (NACA RM E58C04)

INVESTIGATION OF THE PERFORMANCE AND INTERNAL FLOW OF A VARIABLE-AREA VARIABLE-INTERNAL-CONTRACTION INLET AT MACH NUMBERS OF 2.00, 2.50, AND 2.92. Richard Scherrer and Warren E. Anderson. July 1958. 36p. diagrs., photo. (NACA RM A58C24) CONFIDENTIAL

EFFECT OF SCREENS IN REDUCING DISTORTION AND DIFFUSION LENGTH FOR A "DUMP" DIF-FUSER AT A MACH NUMBER OF 3.85. Joseph F. Wasserbauer. July 1958. 18p. diagrs., photos.
(NACA RM E58C19) CONFIDENTIAL (NACA RM E58C19) (Title, Confidential)

USE OF SHOCK-TRAP BLEED TO IMPROVE PRES-SURE RECOVERY OF FIXED- AND VARIABLE-CAPTURE-AREA INTERNAL-CONTRACTION IN-LETS; MACH NUMBER 2.0 TO 3.0. Roger W. Luidens and Richard J. Flaherty. August 1958. 18p. diagrs., photos. (NACA RM E58D24) CONFIDENTIAL

PERFORMANCE OF AN ALL-INTERNAL CONICAL COMPRESSION INLET WITH ANNULAR THROAT BLEED AT MACH NUMBER 5.0. Leonard E. Stitt and Leonard J. Obery. August 1958. 17p. diagrs., photos. (NACA RM E58E14) CONFIDENTIAL photos. (NACA RM E58E14) (Title, Confidential)

AN EXPERIMENTAL INVESTIGATION OF TWO INTERNAL-COMPRESSION AIR-INLET DESIGNS WHICH USE FLUID BOUNDARIES AS A MEANS OF SUPERSONIC COMPRESSION. Robert R. Howell and Charles D. Trescot, Jr. August 1958. 28p. diagrs., tab. (NACA RM L58F06) CONFIDENTIAL

PERFORMANCE OF AN ISENTROPIC, ALL-INTERNAL-CONTRACTION, AXISYMMETRIC INLET DESIGNED FOR MACH 2.50. David N. Bowditch and Bernhard H. Anderson. September 1958. 26p. diagrs., photos., tab. (NACA RM E58E16) CONFIDENTIAL

EFFECT OF SPIKE-TIP AND COWL-LIP BLUNTING ON INLET PERFORMANCE OF A MACH 3.0 EXTERNAL-COMPRESSION INLET. R. W. Cubbison and N. E. Samanich. September 1958. 19p. diagrs., photos. (NACA RM E58G02a) CONFIDENTIAL

INVESTIGATION OF INLET CONTROL PARAM-ETERS FOR AN EXTERNAL-INTERNAL-COMPRESSION INLET FROM MACH 2.1 TO 3.0. Bernhard H. Anderson and David N. Bowditch. September 1958. 15p. diagrs. (NACA RM E58G08) CONFIDENTIAL

A PIVOTING-COWL-AND-SPIKE TECHNIQUE FOR EFFICIENT ANGLE-OF-ATTACK OPERATION OF SUPERSONIC INLETS. Nick E. Samanich and Robert W. Cubbison. September 1958. 20p. diagrs., photos. (NACA RM E58G11a) CONFIDENTIAL



(1, 4, 2, 2) NOZZLES

EXPERIMENTAL RESULTS OF AN INVESTIGATION OF TWO METHODS OF INFLIGHT THRUST MEASUREMENT APPLICABLE TO AFTERBURNING TURBOJET ENGINES WITH EJECTORS. Harry E. Bloomer. May 1958. 36p. diagrs., photos. (NACA RM E57H28) CONFIDENTIAL

PRESSURE LOADS PRODUCED ON A FLAT-PLATE WING BY ROCKET JETS EXHAUSTING IN A SPANWISE DIRECTION BELOW THE WING AND PER-PENDICULAR TO A FREE-STREAM FLOW OF MACH NUMBER 2.0. Ralph A. Falanga and Joseph J. Janos. June 1958. 47p. diagrs., photos., tabs. (NACA RM L58D09) CONFIDENTIAL

(1.4.3) EXITS

EFFECT OF TARGET-TYPE THRUST REVERSER ON TRANSONIC AERODYNAMIC CHARACTERISTICS OF A SINGLE-ENGINE FIGHTER MODEL. John M. Swihart. January 1958. 42p. diagrs., photos., tab. (NACA RM L57J16)

CONFIDENTIAL

TABULATED PRESSURE DATA FOR A 60° DELTAWING-BODY-TAIL MODEL WITH A HOT JET EXHAUSTING FROM A PYLON-MOUNTED NACELLE. Edwin E. Lee, Jr., and John M. Swihart. February 1958. 199p. diagrs., photos., tabs. (NACA RM L57J22) CONFIDENTIAL

FREE-FLIGHT TRANSONIC MODEL INVESTIGATION OF JET EFFECTS ON A FIGHTER-TYPE CONFIGURATION EMPLOYING A TAIL BOOM AND THREE HORIZONTAL-TAIL POSITIONS. Bruce G. Jackson. February 1958. 83p. diagrs., photos., tabs. (NACA RM L57J31)

EFFECT OF A HOT-JET EXHAUST ON PRESSURE DISTRIBUTIONS AND EXTERNAL DRAG OF SEVERAL AFTERBODIES ON A SINGLE-ENGINE AIR-PLANE MODEL AT TRANSONIC SPEEDS. Harry T. Norton, Jr., and John M. Swihart. March 1958. 58p. diagrs., photos., tab. (NACA RM L57J04) CONFIDENTIAL

INVESTIGATION AT TRANSONIC SPEEDS OF A FIXED DIVERGENT EJECTOR INSTALLED IN A SINGLE-ENGINE FIGHTER MODEL. John M. Swihart and Charles E. Mercer. March 1958. 32p. diagrs., photos. (NACA RM L57L10a)

JET EFFECTS ON THE BASE DRAG OF A CYLIN-DRICAL AFTERBODY WITH EXTENDED NOZZLES. William J. Nelson and William R. Scott. April 1958. 41p. diagrs., photos. (NACA RM L58A27) CONFIDENTIAL EXPERIMENTAL RESULTS OF AN INVESTIGATION OF TWO METHODS OF INFLIGHT THRUST MEASUREMENT APPLICABLE TO AFTERBURNING TURBOJET ENGINES WITH EJECTORS. Harry E. Bloomer. May 1958. 36p. diagrs., photos. (NACA RM E57H28) CONFIDENTIAL

EFFECTS OF BOATTAIL AREA CONTOURING AND SIMULATED TURBOJET EXHAUST ON THE LOADING AND FUSELAGE-TAIL COMPONENT DRAG OF A TWIN-ENGINE FIGHTER-TYPE AIRPLANE MODEL. Willard E. Foss, Jr., Jack F. Runckel, and Edwin E. Lee, Jr. July 1958. 62p. diagrs., photos., tabs. (NACA RM L58C04) CONFIDENTIAL

FLIGHT INVESTIGATION OF A FULL-SCALE AIR-CRAFT EJECTOR WITH VARIOUS SPACING RATIOS AND CORRELATION WITH SMALL-SCALE TESTS.
C. Dewey Havill and Rodney C. Wingrove. August 1958. 48p. diagrs., photos., tab.
(NACA RM A58D21) CONFIDENTIAL

OFF-DESIGN PERFORMANCE OF DIVERGENT EJECTORS. Milton A. Beheim. September 1958. 60p. diagrs., tab. (NACA RM E58G10a) CONFIDENTIAL

EXPERIMENTAL STUDY OF BALLISTIC-MISSILE
BASE HEATING WITH OPERATING ROCKET.

J. Cary Nettles. September 1958. 10p. diagrs.,
photo. (NACA RM E58G17) CONFIDENTIAL

EFFECT OF CONVERGENT EJECTOR NOZZLES ON THE BOATTAIL DRAG OF A 160 CONICAL AFTER-BODY AT MACH NUMBERS OF 0.6 TO 1.26. James M. Cubbage, Jr. September 1958. 33p. diagrs., photos. (NACA RM L58G25) CONFIDENTIAL

(1.4.4) JET PUMPS AND THRUST AUGMENTORS

FLIGHT INVESTIGATION OF A FULL-SCALE AIR-CRAFT EJECTOR WITH VARIOUS SPACING RATIOS AND CORRELATION WITH SMALL-SCALE TESTS.
C. Dewey Havill and Rodney C. Wingrove. August 1958. 48p. diagrs., photos., tab.
(NACA RM A58D21) CONFIDENTIAL

(1.4.5) CASCADES

TRANSONIC INVESTIGATION OF AN AXIAL-FLOW COMPRESSOR ROTOR WITH A CONTRACTED EXIT ANNULUS. Robert S. Babington. February 1958. 41p. diagrs., photo. (NACA RM L57K27)

CONFIDENTIAL

(1) AERODYNAMICS

PERFORMANCE OF A TWO-DIMENSIONAL CAS-CADE INLET AT A FREE-STREAM MACH NUMBER OF 3.05 AND AT ANGLES OF ATTACK OF -3°, 0°, 3°, AND 6°. Richard R. Woollett and Harold M. Ferguson. March 1958. 28p. diagrs., photos. (NACA RM E57L06) CONFIDENTIAL

(1.4.5.1) THEORY

EXPERIMENTAL SHOCK CONFIGURATIONS AND SHOCK LOSSES IN A TRANSONIC-COMPRESSOR ROTOR AT DESIGN SPEED. Genevieve R. Miller and Melvin J. Hartmann. June 1958. 55p. diagrs., photos. (NACA RM E58A14b) CONFIDENTIAL

(1.4.5.2) EXPERIMENT

TWO-DIMENSIONAL CASCADE INVESTIGATION AT MACH NUMBERS UP TO 1.0 OF NACA 65-SERIES BLADE SECTIONS AT CONDITIONS TYPICAL OF COMPRESSOR TIPS. James C. Dunavant and James C. Emery. March 1958. 185p. diagrs., photos., tab. (NACA RM L58A02) CONFIDENTIAL

EXPERIMENTAL SHOCK CONFIGURATIONS AND SHOCK LOSSES IN A TRANSONIC-COMPRESSOR ROTOR AT DESIGN SPEED. Genevieve R. Miller and Melvin J. Hartmann. June 1958. 55p. diagrs., photos. (NACA RM E58A14b) CONFIDENTIAL

ANALYSIS OF TRANSONIC ROTOR-BLADE PASSAGE LOSS WITH HOT-WIRE ANEMOMETERS. George W. Lewis, Edward R. Tysl, and Theodore E. Fessler. June 1958. 28p. diagrs., photos. (NACA RM E58C04) CONFIDENTIAL

(1.4.6) FANS

EXPERIMENTAL INVESTIGATION OF DISTORTION REMOVAL CHARACTERISTICS OF SEVERAL FREE-WHEELING FANS. Harold H. Valentine and William T. Beale. January 1958. 37p. diagrs., photos. (NACA RM E57112) CONFIDENTIAL

(1.4.7) BOUNDARY LAYER

PERFORMANCE OF AN INLET HAVING A VARIABLE-ANGLE TWO-DIMENSIONAL COMPRESSION SURFACE AND A FIXED-GEOMETRY SUBSONIC DIFFUSER FOR APPLICATION TO REDUCED ENGINE ROTATIVE SPEEDS: MACH NUMBERS 0.66, 1.5, 1.7, AND 2.0. John L. Allen. January 1958. 29p. diagrs., photos. (NACA RM E57J02) CONFIDENTIAL

EFFECTS OF SHOCK—BOUNDARY-LAYER INTERACTION ON THE PERFORMANCE OF A LONG AND A SHORT SUBSONIC ANNULAR DIFFUSER. Charles C. Wood and John R. Henry. April 1958. 38p. diagrs. (NACA RM L58A31) CONFIDENTIAL

A FLIGHT-TEST STUDY OF TOTAL-PRESSURE DISTORTION IN A THICK-LIPPED NOSE INLET. Rodney C. Wingrove. June 1958. 30p. diagrs., photos. (NACA RM A58B07) CONFIDENTIAL

VISCOUS FLOWS IN INLETS. Richard Scherrer, John H. Lundell, and Lewis A. Anderson. June 1958. 16p. diagrs., photos. (NACA RM A58D17a) CONFIDENTIAL

INVESTIGATION OF THE PERFORMANCE AND INTERNAL FLOW OF A VARIABLE-AREA, VARIABLE-INTERNAL-CONTRACTION INLET AT MACH NUMBERS OF 2.00, 2.50, AND 2.92. Richard Scherrer and Warren E. Anderson. July 1958. 36p. diagrs., photo. (NACA RM A58C24) CONFIDENTIAL

(1.4.7.1) CHARACTERISTICS

INVESTIGATION OF A 0.6 HUB-TIP RADIUS-RATIO TRANSONIC TURBINE DESIGNED FOR SECONDARY-FLOW STUDY. IV - ROTOR LOSS PATTERNS AS DETERMINED BY HOT-WIRE ANEMOMETERS WITH ROTOR OPERATING IN A CIRCUMFERENTIALLY UNIFORM INLET FLOW FIELD. Milton G. Kofakey and Hubert W. Allen. May 1958. 20p. diagrs., photos. (NACA RM E58B27)

ANALYSIS OF TRANSONIC ROTOR-BLADE PASSAGE LOSS WITH HOT-WIRE ANEMOMETERS. George W. Lewis, Edward R. Tysl, and Theodore E. Fessler. June 1958. 28p. diagrs., photos. (NACA RM E58C04) CONFIDENTIAL



(1, 4, 7, 2) CONTROL

AN INVESTIGATION OF THE PERFORMANCE OF A SEMIELLIPTICAL SCOOP INLET AT MACH NUMBERS OF 1.60, 1.76, AND 2.02. Clyde Hayes and Ernest A. Mackley. January 1958. 65p. diagrs., photos. (NACA RM L57G15) CONFIDENTIAL

EFFECT OF INLET ASPECT RATIO ON THE STARTING AND PRESSURE RECOVERY CHARACTERISTICS OF A RECTANGULAR SWEPT SCOOP INLET TESTED AT A MACH NUMBER OF 3.1.

Ernest A. Mackley. January 1958. 56p. diagrs., photos., tab. (NACA RM L57J07) CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF EXTREME INTERNAL FLOW TURNING AT THE COWL LIP OF AN AXISYMMETRIC INLET AT A MACH NUMBER OF 2.95. Kenneth C. Weston and Kenneth L. Kowalski. May 1958. 20p. diagrs., photos., tab. (NACA RM E58A27a) CONFIDENTIAL

INVESTIGATION OF A 0.6 HUB-TIP RADIUS-RATIO TRANSONIC TURBINE DESIGNED FOR SECONDARY-FLOW STUDY. IV - ROTOR LOSS PATTERNS AS DETERMINED BY HOT-WIRE ANEMOMETERS WITH ROTOR OPERATING IN A CIRCUMFERENTIALLY UNIFORM INLET FLOW FIELD. Milton G. Kofskey and Hubert W. Allen. May 1958. 20p. diagrs., photos. (NACA RM E58B27)

CONFIDENTIAL

USE OF SHOCK-TRAP BLEED TO IMPROVE PRES-SURE RECOVERY OF FIXED- AND VARIABLE-CAPTURE-AREA INTERNAL-CONTRACTION IN-LETS; MACH NUMBER 2.0 TO 3.0. Roger W. Luidens and Richard J. Flaherty. August 1958. 18p. diagrs., photos. (NACA RM E58D24) CONFIDENTIAL

PERFORMANCE OF AN ALL-INTERNAL CONICAL COMPRESSION INLET WITH ANNULAR THROAT BLEED AT MACH NUMBER 5.0. Leonard E. Stitt and Leonard J. Obery. August 1958. 17p. diagrs., photos. (NACA RM E58E14) CONFIDENTIAL (Title, Confidential)

AN EXPERIMENTAL INVESTIGATION OF TWO INTERNAL-COMPRESSION AIR-INLET DESIGNS WHICH USE FLUID BOUNDARIES AS A MEANS OF SUPERSONIC COMPRESSION. Robert R. Howell and Charles D. Trescot, Jr. August 1958. 28p. diagrs., tab. (NACA RM L58F06) CONFIDENTIAL

(1.5)

Propellers

(1.5.2) DESIGN VARIABLES

(1.5.2.5)
MACH NUMBER EFFECTS

EFFECT OF COMPRESSIBILITY ON THE HOVERING PERFORMANCE OF TWO 10-FOOT-DIAMETER HELICOPTER ROTORS TESTED IN THE LANGLEY FULL-SCALE TUNNEL. Joseph W. Jewel, Jr., and Robert D. Harrington. April 1958. 43p. diagrs., photos., tab. (NACA RM L58B19) CONFIDENTIAL

(1.5.4) SLIPSTREAM

SECTION THRUST COEFFICIENTS FOR A FULL-SCALE, THREE-BLADE, SUPERSONIC-TYPE PROPELLER OPERATING AT LOW AND NEGATIVE BLADE ANGLES. Leland B. Salters, Jr., and Martha C. Lewis. March 1958. 23p. diagrs., photo., tabs. (NACA RM L58A03) CONFIDENTIAL



(1.6) Rotating Wings

(1.6.2) EXPERIMENTAL STUDIES

(1.6.2.1) POWER-DRIVEN

PERFORMANCE OF TWO 10-FOOT-DIAMETER HELICOPTER ROTORS TESTED IN THE LANGLEY FULL-SCALE TUNNEL. Joseph W. Jewel, Jr., and Robert D. Harrington. April 1958. 43p. diagrs., photos., tab. (NACA RM L58B19) CONFIDENTIAL

(1.7) Aircraft

(1.7.1) AIRPLANES

(1.7.1.1)
COMPONENTS IN COMBINATION

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF A TRIANGULAR WING AND CANARD. John W. Boyd and Victor L. Peterson. January 1958. 32p. diagrs., photo., tabs. (NACA RM A57J15) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - TRIANGULAR WING AND CANARD ON AN EXTENDED BODY. John W. Boyd and Victor L. Peterson. February 1958. 62p. diagrs., tabs. (NACA RM A57K14) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF A TRIANGULAR WING AND UNSWEPT CANARD. Victor L. Peterson and Gene P. Menees. February 1958. 31p. diagrs., tabs. (NACA RM A57K26)

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF AN UNSWEPT WING AND CANARD. Victor L. Peterson and John W. Boyd. February 1958. 29p. diagrs., tabs. (NACA RM A57K27) CONFIDENTIAL

FREE-FLIGHT INVESTIGATION AT MACH NUMBERS FROM 0.8 TO 1.5 OF THE EFFECT OF A FUSELAGE INDENTATION ON THE ZERO-LIFT DRAG OF A 52.5° SWEPTBACK-WING-BODY CONFIGURATION WITH SYMMETRICALLY MOUNTED STORES ON THE FUSELAGE. Sherwood Hoffman. February 1958. 27p. diagrs., photos., tabs. (NACA RM L57L04)

AN INVESTIGATION OF SUPERSONIC STORE INTERFERENCE IN THE VICINITY OF A 22° SWEPT-WING-FUSELAGE CONFIGURATION AT MACH NUMBERS OF 1.61 AND 2.01. Douglas J. Geier. February 1958. 105p. diagrs., tab. (NACA RM L57L18) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LATERAL-DIRECTIONAL CHARACTERISTICS OF A TRIANGULAR WING AND CANARD. Victor L. Peterson and Gene P. Menees. March 1958. 76p. diagrs., photo., tabs. (NACA RM A57L18) CONFIDENTIAL

AERODYNAMIC AND INLET-FLOW-FIELD CHARACTERISTICS AT A FREE-STREAM MACH NUMBER OF 3.0 FOR AIRPLANES WITH CIRCULAR FUSELAGE CROSS SECTIONS AND FOR TWO ENGINE LOCATIONS. Murray Dryer and Roger W. Luidens. March 1958. 32p. diagrs., tab. (NACA RM E57K26) CONFIDENTIAL

AN INVESTIGATION AT MACH NUMBERS 1.94 AND 2.41 OF JET EFFECTS UPON THE LONGITUDINAL AND DIRECTIONAL STABILITY OF A GENERAL AIRCRAFT CONFIGURATION EMPLOYING WING-TIP-MOUNTED NACELLES. Frank L. Clark and Clyde L. W. Edwards. March 1958. 69p. diagrs., photos. (NACA RM L57L182)

CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OVER A MACH NUMBER RANGE OF 1.40 TO 2.78 OF A ROCKET-PROPELLED AIRPLANE CONFIGURATION HAVING A LOW 52.5° DELTA WING AND AN UNSWEPT HORIZONTAL TAIL. Alan B. Kehlet. March 1958. 26p. diagrs., photos., tab. (NACA RM L58A23) CONFIDENTIAL

STATIC STABILITY AND CONTROL CHARACTER-ISTICS OF A TRIANGULAR WING AND CANARD CONFIGURATION AT MACH NUMBERS FROM 2.58 TO 3.53. C. Ernest Hedstrom, James R. Blackaby, and Victor L. Peterson. May 1958. 62p. diagrs., photos., tabs. (NACA RM A58C05) CONFIDENTIAL

THE PROSPECTS FOR LAMINAR FLOW ON HYPERSONIC AIRPLANES. Alvin Seiff. June 1958. 17p. diagrs., photo. (NACA RM A58D25)

CONFIDENTIAL

EFFECTS OF CANARDS ON AIRPLANE PERFORM-ANCE AND STABILITY. Charles F. Hall and John W. Boyd. July 1958. 24p. diagrs. (NACA RM A58D24) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF HYPER-SONIC GLIDERS. Robert W. Rainey. July 1958. 16p. diagrs., tab. (NACA RM L58E12a) CONFIDENTIAL



(1) AERODYNAMICS

AIRPLANE CONFIGURATIONS FOR CRUISE AT A MACH NUMBER OF 3. Donald D. Baals, Thomas A. Toll, and Owen G. Morris. August 1958. 22p. diagrs. (NACA RM L58E14a) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS 2.36 AND 2.87 OF AN AIRPLANE CON-FIGURATION HAVING A CAMBERED ARROW WING WITH A 75° SWEPT LEADING EDGE. Joseph M. Hallissy, Jr., and Dennis F. Hasson. August 1958. 63p. diagrs., photos., tabs. (NACA RM L58E21) CONFIDENTIAL

AERODYNAMIC PERFORMANCE AND STATIC STA-BILITY AND CONTROL OF FLAT-TOP HYPER-SONIC GLIDERS AT MACH NUMBERS FROM 0.6 TO 18. Clarence A. Syvertson, Hermilo R. Gloria, and Michael F. Sarabia. September 1958. 56p. diagrs., tabs. (NACA RM A58G17) CONFIDENTIAL

> (1.7.1.1.1) Wing-Fuselage

EFFECTS OF A LEADING-EDGE SLAT AND A TRAILING-EDGE SPLIT FLAP ON THE AERODY-NAMIC CHARACTERISTICS OF A WING-FUSELAGE COMBINATION HAVING A NEARLY TRIANGULAR WING OF ASPECT RATIO 2.9 AT MACH NUMBERS FROM 0.60 TO 0.92. Fred A. Demele. January 1958. 66p. diagrs., photos., tabs. (NACA RM A57H19) CONFIDENTIAL

TABULATED PRESSURE DATA FOR A 60° DELTA-WING-BODY-TAIL MODEL WITH A HOT JET EXHAUSTING FROM A PYLON-MOUNTED NACELLE. Edwin E. Lee, Jr., and John M. Swihart. February 1958. 199p. diagrs., photos., tabs. (NACA RM L57J22) CONFIDENTIAL

EFFECT AT HIGH SUBSONIC SPEEDS OF FUSE-LAGE FOREBODY STRAKES ON THE STATIC STABILITY AND VERTICAL-TAIL-LOAD CHAR-ACTERISTICS OF A COMPLETE MODEL HAVING A DELTA WING. Edward C. Polhamus and Kenneth P. Spreemann. February 1958. 32p. diagrs., photo. (NACA RM L57K15a)

CONFIDENTIAL

EXPERIMENTAL LIFT-DRAG RATIOS FOR TWO FAMILIES OF WING-BODY COMBINATIONS AT SUPERSONIC SPEEDS. Leland H. Jorgensen. March 1958. 22p. diagrs., photos., tab. (NACA RM A58A08)

CONFIDENTIAL

AN EXPLORATORY INVESTIGATION AT MACH NUMBERS OF 2.50 AND 2.87 OF A CANARD BOMBER-TYPE CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Thomas C. Kelly, Melvin M. Carmel, and Donald T. Gregory. April 1958. 45p. diagrs., photos., tab. (NACA RM L58B28)

THE EFFECT OF MOMENT-OF-AREA-RULE
MODIFICATIONS ON THE ZERO-LIFT DRAG OF
THREE WING-BODY COMBINATIONS. Robert R.
Dickey. May 1958. 29p. diagrs., tabs.
(NACA RM A58A31) CONFIDENTIAL

TRANSONIC INVESTIGATION OF YAWED WINGS OF ASPECT RATIOS 3 AND 6 WITH A SEARS-HAACK BODY AND WITH SYMMETRICAL AND ASYMMETRICAL BODIES INDENTED FOR A MACH NUMBER OF 1.20. George H. Holdaway and Elaine W. Hatfield. June 1958. 111p. diagrs., photos., tabs. (NACA RM A58C03)

CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF THE DRAG DUE TO WEDGES ALONG THE TRAILING EDGE OF A SWEPT WING. Bruno J. Gambucci and John A. Wyss. June 1958. 15p. diagrs., photos. (NACA RM A58D15) CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF EFFECTS OF WING PLAN FORM AND DIHEDRAL ANGLE ON SIDESLIP DERIVATIVES OF SWEPTBACK-WING—BODY COMBINATIONS AT SUPERSONIC SPEEDS. William B. Boatright. July 1958. 66p. diagrs., photo., tab. (NACA RM L58E08) CONFIDENTIAL

A WIND-TUNNEL INVESTIGATION OF THE WING LOADS DUE TO DEFLECTED INBOARD AILERONS ON A 45° SWEPTBACK WING AT TRANSONIC SPEEDS. Atwood R. Heath, Jr., and Ann W. Igoe. July 1958. 101p. diagrs., photos., tabs. (NACA RM L58E12) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF HYPER-SONIC GLIDERS. Robert W. Rainey. July 1958. 16p. diagrs., tab. (NACA RM L58E12a) CONFIDENTIAL

FORCES AND PITCHING MOMENTS ON AN ASPECT-RATIO-3.1 WING-BODY COMBINATION AT MACH NUMBERS FROM 2.5 TO 3.5 AND SUBLIMATION STUDIES OF THE EFFECT OF SINGLE-ELEMENT ROUGHNESS ON THE BOUNDARY-LAYER FLOW. Edward J. Hopkins, Stephen J. Keating, Jr., and Richard R. Muhl. August 1958. 21p. diagrs., photos. (NACA RM A58E21a) CONFIDENTIAL

APPROXIMATE SOLUTIONS FOR THE FLOW ABOUT FLAT-TOP WING-BODY CONFIGURATIONS AT HIGH SUPERSONIC AIRSPEEDS. Raymond C. Savin. September 1958. 69p. diagrs., tab. (NACA RM A58F02) CONFIDENTIAL

THE STATIC AND DYNAMIC-ROTARY STABILITY DERIVATIVES AT SUBSONIC SPEEDS OF A MODEL OF THE X-15 RESEARCH AIRPLANE. Armando E. Lopez and Bruce E. Tinling. September 1958. 49p. diagrs., photos., tab. (NACA RM A58F09)

CONFIDENTIAL

(1) AERODYNAMICS

STATIC AND DYNAMIC-ROTARY STABILITY DERIVATIVES OF AN AIRPLANE MODEL WITH AN UNSWEPT WING AND A HIGH HORIZONTAL TAIL AT MACH NUMBERS OF 2.5, 3.0, AND 3.5. Bedford A. Lampkin and Phillips J. Tunnell. September 1958. 36p. diagrs., photos., tab. (NACA RM A58F17) CONFIDENTIAL

ANALYSIS OF PRESSURE DATA OBTAINED AT TRANSONIC SPEEDS ON A THIN LOW-ASPECT-RATIO CAMBERED DELTA WING-BODY COMBI-NATION. John P. Mugler, Jr. September 1958. 36p. diagrs., photos. (NACA RM L58F24) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS FROM 2.5 TO 3.5 OF A CANARD BOMBER CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Melvin M. Carmel, Thomas C. Kelly, and Donald T. Gregory. September 1958. 53p. diagrs., photos., tab. (NACA RM L58G16) CONFIDENTIAL

(Title, Confidential)

(1.7.1.1.2) Wing-Nacelle

EXPERIMENTAL AND THEORETICAL DETER-MINATION OF FORCES AND MOMENTS ON A STORE AND ON A STORE-PYLON COMBINATION MOUNTED ON A 45° SWEPT-WING-FUSELAGE CONFIGURATION AT A MACH NUMBER OF 1.61. Odell A. Morris, Harry W. Carlson, and Douglas J. Geier. January 1958. 123p. diagrs., photos. (NACA RM L57K18)

FREE-FLIGHT INVESTIGATION AT MACH NUMBERS FROM 0.8 TO 1.5 OF THE EFFECT OF A FUSELAGE INDENTATION ON THE ZERO-LIFT DRAG OF A 52.5° SWEPTBACK-WING-BODY CONFIGURATION WITH SYMMETRICALLY MOUNTED STORES ON THE FUSELAGE. Sherwood Hoffman. February 1958. 27p. diagrs., photos., tabs. (NACA RM L57L04) CONFIDENTIAL

AN INVESTIGATION OF SUPERSONIC STORE INTERFERENCE IN THE VICINITY OF A 22° SWEPT-WING-FUSELAGE CONFIGURATION AT MACH NUMBERS OF 1.61 AND 2.01. Douglas J. Geier. February 1958. 105p. diagrs., tab. (NACA RM L57L18) CONFIDENTIAL

EFFECTS OF EXTERNAL STORE-PYLON CONFIGURATION AND POSITION ON THE AERODYNAMIC CHARACTERISTICS OF A 45° SWEPT WING-FUSELAGE COMBINATION AT A MACH NUMBER OF 1.61. Odell A. Morris. May 1958. 52p. diagrs. (NACA RM L58C13) CONFIDENTIAL

(1.7.1.1.3)
Tail-Wing and Fuselage

EFFECT OF TARGET-TYPE THRUST REVERSER ON TRANSONIC AERODYNAMIC CHARACTERISTICS OF A SINGLE-ENGINE FIGHTER MODEL. John M. Swihart. January 1958. 42p. diagrs., photos., tab. (NACA RM L57J16) CONFIDENTIAL

LONGITUDINAL STABILITY INVESTIGATION OF A VERTICAL-TAKE-OFF-AND-LANDING AIRPLANE CONFIGURATION WITH SIMULATED JET INTAKE AND EXHAUST AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord. January 1958. 80p. diagrs., photos., tab. (NACA RM L57K05)

FREE-FLIGHT TRANSONIC MODEL INVESTIGATION OF JET EFFECTS ON A FIGHTER-TYPE CONFIGURATION EMPLOYING A TAIL BOOM AND THREE HORIZONTAL-TAIL POSITIONS. Bruce G. Jackson. February 1958. 83p. diagrs., photos., tabs. (NACA RM L57J31)

TRANSONIC WIND-TUNNEL INVESTIGATION OF THE EFFECT OF A HORIZONTAL TAIL ON LONGITUDINAL STABILITY OF TWO 60° SWEPTBACKWING-BODY CONFIGURATIONS WITH ASPECT RATIOS OF 2.67 AND 4.00. Joseph D. Brooks. February 1958. 21p. diagrs., photo., tabs. (NACA RM L57L11) CONFIDENTIAL

EXPERIMENTAL DETERMINATION OF THE EFFECTS OF FREQUENCY AND AMPLITUDE OF OSCILLATION ON THE ROLL-STABILITY DERIVATIVES FOR A 60° DELTA-WING AIRPLANE MODEL. Lewis R. Fisher. February 1958. 49p. diagrs., photos., tabs. (NACA RM L57L17) CONFIDENTIAL

THE EFFECTS OF BODY VORTICES AND THE WING SHOCK-EXPANSION FIELD ON THE PITCH-UP CHARACTERISTICS OF SUPERSONIC AIR-PLANES. Jack N. Nielsen. March 1958. 53p. diagrs. (NACA RM A57L23) CONFIDENTIAL

EFFECT OF A HOT-JET EXHAUST ON PRESSURE DISTRIBUTIONS AND EXTERNAL DRAG OF SEVERAL AFTERBODIES ON A SINGLE-ENGINE AIR-PLANE MODEL AT TRANSONIC SPEEDS. Harry T. Norton, Jr., and John M. Swihart. March 1958. 58p. diagrs., photos., tab. (NACA RM L57J04) CONFIDENTIAL

INVESTIGATION OF THE LONGITUDINAL AERO-DYNAMIC CHARACTERISTICS OF A TRAPEZOIDAL-WING AIRPLANE MODEL WITH VARIOUS VERTICAL POSITIONS OF WING AND HORIZONTAL TAIL AT MACH NUMBERS OF 1.41 AND 2.01. Gerald V. Foster. March 1958. 43p. diagrs., tabs. (NACA RM L58A07) CONFIDENTIAL





PRELIMINARY STUDY OF AIRPLANE CONFIGURA-TIONS HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS. William C. Sleeman, Jr. March 1958. 36p. diagrs. (NACA RM L58B06) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A CANARD AND AN OUTBOARD-TAIL AIRPLANE MODEL AT A MACH NUMBER OF 2.01. M. Leroy Spearman and Ross B. Robinson. March 1958. 35p. diagrs., photos., tabs. (NACA RM L58B07) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION AT A MACH NUMBER OF 2.01 OF FOREBODY STRAKES FOR IMPROVING DIRECTIONAL STABILITY OF SUPERSONIC AIRCRAFT. Cornellus Driver. May 1958. 32p. diagrs., tabs. (NACA RM L58C11)

CONFIDENTIAL

INVESTIGATION OF AERODYNAMIC CHARACTERISTICS OF AN AIRPLANE CONFIGURATION HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS AT MACH NUMBERS OF 2.30, 2.97, AND 3.51. James D. Church, William C. Hayes, Jr., and William C. Sleeman, Jr. June 1958. 48p. diagrs., photos., tab. (NACA RM L58C25) CONFIDENTIAL

EFFECTS OF BOATTAIL AREA CONTOURING AND SIMULATED TURBOJET EXHAUST ON THE LOADING AND FUSELAGE-TAIL COMPONENT DRAG OF A TWIN-ENGINE FIGHTER-TYPE AIRPLANE MODEL. Willard E. Foss, Jr., Jack F. Runckel, and Edwin E. Lee, Jr. July 1958. 62p. diagrs., photos., tabs. (NACA RM L58C04) CONFIDENTIAL

EFFECTS OF VERTICAL LOCATION OF THE WING AND HORIZONTAL TAIL ON THE STATIC LATERAL AND DIRECTIONAL STABILITY OF A TRAPEZOIDAL-WING AIRPLANE MODEL AT MACH NUMBERS OF 1.41 AND 2.01. Ross B. Robinson. July 1958. 166p. diagrs., tabs. (NACA RM L58C18)

CONFIDENTIAL

EFFECTS OF WING SWEEP, HORIZONTAL-TAIL CONFIGURATION, AND A VENTRAL FIN ON STATIC STABILITY CHARACTERISTICS OF A MODEL WITH A WING OF ASPECT RATIO 3 AT MACH NUMBERS FROM 2.29 TO 4.65. Byron M. Jaquet and Roger H. Fournier. July 1958. 88p. diagrs., photos., tabs. (NACA RM L58E06)

CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE LOWSPEED STABILITY AND PERFORMANCE CHARACTERISTICS OF A JET-POWERED LOW-ASPECTRATIO VERTICAL-TAKE-OFF-AND-LANDING
CONFIGURATION WITH ENGINES BURIED IN
TILTABLE WINGS. William I. Scallion and
Clarence D. Cone, Jr. August 1958. 58p. diagrs.,
photos. (NACA RM L58F02) CONFIDENTIAL

INVESTIGATION OF A TILTING-WING VERTICAL-TAKE-OFF-AND-LANDING JET AIRPLANE MODEL IN HOVERING AND TRANSITION FLIGHT. Robert H. Kirby and James L. Hassell, Jr. August 1958. 20p. diagrs., photo., tab., film suppl. available on request. (NACA RM L58F26) CONFIDENTIAL

THE STATIC AND DYNAMIC-ROTARY STABILITY DERIVATIVES AT SUBSONIC SPEEDS OF A MODEL OF THE X-15 RESEARCH AIRPLANE. Armando E. Lopez and Bruce E. Tinling. September 1958. 49p. diagrs., photos., tab. (NACA RM A58F09)

CONFIDENTIAL

STATIC AND DYNAMIC-ROTARY STABILITY DERIVATIVES OF AN AIRPLANE MODEL WITH AN UNSWEPT WING AND A HIGH HORIZONTAL TAIL AT MACH NUMBERS OF 2.5, 3.0, AND 3.5. Bedford A. Lampkin and Phillips J. Tunnell. September 1958. 36p. diagrs., photos., tab. (NACA RM A58F17) CONFIDENTIAL

(1.7.1.1.5) Stores

EXPERIMENTAL AND THEORETICAL DETER-MINATION OF FORCES AND MOMENTS ON A STORE AND ON A STORE-PYLON COMBINATION MOUNTED ON A 45° SWEPT-WING-FUSELAGE CONFIGURATION AT A MACH NUMBER OF 1.61. Odell A. Morris, Harry W. Carlson, and Douglas J. Geier. January 1958. 123p. diagrs., photos. (NACA RM L57K18)

SUBSONIC AERODYNAMIC CHARACTERISTICS UP TO EXTREME ANGLES OF ATTACK OF AN AIR-PLANE MODEL HAVING AN UNSWEPT WING AND A HIGH HORIZONTAL TAIL. Bruce E. Tinling. February 1958. 25p. diagrs., photos., tab. (NACA RM A57K05)

FREE-FLIGHT INVESTIGATION AT MACH NUMBERS FROM 0.8 TO 1.5 OF THE EFFECT OF A FUSELAGE INDENTATION ON THE ZERO-LIFT DRAG OF A 52.5° SWEPTBACK-WING-BODY CONFIGURATION WITH SYMMETRICALLY MOUNTED STORES ON THE FUSELAGE. Sherwood Hoffman. February 1958. 27p. diagrs., photos., tabs. (NACA RM L57L04) CONFIDENTIAL

AN INVESTIGATION OF SUPERSONIC STORE INTERFERENCE IN THE VICINITY OF A 22° SWEPT-WING-FUSELAGE CONFIGURATION AT MACH NUMBERS OF 1.61 AND 2.01. Douglas J. Geier. February 1958. 105p. diagrs., tab. (NACA RM L57L18) CONFIDENTIAL



(1) AERODYNAMICS

STATIC LONGITUDINAL AND LATERAL STABILITY AND CONTROL CHARACTERISTICS OF A MODEL OF A SWEPT-WING FIGHTER-BOMBER-TYPE AIRPLANE WITH A TOP INLET AT MACH NUMBERS FROM 1.6 TO 2.35. A. Vernon Gnos and Richard L. Kurkowski. March 1958. 55p. diagrs., photos., tab. (NACA RM A57K20) CONFIDENTIAL

THE EFFECT OF MOMENT-OF-AREA-RULE
MODIFICATIONS ON THE ZERO-LIFT DRAG OF
THREE WING-BODY COMBINATIONS. Robert R.
Dickey. May 1958. 29p. diagrs., tabs.
(NACA RM A58A31) CONFIDENTIAL

FLIGHT INVESTIGATION OF THE AERODYNAMIC FORCES ON A WING-MOUNTED EXTERNAL-STORE INSTALLATION ON THE DOUGLAS D-558-II RESEARCH AIRPLANE. Clinton T. Johnson. May 1958. 42p. diagrs., photos., tabs. (NACA RM H58B24)

EFFECTS OF EXTERNAL STORE-PYLON CONFIGURATION AND POSITION ON THE AERODYNAMIC CHARACTERISTICS OF A 45° SWEPT WING-FUSELAGE COMBINATION AT A MACH NUMBER OF 1.61. Odell A. Morris. May 1958. 52p. diagrs. (NACA RM L58C13) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A 450 SWEPT-WING FIGHTER-AIRPLANE MODEL AND AERODYNAMIC LOADS ON ADJACENT STORES AND MISSILES AT MACH NUMBERS OF 1.57, 1.87, 2.16, AND 2.53. Waldo I. Oehman and Kenneth L. Turner. June 1958. 107p. diagrs., photos., tabs. (NACA RM L58C17) CONFIDENTIAL

(1.7.1.1.6)
Jet Interference

EFFECT OF TARGET-TYPE THRUST REVERSER ON TRANSONIC AERODYNAMIC CHARACTERISTICS OF A SINGLE-ENGINE FIGHTER MODEL. John M. Swihart. January 1958. 42p. diagrs., photos., tab. (NACA RM L57J16) CONFIDENTIAL

LONGITUDINAL STABILITY INVESTIGATION OF A VERTICAL-TAKE-OFF-AND-LANDING AIRPLANE CONFIGURATION WITH SIMULATED JET INTAKE AND EXHAUST AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord. January 1958. 80p. diagrs., photos., tab. (NACA RM L57K05)

TABULATED PRESSURE DATA FOR A 60° DELTA-WING-BODY-TAIL MODEL WITH A HOT JET EXHAUSTING FROM A PYLON-MOUNTED NACELLE. Edwin E. Lee, Jr., and John M. Swihart. February 1958. 199p. diagrs., photos., tabs. (NACA RM L57J22) CONFIDENTIAL

FREE-FLIGHT TRANSONIC MODEL INVESTIGATION OF JET EFFECTS ON A FIGHTER-TYPE CONFIGURATION EMPLOYING A TAIL BOOM AND THREE HORIZONTAL-TAIL POSITIONS. Bruce G. Jackson. February 1958. 83p. diagrs., photos., tabs. (NACA RM L57J31)

EFFECT OF A HOT-JET EXHAUST ON PRESSURE DISTRIBUTIONS AND EXTERNAL DRAG OF SEVERAL AFTERBODIES ON A SINGLE-ENGINE AIR-PLANE MODEL AT TRANSONIC SPEEDS. Harry T. Norton, Jr., and John M. Swihart. March 1958. 58p. diagrs., photos., tab. (NACA RM L57J04) CONFIDENTIAL

INVESTIGATION AT TRANSONIC SPEEDS OF A FIXED DIVERGENT EJECTOR INSTALLED IN A SINGLE-ENGINE FIGHTER MODEL. John M. Swinart and Charles E. Mercer. March 1958. 32p. diagrs., photos. (NACA RM L57L10a)

CONFIDENTIAL

EFFECTS OF BOATTAIL AREA CONTOURING AND SIMULATED TURBOJET EXHAUST ON THE LOADING AND FUSELAGE-TAIL COMPONENT DRAG OF A TWIN-ENGINE FIGHTER-TYPE AIRPLANE MODEL. Willard E. Foss, Jr., Jack F. Runckel, and Edwin E. Lee, Jr. July 1958. 62p. diagrs., photos., tabs. (NACA RM L58C04) CONFIDENTIAL

PERFORMANCE OF MULTIPLE JET-EXIT INSTAL-LATIONS. John M. Swihart and William J. Nelson. July 1958. 13p. diagrs., photos. (NACA RM L58E01) CONFIDENTIAL

EFFECT OF CONVERGENT EJECTOR NOZZLES ON THE BOATTAIL DRAG OF A 16° CONICAL AFTER-BODY AT MACH NUMBERS OF 0.6 TO 1.26. James M. Cubbage, Jr. September 1958. 33p. diagrs., photos. (NACA RM L58G25) CONFIDENTIAL

(1.7.1.2)
SPECIFIC AIRPLANES

TRANSONIC AERODYNAMIC AND TRIM CHARACTERISTICS OF A MULTI-ENGINE DELTA-WING AIRPLANE MODEL. John M. Swihart and Willard E. Foss, Jr. February 17, 1956. 67p. diagrs., photos., tabs. (NACA RM L55127b) CONFIDENTIAL

TRACKING PERFORMANCE OF A SWEPT-WING FIGHTER WITH A DIRECTOR-TYPE RADAR FIRE-CONTROL SYSTEM AND SCOPE PRESENTATION. Howard L. Turner, George A. Rathert, Jr., and Donovan R. Heinle. January 1958. 24p. diagrs., photo. (NACA RM A57J01) CONFIDENTIAL

(1) AERODYNAMICS

TRANSONIC FLUTTER INVESTIGATION OF MODELS OF THE ALL-MOVABLE HORIZONTAL TAIL OF A FIGHTER AIRPLANE. Thomas B. Sellers. January 1958. 30p. diagrs., photos., tabs. (NACA RM L57K13) CONFIDENTIAL

BUFFET TESTS OF AN ATTACK-AIRPLANE MODEL WITH EMPHASIS ON ANALYSIS OF DATA FROM WIND-TUNNEL TESTS. Don D. Davis, Jr., and Dewey E. Wornom. February 1958. 56p. diagrs., photos., tab. (NACA RM L57H13)

CONFIDENTIAL

STATIC LONGITUDINAL AND LATERAL STABILITY AND CONTROL CHARACTERISTICS OF A MODEL OF A SWEPT-WING FIGHTER-BOMBER-TYPE AIRPLANE WITH A TOP INLET AT MACH NUMBERS FROM 1.6 TO 2.35. A. Vernon Gnos and Richard L. Kurkowski. March 1958. 55p. diagrs., photos., tab. (NACA RM A57K20) CONFIDENTIAL

FLIGHT EVALUATION OF THE EFFECTS OF LEADING-EDGE-SLAT SPAN ON THE STABILITY AND CONTROL CHARACTERISTICS OF A SWEPT-WING FIGHTER-TYPE AIRPLANE DURING ACCEL-ERATED LONGITUDINAL MANEUVERS AT TRANSONIC SPEEDS. Gene J. Matranga and Katharine H. Armistead. March 1958. 46p. diagrs., photo., tab. (NACA RM H58A03a) CONFIDENTIAL

EFFECT OF A HOT-JET EXHAUST ON PRESSURE DISTRIBUTIONS AND EXTERNAL DRAG OF SEVERAL AFTERBODIES ON A SINGLE-ENGINE AIR-PLANE MODEL AT TRANSONIC SPEEDS. Harry T. Norton, Jr., and John M. Swihart. March 1958. 58p. diagrs., photos., tab. (NACA RM L57J04) CONFIDENTIAL

AN ANALYTICAL EVALUATION OF THE EFFECTS
OF AN AERODYNAMIC MODIFICATION AND OF
STABILITY AUGMENTERS ON THE PITCH-UP BEHAVIOR AND PROBABLE PILOT OPINION OF TWO
CURRENT FIGHTER AIRPLANES. Melvin Sadoff
and John D. Stewart. April 1958. 60p. diagrs.,
tabs. (NACA RM A57K07) CONFIDENTIAL

ANALYSIS OF FLIGHT-DETERMINED AND PREDICTED EFFECTS OF FLEXIBILITY ON THE STEADY-STATE WING LOADS OF THE B-52 AIRPLANE. Albert E. Kuhl, John T. Rogers, and Mary V. Little. April 1958. 57p. diagrs., photo., tab. (NACA RM H57C25) CONFIDENTIAL

AN ANALYSIS OF SURFACE PRESSURES AND AERODYNAMIC LOAD DISTRIBUTION OVER THE SWEPT WING OF THE DOUGLAS D-558-II RESEARCH AIRPLANE AT MACH NUMBERS FROM 0.73 TO 1.73. Norman V. Taillon. April 1958. 51p. diagrs., photo., tabs. (NACA RM H58A30)

TRANSONIC FLUTTER INVESTIGATION OF MODELS OF THE SWEPTBACK WING OF A FIGHTER AIRPLANE. Samuel L. Smith III and Robert W. Boswinkle, Jr. April 1958. 26p. diagrs., photos., tabs. (NACA RM L58A15) CONFIDENTIAL

A COMPARISON OF FLIGHT-MEASURED CARRIER-APPROACH SPEEDS WITH VALUES PREDICTED BY SEVERAL DIFFERENT CRITERIA FOR 41 FIGHTER-TYPE AIRPLANE CONFIGURATIONS. Maurice D. White, Bernard A. Schlaff, and Fred J. Drinkwater III. May 1958. 127p. diagrs., tabs. (NACA RM A57L11) CONFIDENTIAL

CONTROL DEFLECTIONS, AIRPLANE RESPONSE, AND TAIL LOADS MEASURED ON AN F-100A AIR-PLANE IN SERVICE OPERATIONAL FLYING. Chris Pembo and Gene J. Matranga. June 1958. 39p. diagrs., photo., tab. (NACA RM H58C26) CONFIDENTIAL

EFFECT OF LEADING-EDGE-FLAP DEFLECTION ON THE WING LOADS, LOAD DISTRIBUTIONS, AND FLAP HINGE MOMENTS OF THE DOUGLAS X-3 RESEARCH AIRPLANE AT TRANSONIC SPEEDS. Earl R. Keener, Norman J. McLeod, and Norman V. Taillon. July 1958. 87p. diagrs., photos., tabs. (NACA RM H58D29) CONFIDENTIAL

BOUNDARY-LAYER-TRANSITION MEASUREMENTS IN FULL-SCALE FLIGHT. Richard D. Banner, John G. McTigue, and Gilbert Petty, Jr. July 1958. 10p. diagrs., photos. (NACA RM H58E28) CONFIDENTIAL

EFFECTS OF BOATTAIL AREA CONTOURING AND SIMULATED TURBOJET EXHAUST ON THE LOADING AND FUSELAGE-TAIL COMPONENT DRAG OF A TWIN-ENGINE FIGHTER-TYPE AIRPLANE MODEL. Willard E. Foss, Jr., Jack F. Runckel, and Edwin E. Lee, Jr. July 1958. 62p. diagrs., photos., tabs. (NACA RM L58C04) CONFIDENTIAL

FLIGHT INVESTIGATION OF A FULL-SCALE AIR-CRAFT EJECTOR WITH VARIOUS SPACING RATIOS AND CORRELATION WITH SMALL-SCALE TESTS.
C. Dewey Havill and Rodney C. Wingrove. August 1958. 48p. diagrs., photos., tab.
(NACA RM A58D21) CONFIDENTIAL

FLIGHT INVESTIGATION OF THE LOW-SPEED CHARACTERISTICS OF A 45° SWEPT-WING FIGHTER-TYPE AIRPLANE WITH BLOWING BOUNDARY-LAYER CONTROL APPLIED TO THE TRAILING-EDGE FLAPS. Hervey C. Quigley, Seth B. Anderson, and Robert C. Innis. August 1958. 50p. diagrs., photos., tabs. (NACA RM A58E05)

PRELIMINARY STUDIES OF MANNED SATELLITES WINGLESS CONFIGURATION: NONLIFTING. Maxime A. Faget, Benjamine J. Garland, and James J. Buglia. August 1958. 16p. diagrs., tab. (NACA RM L58E07a) CONFIDENTIAL





THE STATIC AND DYNAMIC-ROTARY STABILITY DERIVATIVES AT SUBSONIC SPEEDS OF A MODEL OF THE X-15 RESEARCH AIRPLANE. Armando E. Lopez and Bruce E. Tinling. September 1958. 49p. diagrs., photos., tab. (NACA RM A58F09) CONFIDENTIAL

MEASUREMENTS OF THE BUFFETING LOADS ON THE WING AND HORIZONTAL TAIL OF A 1/4-SCALE MODEL OF THE X-1E AIRPLANE. A. Gerald Rainey and William B. Igoe. September 1958. 35p. diagrs., photo., tabs. (NACA RM L58F25) CONFIDENTIAL

(1.7.1.3)PERFORMANCE

TRANSONIC AERODYNAMIC AND TRIM CHARAC-TERISTICS OF A MULTI-ENGINE DELTA-WING AIRPLANE MODEL. John M. Swihart and Willard E. Foss, Jr. February 17, 1956. 67p. diagrs., photos., tabs. (NACA RM L55127b) CONFIDENTIAL

A SIMULATOR INVESTIGATION OF FACTORS AFFECTING THE DESIGN AND UTILIZATION OF A STICK PUSHER FOR THE PREVENTION OF AIR-PLANE PITCH-UP. Euclid C. Holleman and David L. Boslaugh. January 1958. 71p. diagrs. CONFIDENTIAL (NACA RM H57J30)

EFFECT OF A HOT-JET EXHAUST ON PRESSURE DISTRIBUTIONS AND EXTERNAL DRAG OF SEVER-AL AFTERBODIES ON A SINGLE-ENGINE AIR-PLANE MODEL AT TRANSONIC SPEEDS. Harry T. Norton, Jr., and John M. Swihart. March 1958. 58p. diagrs., photos., tab. (NACA RM L57J04) CONFIDENTIAL

INVESTIGATION AT TRANSONIC SPEEDS OF A FIXED DIVERGENT EJECTOR INSTALLED IN A SINGLE-ENGINE FIGHTER MODEL. John M. Swihart and Charles E. Mercer. March 1958. 32p. diagrs., photos. (NACA RM L57L10a) CONFIDENTIAL

EFFECTS OF CANARD SURFACE SIZE ON STABIL-ITY AND CONTROL CHARACTERISTICS OF TWO CANARD AIRPLANE CONFIGURATIONS AT MACH NUMBERS OF 1.41 AND 2.01. M. Leroy Spearman and Cornelius Driver. March 1958. 61p. diagrs., photo., tabs. (NACA RM L57L17a) CONFIDENTIAL

CONTROL DEFLECTIONS, AIRPLANE RESPONSE, AND TAIL LOADS MEASURED ON AN F-100A AIR-PLANE IN SERVICE OPERATIONAL FLYING. Chris Pembo and Gene J. Matranga. June 1958. 39p. diagrs., photo., tab. (NACA RM H58C26) CONFIDENTIAL INVESTIGATION OF AERODYNAMIC CHARACTER-ISTICS OF AN AIRPLANE CONFIGURATION HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS AT MACH NUMBERS OF 2.30, 2.97, AND 3.51.

James D. Church, William C. Hayes, Jr., and

William C. Sleeman, Jr. June 1958. 48p. diagrs.,

photos., tab. (NACA RM L58C25) CONFIDENTIAL

INVESTIGATION OF THE AERODYNAMIC CHARAC-TERISTICS OF A MODEL OF A SUPERSONIC BOMBER CONFIGURATION WITH A SWEPT AND AN UNSWEPT WING AT MACH NUMBERS FROM 1.79 TO 2.67. H. Norman Silvers and Raymond L. Zedekar. July 1958. 24p. diagrs., photos., tab. (NACA RM L58C27) CONFIDENTIAL (NACA RM L58C27)

PERFORMANCE OF MULTIPLE JET-EXIT INSTAL-LATIONS. John M. Swihart and William J. Nelson.
July 1958 13p. diagrs., photos. (NACA RM L58E01) CONFIDENTIAL.

FLIGHT INVESTIGATION OF A FULL-SCALE AIR-CRAFT EJECTOR WITH VARIOUS SPACING RATIOS AND CORRELATION WITH SMALL-SCALE TESTS. C. Dewey Havill and Rodney C. Wingrove. August 1958. 48p. diagrs., photos., tab. CONFIDENTIAL. (NACA RM A58D21)

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS 2.36 AND 2.87 OF AN AIRPLANE CON-FIGURATION HAVING A CAMBERED ARROW WING WITH A 75° SWEPT LEADING EDGE. Joseph M. Hallissy, Jr., and Dennis F. Hasson. August 1958. 63p. diagrs., photos., tabs. (NACA RM L58E21) CONFIDENTIAL

ANALYSIS OF EFFECTS OF INTERCEPTOR ROLL PERFORMANCE AND MANEUVERABILITY ON SUCCESS OF COLLISION-COURSE ATTACKS. William H. Phillips. August 1958. 37p. diagrs tabs. (NACA RM L58E27) CONFIDENTIAL

AERODYNAMIC PERFORMANCE AND STATIC STA-BILITY AND CONTROL OF FLAT-TOP HYPER-SONIC GLIDERS AT MACH NUMBERS FROM 0.6 TO 18. Clarence A. Syvertson, Hermilo R. Gloria, and Michael F. Sarabia. September 1958. 56p. diagrs., tabs. (NACA RM A58G17) CONFIDENTIAL

(1.7.2)MISSILES

SOME EFFECTS OF REYNOLDS NUMBER ON THE STABILITY OF A SERIES OF FLARED-BODY AND BLUNTED-CONE MODELS AT MACH NUMBERS FROM 1.62 TO 6.86. Alan B. Kehlet. January 1958. 35p. diagrs., photos., tabs. CONFIDENTIAL (NACA RM L57J29)



PRELIMINARY SURVEY OF POSSIBLE COOLING METHODS FOR HYPERSONIC AIRCRAFT. Jack B. Esgar, Robert O. Hickel, and Francis S. Stepka. May 1958. 37p. diagrs. (NACA RM E57L19)

CONFIDENTIAL.

HYDRODYNAMIC CHARACTERISTICS OF MISSILES LAUNCHED UNDER WATER. John R. Dawson. June 1958. 7p. diagrs., photo., film suppl. available on request. (NACA RM L58E09a) CONFIDENTIAL

INVESTIGATION OF CONTROL EFFECTIVENESS AND STABILITY CHARACTERISTICS OF A MODEL OF A LOW-WING MISSILE WITH INTERDIGITATED TAIL SURFACES AT MACH NUMBERS OF 2.29, 2.97, AND 3.51. John G. Presnell, Jr. July 1958. 28p. diagrs., photos., tab. (NACA RM L58C19)

STABILITY OF BALLISTIC REENTRY BODIES.
John D. Bird and David E. Reese. August 1958.
16p. diagrs., tab. (NACA RM L58E02a)
CONFIDENTIAL

FREE-FLIGHT INVESTIGATION OF AERODYNAMIC HEAT TRANSFER TO A SIMULATED GLIDE-BOCKET SHAPE AT MACH NUMBERS UP TO 10. Andrew G. Swanson. September 1958. 49p. diagrs., photosa. tabs. (NACA RM 1.58G03) CONFIDENTIAL

(1.7.2.1) COMPONENTS IN COMBINATION

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF A TRIANGULAR WING AND CANARD. John W. Boyd and Victor L. Peterson. January 1958. 32p. diagrs., photo., tabs. (NACA RM A57J15) CONFIDENTIAL

FREE-FLIGHT PRESSURE MEASUREMENTS OVER A FLARE-STABILIZED ROCKET MODEL WITH A MODIFIED VON KARMÁN NOSE FOR MACH NUMBERS UP TO 4.3. William M. Bland, Jr., and Ronald Kolenkiewicz. January 1958. 21p. diagrs., photos., tabs. (NACA RM L57J24)

CONFIDENTIAL

FREE-FLIGHT ROLL PERFORMANCE OF A STEADY-FLOW JET-SPOILER CONTROL ON AN 80° DELTA-WING MISSILE BETWEEN MACH NUMBERS OF 0.6 AND 1.8. Eugene D. Schult. January 1958. 35p. diagrs., photos.
(NACA RM L57J28) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - TRIANGULAR WING AND CANARD ON AN EXTENDED BODY. John W. Boyd and Victor L. Peterson. February 1958. 62p. diagrs., tabs. (NACA RM A57K14) CONFIDENTIAL

THENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.76 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF A TRIANGULAR WING AND UNSWEPT CANARD. Victor L. Peterson and Gene P. Menees. February 1958. 31p. diagrs., tabs. (NACA RM A57K26)

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2,22 - LONGITUDINAL CHARACTERISTICS OF AN UNSWEPT WING AND CANARD. Victor L. Peterson and John W. Boyd. February 1958. 29p. diagrs., tabs. (NACA RM A57K27) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LATERAL-DIRECTIONAL CHARAC-TERISTICS OF A TRIANGULAR WING AND CANARD. Victor L. Peterson and Gene P. Menees. March 1958. 76p. diagrs., photo., tabs.
(NACA RM A57L18) CONFIDENTIAL

AERODYNAMIC AND INLET-FLOW-FIELD CHARACTERISTICS AT A FREE-STREAM MACH NUMBER OF 3.0 FOR AIRPLANES WITH CIRCULAR FUSELAGE CROSS SECTIONS AND FOR TWO ENGINE LOCATIONS. Murray Dryer and Roger W. Luidens. March 1958. 32p. diagrs., tab. (NACA RM E57K26) CONFIDENTIAL

STATIC STABILITY AND CONTROL CHARACTER-ISTICS OF A TRIANGULAR WING AND CANARD CONFIGURATION AT MACH NUMBERS FROM 2.58 TO 3.53. C. Ernest Hedstrom, James R. Blackaby, and Victor L. Peterson. May 1958. 62p. diagrs., photos., tabs. (NACA RM A58C05) CONFIDENTIAL

A FEASIBILITY STUDY OF THE FLARE-CYLINDER CONFIGURATION AS A REENTRY BODY SHAPE FOR AN INTERMEDIATE RANGE BALLISTIC MISSILE. James R. Hall and Benjamine J. Garland. May 1958. 23p. diagrs. (NACA RM L58C21)

CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A 45° SWEPT-WING FIGHTER-AIRPLANE MODEL AND AERODYNAMIC LOADS ON ADJACENT STORES AND MISSILES AT MACH NUMBERS OF 1.57, 1.87, 2.16, AND 2.53. Waldo I. Oehman and Kenneth L. Turner. June 1958. 107p. diagrs., photos., tabs. (NACA RM L58C17) CONFIDENTIAL

MANEUVER PERFORMANCE OF INTERCEPTOR MISSILES. David G. Stone. June 1958. 12p. diagrs. (NACA RM L58E02) CONFIDENTIAL



(1) AERODYNAMICS

EFFECTS OF CANARDS ON AIRPLANE PERFORM-ANCE AND STABILITY. Charles F. Hall and John W. Boyd. July 1958. 24p. diagrs. (NACA RM A58D24) CONFIDENTIAL

INVESTIGATION OF WINGLESS MISSILE CONFIGURATIONS WITH FOLDING CONTROLS AND LOWASPECT-RATIO STABILIZING SURFACES. Frank A. Lazzeroni. September 1958. 33p. diagrs., photo. (NACA RM A58F30) CONFIDENTIAL

EXPERIMENTAL STUDY OF BALLISTIC-MISSILE
BASE HEATING WITH OPERATING ROCKET.

J. Cary Nettles. September 1958. 10p. diagrs.,
photo. (NACA RM E58G17) CONFIDENTIAL

(1.7.2.1.1) Wing-Body

EXPERIMENTAL LIFT-DRAG RATIOS FOR TWO FAMILIES OF WING-BODY COMBINATIONS AT SUPERSONIC SPEEDS. Leland H. Jorgensen. March 1958. 22p. diagrs., photos., tab. (NACA RM A58A08) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION AT A MACH NUMBER OF 2.01 OF THE AERODYNAMIC CHARACTERISTICS IN COMBINED ANGLES OF ATTACK AND SIDESLIP OF SEVERAL HYPERSONIC MISSILE CONFIGURATIONS WITH VARIOUS CANARD CONTROLS. Ross B. Robinson. March 1958. 34p. diagrs., photos., tabs. (NACA RM L58A21)

TRANSONIC INVESTIGATION OF YAWED WINGS OF ASPECT RATIOS 3 AND 6 WITH A SEARS-HAACK BODY AND WITH SYMMETRICAL AND ASYMMETRICAL BODIES INDENTED FOR A MACH NUMBER OF 1.20. George H. Holdaway and Elaine W. Hatfield. June 1958. 111p. diagrs., photos., tabs. (NACA RM A58C03) , CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF THE DRAG DUE TO WEDGES ALONG THE TRAILING EDGE OF A SWEPT WING. Bruno J. Gambucci and John A. Wyss. June 1958. 15p. diagrs., photos. (NACA RM A58D15) CONFIDENTIAL

> (1.7.2.1.2) Tail-Body

A WIND-TUNNEL INVESTIGATION OF SEVERAL WINGLESS MISSILE CONFIGURATIONS AT SUPERSONIC SPEEDS. David E. Reese, Jr. February 1958. 51p. diagrs., photos., tabs. (NACA RM A57322) CONFIDENTIAL

AN EXPERIMENTAL INVESTIGATION OF THE STATIC LONGITUDINAL STABILITY AND CONTROL CHARACTERISTICS OF A WINGLESS MISSILE CONFIGURATION AT MACH NUMBERS FROM 3.0 TO 6.3. Hermito R. Gloria. June 1958. 29p. diagrs., photos., tabs. (NACA RM A58C20) CONFIDENTIAL

(1.7.2.1.3)
Jet Interference

AN INVESTIGATION AT MACH NUMBERS 1.94 AND 2.41 OF JET EFFECTS UPON THE LONGITUDINAL AND DIRECTIONAL STABILITY OF A GENERAL AIRCRAFT CONFIGURATION EMPLOYING WING-TIP-MOUNTED NACELLES. Frank L. Clark and Clyde L. W. Edwards. March 1958. 69p. diagrs., photos. (NACA RM L57L18a)

CONFIDENTIAL

JET EFFECTS ON THE BASE DRAG OF A CYLIN-DRICAL AFTERBODY WITH EXTENDED NOZZLES. William J. Nelson and William R. Scott. April 1958. 41p. diagrs., photos. (NACA RM L58A27) CONFIDENTIAL

PRESSURE LOADS PRODUCED ON A FLAT-PLATE WING BY ROCKET JETS EXHAUSTING IN A SPANWISE DIRECTION BELOW THE WING AND PERPENDICULAR TO A FREE-STREAM FLOW OF MACH NUMBER 2.0. Raiph A. Falanga and Joseph J. Janos. June 1958. 47p. diagrs., photos., tabs. (NACA RM L58D09) CONFIDENTIAL

(1.7.2.1.4) Wing-Tail-Body

TRANSONIC LATERAL AND LONGITUDINAL AERO-DYNAMIC CHARACTERISTICS OF A LATERAL-CONTROL SYSTEM EMPLOYING ROTATABLE AIRFOILS MOUNTED VERTICALLY AT THE WING TIPS OF AN UNSWEPT WING-FUSELAGE-TAIL COMBINATION. John A. Axelson. January 1958. 43p. diagrs., photos. (NACA RM A57J16) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION AT A MACH NUMBER OF 2.01 OF THE AERODYNAMIC CHARACTERISTICS IN COMBINED ANGLES OF ATTACK AND SIDESLIP OF SEVERAL HYPERSONIC MISSILE CONFIGURATIONS WITH VARIOUS CANARD CONTROLS. Ross B. Robinson. March 1958. 34p. diagrs., photos., tabs. (NACA RM L58A21) CONFIDENTIAL

EVALUATION OF SOME AERODYNAMIC CONTROLS FOR A LOW-ASPECT-RATIO MISSILE. Warren Winovich and Nancy S. Higdon. July 1958. 12p. diagrs. (NACA RM A58D17b) CONFIDENTIAL



AERODYNAMIC CHARACTERISTICS AT A MACH NUMBER OF 6.8 OF TWO HYPERSONIC MISSILE CONFIGURATIONS, ONE WITH LOW-ASPECT-RATIO CRUCIFORM FINS AND TRAILING-EDGE FLAPS AND ONE WITH A FLARED AFTERBODY AND ALL-MOVABLE CONTROLS. Ross B. Robinson and Peter T. Bernot. August 1958. 19p. diagrs., tabs. (NACA RM L58D24) CONFIDENTIAL

LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS AT COMBINED ANGLES OF ATTACK AND SIDESLIP OF A GENERALIZED MISSILE MODEL HAVING A RECTANGULAR WING AT A MACH NUMBER OF 4.08. Fred M. Smith, Edward F. Ulmann, and Robert W. Dunning. August 1958. 91p. diagrs., photos., tabs. (NACA RM L58E26)

(1.7.2.2) SPECIFIC MISSILES

INVESTIGATION OF THE STATIC STABILITY CHARACTERISTICS OF FIVE HYPERSONIC MISSILE CONFIGURATIONS AT MACH NUMBERS FROM 2.29 TO 4.65. Kenneth L. Turner and W. H. Appich, Jr. June 1958. 88p. diagrs., photos., tab. (NACA RM L58D04) CONFIDENTIAL

MANEUVER PERFORMANCE OF INTERCEPTOR
MISSILES. David G. Stone. June 1958. 12p.
diagrs. (NACA RM L58E02) CONFIDENTIAL

PRELIMINARY STUDIES OF MANNED SATELLITES WINGLESS CONFIGURATION: NONLIFTING.

Maxime A. Faget, Benjamine J. Garland, and

James J. Buglia. August 1958. 16p. diagrs., tab.

(NACA RM L58E07a) CONFIDENTIAL

(1.8)

Stability and Control

TRANSONIC AERODYNAMIC AND TRIM CHARACTERISTICS OF A MULTI-ENGINE DELTA-WING AIRPLANE MODEL. John M. Swihart and Willard E. Foss, Jr. February 17, 1956. 67p. diagrs., photos., tabs. (NACA RM L55127b) CONFIDENTIAL

EFFECT OF TARGET-TYPE THRUST REVERSER ON TRANSONIC AERODYNAMIC CHARACTERISTICS OF A SINGLE-ENGINE FIGHTER MODEL. John M. Swihart, January 1958. 42p. diagrs., photos., tab. (NACA RM L57J16) CONFIDENTIAL

SIMULATION STUDY OF A HIGH-PERFORMANCE AIRCRAFT INCLUDING THE EFFECT ON PILOT CONTROL OF LARGE ACCELERATIONS DURING EXIT AND REENTRY FLIGHT. C. H. Woodling, James B. Whitten, Robert A. Champine, and Robert E. Andrews. July 1958. 10p. diagrs., photos., film suppl. available on request. (NACA RM L58E08a)

CONFIDENTIAL

(1.8.1) STABILITY

STUDY OF EXIT PHASE OF FLIGHT OF A VERY HIGH ALTITUDE HYPERSONIC AIRPLANE BY MEANS OF A PILOT-CONTROLLED ANALOG COMPUTER. Windsor L. Sherman, Stanley Faber, and James B. Whitten. APPENDIX: THE ANALOG SIMULATOR PROGRAMING. Robert E. Andrews. March 1958. 53p. diagrs., photo., tabs. (NACA RM L57K21) CONFIDENTIAL

(1.8.1.1) STATIC

SOME EFFECTS OF REYNOLDS NUMBER ON THE STABILITY OF A SERIES OF FLARED-BODY AND BLUNTED-CONE MODELS AT MACH NUMBERS FROM 1.62 TO 6.86. Alan B. Kehlet. January 1958. 35p. diagrs., photos., tabs. (NACA RM L57J29) CONFIDENTIAL

SUBSONIC AERODYNAMIC CHARACTERISTICS UP TO EXTREME ANGLES OF ATTACK OF AN AIR-PLANE MODEL HAVING AN UNSWEPT WING AND A HIGH HORIZONTAL TAIL. Bruce E. Tinling. February 1958. 25p. diagrs., photos., tab. (NACA RM A57K05) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - TRIANGULAR WING AND CANARD ON AN EXTENDED BODY. John W. Boyd and Victor L. Peterson. February 1958. 62p. diagrs., tabs. (NACA RM A57K14) CONFIDENTIAL

STATIC LONGITUDINAL AND LATERAL STABILITY AND CONTROL CHARACTERISTICS OF A MODEL OF A SWEPT-WING FIGHTER-BOMBER-TYPE AIRPLANE WITH A TOP INLET AT MACH NUMBERS FROM 1.6 TO 2.35. A. Vernon Gnos and Richard L. Kurkowski. March 1958. 55p. diagrs., photos., tab. (NACA RM A57K20) CONFIDENTIAL

AERODYNAMIC AND INLET-FLOW-FIELD CHARACTERISTICS AT A FREE-STREAM MACH NUMBER OF 3.0 FOR AIRPLANES WITH CIRCULAR FUSELAGE CROSS SECTIONS AND FOR TWO ENGINE LOCATIONS. Murray Dryer and Roger W. Luidens. March 1958. 32p. diagrs., tab. (NACA RM E57K26) CONFIDENTIAL

STATIC STABILITY AND CONTROL CHARACTER-ISTICS OF A TRIANGULAR WING AND CANARD CONFIGURATION AT MACH NUMBERS FROM 2.58 TO 3.53. C. Ernest Hedstrom, James R. Blackaby, and Victor L. Peterson. May 1958. 62p. diagrs., photos., tabs. (NACA RM A58C05) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A 45° SWEPT-WING FIGHTER-AIRPLANE MODEL AND AERODYNAMIC LOADS ON ADJACENT STORES AND MISSILES AT MACH NUMBERS OF 1.57, 1.87, 2.16, AND 2.53. Waldo I. Oehman and Kenneth L. Turner. June 1958. 107p. diagrs., photos., tabs. (NACA RM L58C17) CONFIDENTIAL

EFFECTS OF CANARDS ON AIRPLANE PERFORM-ANCE AND STABILITY. Charles F. Hall and John W. Boyd. July 1958. 24p. diagrs. (NACA RM A58D24) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF HYPER-SONIC GLIDERS. Robert W. Rainey. July 1958. 16p. diagrs., tab. (NACA RM L58E12a) CONFIDENTIAL

AIRPLANE CONFIGURATIONS FOR CRUISE AT A MACH NUMBER OF 3. Donald D. Baals, Thomas A. Toll, and Owen G. Morris. August 1958. 22p. diagrs. (NACA RM L58E14a) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS 2.36 AND 2.87 OF AN AIRPLANE CON-FIGURATION HAVING A CAMBERED ARROW WING WITH A 75° SWEPT LEADING EDGE. Joseph M. Hallissy, Jr., and Dennis F. Hasson. August 1958. 63p. diagrs., photos., tabs. (NACA RM L5&E21) CONFIDENTIAL

THE STATIC AND DYNAMIC-ROTARY STABILITY DERIVATIVES AT SUBSONIC SPEEDS OF A MODEL OF THE X-15 RESEARCH AIRPLANE. Armando E. Lopez and Bruce E. Tinling. September 1958. 49p. diagrs., photos., tab. (NACA RM A58F09)

CONFIDENTIAL



(1) AERODYNAMICS

STATIC AND DYNAMIC-ROTARY STABILITY
DERIVATIVES OF AN AIRPLANE MODEL WITH AN
UNSWEPT WING AND A HIGH HORIZONTAL TAIL
AT MACH NUMBERS OF 2.5, 3.0, AND 3.5.
Bedford A. Lampkin and Phillips J. Tunnell.
September 1958. 36p. diagrs., photos., tab.
(NACA RM A58F17)

CONFIDENTIAL

AERODYNAMIC PERFORMANCE AND STATIC STABILITY AND CONTROL OF FLAT-TOP HYPERSONIC GLIDERS AT MACH NUMBERS FROM 0.6 TO 18. Clarence A. Syvertson, Hermilo R. Gloria, and Michael F. Sarabia. September 1958. 56p. diagrs., tabs. (NACA RM A58G17) CONFIDENTIAL

(1.8.1.1.1) Longitudinal

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF A TRIANGULAR WING AND CANARD. John W. Boyd and Victor L. Peterson. January 1958. 32p. diagrs., photo., tabs. (NACA RM A57315) CONFIDENTIAL

TRANSONIC LATERAL AND LONGITUDINAL AERO-DYNAMIC CHARACTERISTICS OF A LATERAL-CONTROL SYSTEM EMPLOYING ROTATABLE AIRFOILS MOUNTED VERTICALLY AT THE WING TIPS OF AN UNSWEPT WING-FUSELAGE-TAIL COMBINATION. John A. Axelson. January 1958. 43p. diagrs., photos. (NACA RM A57J16) CONFIDENTIAL

A SIMULATOR INVESTIGATION OF FACTORS AFFECTING THE DESIGN AND UTILIZATION OF A STICK PUSHER FOR THE PREVENTION OF AIRPLANE PITCH-UP. Euclid C. Holleman and David L. Boslaugh. January 1958. 71p. dtagrs. (NACA RM H57J30) CONFIDENTIAL

LONGITUDINAL STABILITY INVESTIGATION OF A VERTICAL-TAKE-OFF-AND-LANDING AIRPLANE CONFIGURATION WITH SIMULATED JET INTAKE AND EXHAUST AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord. January 1958. 80p. diagrs., photos., tab. (NACA RM L57K05)

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.76 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF A TRIANGULAR WING AND UNSWEPT CANARD. Victor L. Peterson and Gene P. Menees. February 1958. 31p. diagrs., tabs. (NACA RM A57K26) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2,22 - LONGITUDINAL CHARACTERISTICS OF AN UNSWEPT WING AND CANARD. Victor L. Peterson and John W. Boyd. February 1958. 29p. diagrs., tabs. (NACA RM A57K27) CONFIDENTIAL

FREE-FLIGHT TRANSONIC MODEL INVESTIGATION OF JET EFFECTS ON A FIGHTER-TYPE CONFIGURATION EMPLOYING A TAIL BOOM AND THREE HORIZONTAL-TAIL POSITIONS. Bruce G. Jackson. February 1958. 83p. diagrs., photos., tabs. (NACA RM L57J31)

EFFECT AT HIGH SUBSONIC SPEEDS OF FUSE-LAGE FOREBODY STRAKES ON THE STATIC STABILITY AND VERTICAL-TAIL-LOAD CHAR-ACTERISTICS OF A COMPLETE MODEL HAVING A DELTA WING. Edward C. Polhamus and Kenneth P. Spreemann. February 1958. 32p. diagrs., photo. (NACA RM L57K15a)

CONFIDENTIAL

TRANSONIC WIND-TUNNEL INVESTIGATION OF THE EFFECT OF A HORIZONTAL TAIL ON LONGITUDINAL STABILITY OF TWO 60° SWEPTBACKWING-BODY CONFIGURATIONS WITH ASPECT RATIOS OF 2.67 AND 4.00. Joseph D. Brooks. February 1958. 21p. diagrs., photo., tabs. (NACA RM L57L11)

THE EFFECTS OF BODY VORTICES AND THE WING SHOCK-EXPANSION FIELD ON THE PITCH-UP CHARACTERISTICS OF SUPERSONIC AIR-PLANES. Jack N. Nielsen. March 1958. 53p. diagrs. (NACA RM A57123) CONFIDENTIAL

FLIGHT EVALUATION OF THE EFFECTS OF LEADING-EDGE-SLAT SPAN ON THE STABILITY AND CONTROL CHARACTERISTICS OF A SWEPT-WING FIGHTER-TYPE AIRPLANE DURING ACCELERATED LONGITUDINAL MANEUVERS AT TRANSONIC SPEEDS. Gene J. Matranga and Katharine H. Armistead. March 1958. 46p. diagrs., photo., tab. (NACA RM H58A03a) CONFIDENTIAL

INVESTIGATION OF THE STATIC LATERAL STABILITY AND ALLERON CHARACTERISTICS OF A 0.067-SCALE MODEL OF THE BELL X-2 AIR-PLANE AT MACH NUMBERS OF 2.29, 2.78, 3.22, AND 3.71. Roger H. Fournier and H. Norman Silvers. March 1958. 50p. diagrs., photos., tab. (NACA RM L57J28a) CONFIDENTIAL

EFFECTS OF CANARD SURFACE SIZE ON STABILITY AND CONTROL CHARACTERISTICS OF TWO CANARD AIRPLANE CONFIGURATIONS AT MACH NUMBERS OF 1.41 AND 2.01. M. Leroy Spearman and Cornelius Driver. March 1958. 61p. diagrs., photo., tabs. (NACA RM L57L17a)

CONFIDENTIAL

(1) AERODYNAMICS

AN INVESTIGATION AT MACH NUMBERS 1.94 AND 2.41 OF JET EFFECTS UPON THE LONGITUDINAL AND DIRECTIONAL STABILITY OF A GENERAL AIRCRAFT CONFIGURATION EMPLOYING WING-TIP-MOUNTED NACELLES. Frank L. Clark and Clyde L. W. Edwards. March 1958. 69p. diagrs., photos. (NACA RM L57L18a)

INVESTIGATION OF THE LONGITUDINAL AERO-DYNAMIC CHARACTERISTICS OF A TRAPEZCIDAL-WING AIRPLANE MODEL WITH VARIOUS VERTICAL PORTIONS OF WING AND HORIZONTAL TAIL AT MACH NUMBERS OF 1.41 AND 2.01. Gerald V. Foster. March 1958. 43p. diagrs., tabs. (NACA RM L58A07) CONFIDENTIAL

INVESTIGATION OF TWO BLUFF SHAPES IN AXIAL FREE FLIGHT OVER A MACH NUMBER RANGE FROM 0.35 TO 2.15. Lucille C. Coltrane. March 1958. 33p. diagrs., photos., tabs. (NACA RM L58A16) CONFIDENTIAL

LONGITUDINAL AND LATERAL STABILITY AND CONTROL CHARACTERISTICS AT MACH NUMBER 2.01 OF A 60° DELTA-WING AIRPLANE CONFIGURATION EQUIPPED WITH A CANARD CONTROL AND WITH WING TRAILING-EDGE FLAP CONTROLS. M. Leroy Spearman and Cornelius Driver. March 1958. 51p. diagrs., photo., tabs. (NACA RM L58A20)

WIND-TUNNEL INVESTIGATION AT A MACH NUMBER OF 2.01 OF THE AERODYNAMIC CHARACTERISTICS IN COMBINED ANGLES OF ATTACK AND SIDESLIP OF SEVERAL HYPERSONIC MISSILE CONFIGURATIONS WITH VARIOUS CANARD CONTROLS. Ross B. Robinson. March 1958. 34p. diagrs., photos., tabs. (NACA RM L58A21)

AERODYNAMIC CHARACTERISTICS OVER A MACH NUMBER RANGE OF 1.40 TO 2.78 OF A ROCKET-PROPELLED AIRPLANE CONFIGURATION HAVING A LOW 52.5° DELTA WING AND AN UNSWEPT HORIZONTAL TAIL. Alan B. Kehlet. March 1958. 26p. diagrs., photos., tab. (NACA RM L58A23) CONFIDENTIAL

PRELIMINARY STUDY OF AIRPLANE CONFIGURA-TEOMS HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS. William C. Sleeman, Jr. March 1958. 36p. diagrs. (NACA RM L58B06) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A CANARD AND AN OUTBOARD-TAIL AIRPLANE MODEL AT A MACH NUMBER OF 2.01. M. Leroy Spearman and Ross B. Robinson. March 1958. 35p. diagrs., photos., tabs. (NACA RM L58B07) CONFIDENTIAL

AN ANALYTICAL EVALUATION OF THE EFFECTS
OF AN AERODYNAMIC MODIFICATION AND OF
STABILITY AUGMENTERS ON THE PITCH-UP BEHAVIOR AND PROBABLE PILOT OPINION OF TWO
CURRENT FIGHTER AIRPLANES. Melvin Sadoff
and John D. Stewart. April 1958. 60p. diagrs.,
tabs. (NACA RM A57K07) CONFIDENTIAL

EFFECTS OF NOSE AND AFTERBODY MODIFICA-TIONS ON AERODYNAMIC CHARACTERISTICS OF A BODY WITH AND WITHOUT A VERTICAL TAIL AT A MACH NUMBER OF 2.01. Gerald V. Foster. April 1958. 85p. diagrs., photos., tabs. (NACA RM L58A10) CONFIDENTIAL

AN EXPLORATORY INVESTIGATION AT MACH NUMBERS OF 2.50 AND 2.87 OF A CANARD BOMBER-TYPE CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Thomas C. Kelly, Melvin M. Carmel, and Donald T. Gregory. April 1958. 45p. diagrs., photos., tab. (NACA RM L58B28)

LARGE-SCALE WIND-TUNNEL TESTS OF AN AIR-PLANE MODEL WITH A 45° SWEPTBACK WING OF ASPECT RATIO 2.8 EMPLOYING HIGH-VELOCITY BLOWING OVER THE LEADING- AND TRAILING-EDGE FLAPS. David H. Hickey and Kiyoshi Aoyagi. May 1958. 65p. diagrs., photos., tabs. (NACA RM A58A09) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION AT A MACH NUM-BER OF 2.01 OF FOREBODY STRAKES FOR IM-PROVING DIRECTIONAL STABILITY OF SUPER-SONIC AIRCRAFT. Cornelius Driver. May 1958. 32p. diagrs., tabs. (NACA RM L58C11) CONFIDENTIAL

EFFECTS OF EXTERNAL STORE-PYLON CONFIGURATION AND POSITION ON THE AERODYNAMIC CHARACTERISTICS OF A 45° SWEPT WING-FUSELAGE COMBINATION AT A MACH NUMBER OF 1.61. Odell A. Morris. May 1958. 52p. diagrs. (NACA RM L58C13)

AN EXPERIMENTAL INVESTIGATION OF THE STATIC LONGITUDINAL STABILITY AND CONTROL CHARACTERISTICS OF A WINGLESS MISSILE CONFIGURATION AT MACH NUMBERS FROM 3.0 TO 6.3. Hermilo R. Gloria. June 1958. 29p. diagrs., photos., tabs. (NACA RM A58C20) CONFIDENTIAL

INVESTIGATION OF AERODYNAMIC CHARACTER-ISTICS OF AN AIRPLANE CONFIGURATION HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS AT MACH NUMBERS OF 2.30, 2.97, AND 3.51. James D. Church, William C. Hayes, Jr., and William C. Sleeman, Jr. June 1958. 48p. diagrs., photos., tab. (NACA RM L58C25) CONFIDENTIAL

INVESTIGATION OF THE STATIC STABILITY CHARACTERISTICS OF FIVE HYPERSONIC MISSILE CONFIGURATIONS AT MACH NUMBERS FROM 2.29 TO 4.65. Kenneth L. Turner and W. H. Appich, Jr. June 1958. 88p. diagrs., photos., tab. (NACA RM L58D04) CONFIDENTIAL

SOME FACTORS AFFECTING THE STABILITY AND PERFORMANCE CHARACTERISTICS OF CANARD AIRCRAFT CONFIGURATIONS. M. Leroy Spearman and Cornelius Driver. June 1958. 67p. diagrs., photo., tabs. (NACA RM L58D16) CONFIDENTIAL



INVESTIGATION OF CONTROL EFFECTIVENESS
AND STABILITY CHARACTERISTICS OF A MODEL
OF A LOW-WING MISSILE WITH INTERDIGITATED
TAIL SURFACES AT MACH NUMBERS OF 2.29, 2.97,
AND 3.51. John G. Presnell, Jr. July 1958. 28p.
diagrs., photos., tab. (NACA RM L58C19)
CONFIDENTIAL

INVESTIGATION OF THE AERODYNAMIC CHARACTERISTICS OF A MODEL OF A SUPERSONIC BOMBER CONFIGURATION WITH A SWEPT AND AN UNSWEPT WING AT MACH NUMBERS FROM 1.79 TO 2.67. H. Norman Silvers and Raymond L. Zedekar. July 1958. 24p. diagrs., photos., tab. (NACA RM L58C27)

EFFECTS OF WING SWEEP, HORIZONTAL-TAIL CONFIGURATION, AND A VENTRAL FIN ON STATIC STABILITY CHARACTERISTICS OF A MODEL WITH A WING OF ASPECT RATIO 3 AT MACH NUMBERS FROM 2.29 TO 4.65. Byron M. Jaquet and Roger H. Fournier. July 1958. 88p. diagrs., photos., tabs. (NACA RM L58E06)

PRELIMINARY AERODYNAMIC DATA PERTINENT TO MANNED SATELLITE REENTRY CONFIGURATIONS. Jim A. Penland and William O. Armstrong. July 1958. 16p. diagrs. (NACA RM L58E13a)

CONFIDENTIAL

LONGITUDINAL STABILITY AND CONTROL CHARACTERISTICS AT MACH NUMBERS OF 1.41 AND 2.01 OF A 67° SWEPT-WING AIRPLANE CONFIGURATION WITH CANARD CONTROL SURFACES.

M. Leroy Spearman and Ross B. Robinson. July 1958. 36p. diagrs., photo., tabs.

(NACA RM L58E20) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT A MACH NUMBER OF 6.8 OF TWO HYPERSONIC MISSILE CONFIGURATIONS, ONE WITH LOW-ASPECT-RATIO CRUCIFORM FINS AND TRAILING-EDGE FLAPS AND ONE WITH A FLARED AFTERBODY AND ALL-MOVABLE CONTROLS. Ross B. Robinson and Peter T. Bernot. August 1958. 19p. diagrs., tabs. (NACA RM L58D24) CONFIDENTIAL

LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS AT COMBINED ANGLES OF ATTACK AND SIDESLIP OF A GENERALIZED MISSILE MODEL HAVING A RECTANGULAR WING AT A MACH NUMBER OF 4.08. Fred M. Smith, Edward F. Ulmann, and Robert W. Dunning. August 1958. 91p. diagrs., photos., tabs. (NACA RM L58E26)

WIND-TUNNEL INVESTIGATION OF THE LOW-SPEED STABILITY AND PERFORMANCE CHARACTERISTICS OF A JET-POWERED LOW-ASPECT-RATIO VERTICAL-TAKE-OFF-AND-LANDING CONFIGURATION WITH ENGINES BURIED IN TILTABLE WINGS. William I. Scallion and Clarence D. Cone, Jr. August 1958. 58p. diagrs., photos. (NACA RM L58F02) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE LOW-SPEED AERODYNAMIC CHARACTERISTICS OF A HYPERSONIC GLIDER CONFIGURATION. Mark W. Kelly. September 1958. 38p. diagrs., photo. (NACA RM A58F03) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS FROM 2.5 TO 3.5 OF A CANARD BOMBER CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Melvin M. Carmel, Thomas C. Kelly, and Donald T. Gregory. September 1958. 53p. diagrs., photos., tab. (NACA RM L58G16) CONFIDENTIAL

(Title, Confidential)

STABILITY INVESTIGATION OF A BLUNT CONE AND A BLUNT CYLINDER WITH A SQUARE BASE AT MACH NUMBERS FROM 0.64 TO 2.14. Lucille C. Coltrane. September 1958. 32p. diagrs., photos., tabs. (NACA RM L58G24) CONFIDENTIAL

(1.8.1.1.2) Lateral

A WIND-TUNNEL INVESTIGATION OF SEVERAL WINGLESS MISSILE CONFIGURATIONS AT SUPERSONIC SPEEDS. David E. Reese, Jr. February 1958. 51p. diagrs., photos., tabs. (NACA RM A57J22) CONFIDENTIAL

EFFECT AT HIGH SUBSONIC SPEEDS OF FUSE-LAGE FOREBODY STRAKES ON THE STATIC STABILITY AND VERTICAL-TAIL-LOAD CHAR-ACTERISTICS OF A COMPLETE MODEL HAVING A DELTA WING. Edward C. Polhamus and Kenneth P. Spreemann. February 1958. 32p. diagrs., photo. (NACA RM L57K15a) CONFIDENTIAL

INVESTIGATION OF THE STATIC LATERAL STABILITY AND AILERON CHARACTERISTICS OF A 0.067-SCALE MODEL OF THE BELL X-2 AIR-PLANE AT MACH NUMBERS OF 2.29, 2.78, 3.22, AND 3.71. Roger H. Fournier and H. Normam Silvers. March 1958. 50p. diagrs., photos., tab. (NACA RM L57J28a) CONFIDENTIAL

EFFECTS OF CANARD SURFACE SIZE ON STABILITY AND CONTROL CHARACTERISTICS OF TWO CANARD AIRPLANE CONFIGURATIONS AT MACH NUMBERS OF 1.41 AND 2.01. M. Leroy Spearman and Cornelius Driver. March 1958. 61p. diagrs., photo., tabs. (NACA RM L57L17a) CONFIDENTIAL

LONGITUDINAL AND LATERAL STABILITY AND CONTROL CHARACTERISTICS AT MACH NUMBER 2.01 OF A 60° DELTA-WING AIRPLANE CONFIGURATION EQUIPPED WITH A CANARD CONTROL AND WITH WING TRAILING-EDGE FLAP CONTROLS. M. Leroy Spearman and Cornelius Driver. March 1958. 51p. diagrs., photo., tabs.

(NACA RM L58A20) CONFIDENTIAL



(1) AERODYNAMICS

WIND-TUNNEL INVESTIGATION AT A MACH NUMBER OF 2.01 OF THE AERODYNAMIC CHARACTERISTICS IN COMBINED ANGLES OF ATTACK AND SIDESLIP OF SEVERAL HYPERSONIC MISSILE CONFIGURATIONS WITH VARIOUS CANARD CONTROLS. Ross B. Robinson. March 1958. 34p. diagrs., photos., tabs. (NACA RM L58A21) CONFIDENTIAL

PRELIMINARY STUDY OF AIRPLANE CONFIGURA-TIONS HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS. William C. Sleeman, Jr. March 1958. 36p. diagrs. (NACA RM L58B06) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A CANARD AND AN OUTBOARD-TAIL AIRPLANE MODEL AT A MACH NUMBER OF 2.01. M. Leroy Spearman and Ross B. Robinson. March 1958. 35p. diagrs., photos., tabs. (NACA RM L58B07) CONFIDENTIAL

EFFECTS OF NOSE AND AFTERBODY MODIFICA-TIONS ON AERODYNAMIC CHARACTERISTICS OF A BODY WITH AND WITHOUT A VERTICAL TAIL AT A MACH NUMBER OF 2.01. Gerald V. Foster. April 1958. 85p. diagrs., photos., tabs. (NACA RM L58A10) CONFIDENTIAL

AN EXPLORATORY INVESTIGATION AT MACH NUMBERS OF 2.50 AND 2.87 OF A CANARD BOMBER-TYPE CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Thomas C. Kelly, Melvin M. Carmel, and Donald T. Gregory. April 1958. 45p. diagrs., photos., tab. (NACA RM L58B28)

WIND-TUNNEL INVESTIGATION AT A MACH NUM-BER OF 2.01 OF FOREBODY STRAKES FOR IM-PROVING DIRECTIONAL STABILITY OF SUPER-SONIC AIRCRAFT. Cornelius Driver. May 1958. 32p. diagrs., tabs. (NACA RM L58C11) CONFIDENTIAL

EFFECTS OF EXTERNAL STORE-PYLON CONFIGURATION AND POSITION ON THE AERODYNAMIC CHARACTERISTICS OF A 45° SWEPT WING-FUSELAGE COMBINATION AT A MACH NUMBER OF 1.61. Odell A. Morris. May 1958. 52p. diagrs. (NACA RM L58C13) CONFIDENTIAL

LOW-SPEED INVESTIGATION OF THE EFFECTS OF FREQUENCY AND AMPLITUDE OF OSCILLATION IN SIDESLIP ON THE LATERAL STABILITY DERIVATIVES OF A 60° DELTA WING, A 45° SWEPTBACK WING, AND AN UNSWEPT WING. Jacob H. Lichtenstein and James L. Williams. June 1958. 19p. diagrs., photos. (NACA RM L58B26) CONFIDENTIAL

INVESTIGATION OF AERODYNAMIC CHARACTERISTICS OF AN AIRPLANE CONFIGURATION HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS AT MACH NUMBERS OF 2.30, 2.97, AND 3.51. James D. Church, William C. Hayes, Jr., and William C. Sleeman, Jr. June 1958. 48p. diagrs., photos., tab. (NACA RM L58C25) CONFIDENTIAL

INVESTIGATION OF THE STATIC STABILITY CHARACTERISTICS OF FIVE HYPERSONIC MISSILE CONFIGURATIONS AT MACH NUMBERS FROM 2.29 TO 4.65. Kenneth L. Turner and W. H. Appich, Jr. June 1958. 88p. diagrs., photos., tab. (NACA RM L58D04) CONFIDENTIAL

SOME FACTORS AFFECTING THE STABILITY AND PERFORMANCE CHARACTERISTICS OF CANARD AIRCRAFT CONFIGURATIONS. M. Leroy Spearman and Cornelius Driver. June 1958. 67p. diagrs., photo., tabs. (NACA RM L58D16)

CONFIDENTIAL

EFFECTS OF VERTICAL LOCATION OF THE WING AND HORIZONTAL TAIL ON THE STATIC LATERAL AND DIRECTIONAL STABILITY OF A TRAPEZOIDAL-WING AIRPLANE MODEL AT MACH NUMBERS OF 1.41 AND 2.01. Ross B. Robinson. July 1958. 166p. diagrs., tabs. (NACA RM L58C18)

CONFIDENTIAL

INVESTIGATION OF CONTROL EFFECTIVENESS AND STABILITY CHARACTERISTICS OF A MODEL OF A LOW-WING MISSILE WITH INTERDIGITATED TAIL SURFACES AT MACH NUMBERS OF 2.29, 2.97, AND 3.51. John G. Presnell, Jr. July 1958. 28p. diagrs., photos., tab. (NACA RM L58C19)

CONFIDENTIAL

INVESTIGATION OF THE AERODYNAMIC CHARACTERISTICS OF A MODEL OF A SUPERSONIC BOMBER CONFIGURATION WITH A SWEPT AND AN UNSWEPT WING AT MACH NUMBERS FROM 1.79 TO 2.67. H. Norman Silvers and Raymond L. Zedekar. July 1958. 24p. diagrs., photos., tab. (NACA RM L58C27) CONFIDENTIAL

TRANSONIC CHARACTERISTICS OF OUTBOARD AILERONS ON A 4-PERCENT-THICK 30° SWEPT-BACK WING, INCLUDING SOME EFFECTS OF AILERON TRAILING-EDGE THICKNESS AND AERO-DYNAMIC BALANCE. Charles F. Whitcomb and Chris C. Critzos. July 1958. 70p. diagrs., photos. (NACA RM L58E05)

EFFECTS OF WING SWEEP, HORIZONTAL-TAIL CONFIGURATION, AND A VENTRAL FIN ON STATIC STABILITY CHARACTERISTICS OF A MODEL WITH A WING OF ASPECT RATIO 3 AT MACH NUMBERS FROM 2.29 TO 4.65. Byron M. Jaquet and Roger H. Fournier. July 1958. 88p. diagrs., photos., tabs. (NACA RM L58E06)

EXPERIMENTAL INVESTIGATION OF EFFECTS OF WING PLAN FORM AND DIHEDRAL ANGLE ON SIDESLIP DERIVATIVES OF SWEPTBACK-WING—BODY COMBINATIONS AT SUPERSONIC SPEEDS. William B. Boatright. July 1958. 66p. diagrs., photo., tab. (NACA RM L58E08) CONFIDENTIAL

DYNAMIC LATERAL BEHAVIOR OF HIGH-PERFORMANCE AIRCRAFT: Martin T. Moul and John W. Paulson. August 1958. 10p. diagrs. (NACA RM L58E16) CONFIDENTIAL



(1) AERODYNAMICS

LONGITUDINAL AND LATERAL AERODYNAMIC CHARACTERISTICS AT COMBINED ANGLES OF ATTACK AND SIDESLIP OF A GENERALIZED MISSILE MODEL HAVING A RECTANGULAR WING AT A MACH NUMBER OF 4.08. Fred M. Smith, Edward F. Ulmann, and Robert W. Dunning. August 1958. 91p. diagrs., photos., tabs. (NACA RM L58E26)

WIND-TUNNEL INVESTIGATION OF THE LOW-SPEED AERODYNAMIC CHARACTERISTICS OF A HYPERSONIC GLIDER CONFIGURATION. Mark W-Kelly. September 1958. 38p. diagrs., photo. (NACA RM A58F03) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS FROM 2.5 TO 3.5 OF A CANARD BOMBER CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Melvin M. Carmel, Thomas C. Kelly, and Donald T. Gregory. September 1958. 53p. dlagrs., photos., tab. (NACA RM L58G16) CONFIDENTIAL

(Title, Confidential)

(1.8.1.1.3) Directional

TRANSONIC LATERAL AND LONGITUDINAL AERO-DYNAMIC CHARACTERISTICS OF A LATERAL-CONTROL SYSTEM EMPLOYING ROTATABLE AIRFOILS MOUNTED VERTICALLY AT THE WING TIPS OF AN UNSWEPT WING-FUSELAGE-TAIL COMBINATION. John A. Axelson. January 1958. 43p. diagrs., photos. (NACA RM A57J16) CONFIDENTIAL

EFFECT AT HIGH SUBSONIC SPEEDS OF FUSE-LAGE FOREBODY STRAKES ON THE STATIC STABILITY AND VERTICAL-TAIL-LOAD CHAR-ACTERISTICS OF A COMPLETE MODEL HAVING A DELTA WING. Edward C. Polhamus and Kenneth P. Spreemann. February 1958. 32p. diagrs., photo. (NACA RM L57K15a)

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LATERAL-DIRECTIONAL CHARACTERISTICS OF A TRIANGULAR WING AND CANARD. Victor L. Peterson and Gene P. Menees. March 1958. 76p. diagrs., photo., tabs. (NACA RM A57L18)

INVESTIGATION OF THE STATIC LATERAL STABILITY AND AILERON CHARACTERISTICS OF A 0.067-SCALE MODEL OF THE BELL X-2 AIR-PLANE AT MACH NUMBERS OF 2.29, 2.78, 3.22, AND 3.71. Roger H. Fournier and H. Norman Silvers. March 1958. 50p. diagrs., photos., tab. (NACA RM L57J28a) CONFIDENTIAL

EFFECTS OF CANARD SURFACE SIZE ON STABILITY AND CONTROL CHARACTERISTICS OF TWO CANARD AIRPLANE CONFIGURATIONS AT MACH NUMBERS OF 1.41 AND 2.01. M. Leroy Spearman and Cornelius Driver. March 1958. 61p. diagrs., photo., tabs. (NACA RM L57L17a)

CONFIDENTIAL

AN INVESTIGATION AT MACH NUMBERS 1.94 AND 2.41 OF JET EFFECTS UPON THE LONGITUDINAL AND DIRECTIONAL STABILITY OF A GENERAL AIRCRAFT CONFIGURATION EMPLOYING WING-TIP-MOUNTED NACELLES. Frank L. Clark and Clyde L. W. Edwards. March 1958. 69p. diagrs., photos. (NACA RM L57L18a) 'CONFIDENTIAL

LONGITUDINAL AND LATERAL STABILITY AND CONTROL CHARACTERISTICS AT MACH NUMBER 2.01 OF A 60° DELTA-WING AIRPLANE CONFIGURATION EQUIPPED WITH A CANARD CONTROL AND WITH WING TRAILING-EDGE FLAP CONTROLS, M. Leroy Spearman and Cornelius Driver. March 1958. 51p. diagrs., photo., tabs. (NACA RM L58A20) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION AT A MACH NUMBER OF 2.01 OF THE AERODYNAMIC CHARACTERISTICS IN COMBINED ANGLES OF ATTACK AND SIDESLIP OF SEVERAL HYPERSONIC MISSILE CONFIGURATIONS WITH VARIOUS CANARD CONTROLS. Ross B. Robinson. March 1958. 34p. diagrs., photos., tabs. (NACA RM L58A21) CONFIDENTIAL

PRELIMINARY STUDY OF AIRPLANE CONFIGURA-TIONS HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS. William C. Sleeman, Jr. March 1958. 38p. diagrs. (NACA RM L58B08) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A CANARD AND AN OUTBOARD-TAIL ARPLANE MODEL AT A MACH NUMBER OF 2.01. M. Leroy Spearman and Ross B. Robinson. March 1958. 35p. diagrs., photos., tabs. (NACA RM L58B07) CONFIDENTIAL

AN EXPLORATORY INVESTIGATION AT MACH NUMBERS OF 2.50 AND 2.87 OF A CANARD BOMBER-TYPE CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Thomas C. Kelly, Melvin M. Carmel, and Donald T. Gregory. April 1958. 45p. diagrs., photos., tab.

(NACA RM L58B28) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION AT A MACH NUMBER OF 2.01 OF FOREBODY STRAKES FOR IMPROVING DIRECTIONAL STABILITY OF SUPERSONIC AIRCRAFT. Cornelius Driver. May 1958. 32p. diagrs., tabs. (NACA RM L58C11) CONFIDENTIAL

INVESTIGATION OF THE STATIC STABILITY CHARACTERISTICS OF FIVE HYPERSONIC MISSILE CONFIGURATIONS AT MACH NUMBERS FROM 2.29 TO 4.65. Kenneth L. Turner and W. H. Appich, Jr. June 1958. 88p. diagrs., photos., tab. (NACA RM L58D04) CONFIDENTIAL

SOME FACTORS AFFECTING THE STABILITY AND PERFORMANCE CHARACTERISTICS OF CANARD AIRCRAFT CONFIGURATIONS. M. Leroy Spearman and Cornelius Driver. June 1958. 67p. diagrs., photo., tabs. (NACA RM L58D16)

CONFIDENTIAL



EFFECTS OF VERTICAL LOCATION OF THE WING AND HORIZONTAL TAIL ON THE STATIC LATERAL AND DIRECTIONAL STABILITY OF A TRAPEZOIDAL-WING AIRPLANE MODEL AT MACH NUMBERS OF 1.41 AND 2.01. Ross B. Robinson. July 1958. 166p. diagrs., tabs. (NACA RM L58C18) CONFIDENTIAL

INVESTIGATION OF CONTROL EFFECTIVENESS AND STABILITY CHARACTERISTICS OF A MODEL OF A LOW-WING MISSILE WITH INTERDIGITATED TAIL SURFACES AT MACH NUMBERS OF 2.29, 2.97, AND 3.51. John G. Presnell, Jr. July 1958. 28p. diagrs., photos., tab. (NACA RM L58C19) CONFIDENTIAL

INVESTIGATION OF THE AERODYNAMIC CHARAC-TERISTICS OF A MODEL OF A SUPERSONIC BOMBER CONFIGURATION WITH A SWEPT AND AN UNSWEPT WING AT MACH NUMBERS FROM 1.79 TO 2.67. H. Norman Silvers and Raymond L. Zedekar. July 1958. 24p. diagrs., photos., tab. (NACA RM L58C27) CONFIDENTIAL

EFFECTS OF WING SWEEP, HORIZONTAL-TAIL CONFIGURATION, AND A VENTRAL FIN ON STATIC STABILITY CHARACTERISTICS OF A MODEL WITH A WING OF ASPECT RATIO 3 AT MACH NUMBERS FROM 2.29 TO 4.65. Byron M. Jaquet and Roger H. Fournier. July 1958. 88p. diagrs., photos., tabs. (NACA RM L58E06) CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF EFFECTS OF WING PLAN FORM AND DIHEDRAL ANGLE ON SIDESLIP DERIVATIVES OF SWEPTBACK-WING-BODY COMBINATIONS AT SUPERSONIC SPEEDS. William B. Boatright. July 1958. 66p. diagrs., photo., tab. (NACA RM L58E08) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE LOW-SPEED STABILITY AND PERFORMANCE CHARAC-TERISTICS OF A JET-POWERED LOW-ASPECT-RATIO VERTICAL-TAKE-OFF-AND-LANDING CONFIGURATION WITH ENGINES BURIED IN TILTABLE WINGS. William I. Scallion and Clarence D. Cone, Jr. August 1958. 58p. diagrs. photos. (NACA RM L58F02) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE LOW-SPEED AERODYNAMIC CHARACTERISTICS OF A HYPERSONIC GLIDER CONFIGURATION. Mark W. Kelly. September 1958. 38p. diagrs., photo.
(NACA RM A58F03) CONFIDENTIAL (NACA RM A58F03)

AERODYNAMIC CHARACTERISTICS AT MACH NUM-BERS FROM 2.5 TO 3.5 OF A CANARD BOMBER CONFIGURATION DESIGNED FOR SUPERSONIC CAUISE FLIGHT. Melvin M. Carmel, Thomas C. Kelly, and Donald T. Gregory. September 1958. 53p. diagrs., photos., tab. (NACA RM L58G16) (Title, Confidential)

(1.8.1.2)DYNAMIC

SOME EFFECTS OF REYNOLDS NUMBER ON THE STABILITY OF A SERIES OF FLARED-BODY AND BLUNTED-CONE MODELS AT MACH NUMBERS FROM 1.62 TO 6.86. Alan B. Kehlet. January 1958. 35p. diagrs., photos., tabs. CONFIDENTIAL (NACA RM L57J29)

STABILITY OF BALLISTIC REENTRY BODIES. John D. Bird and David E. Reese. August 1958. 16p. diagrs., tab. (NACA RM L58E02a) CONFIDENTIAL

THE STATIC AND DYNAMIC-ROTARY STABILITY DERIVATIVES AT SUBSONIC SPEEDS OF A MODEL OF THE X-15 RESEARCH AIRPLANE. Armando E. Lopez and Bruce E. Tinling. September 1958. 49p. diagrs., photos., tab. (NACA RM A58F09) CONFIDENTIAL

STATIC AND DYNAMIC-ROTARY STABILITY DERIVATIVES OF AN AIRPLANE MODEL WITH AN UNSWEPT WING AND A HIGH HORIZONTAL TAIL AT MACH NUMBERS OF 2.5, 3.0, AND 3.5. Bedford A. Lampkin and Phillips J. Tunnell. September 1958. 36p. diagrs., photos., tab. CONFIDENTIAL (NACA RM A58F17)

(1.8.1.2.1)Longitudinal

A SIMULATOR INVESTIGATION OF FACTORS AFFECTING THE DESIGN AND UTILIZATION OF A STICK PUSHER FOR THE PREVENTION OF AIR-PLANE PITCH-UP. Euclid C. Holleman and David L. Boslaugh. January 1958. 71p. diagrs. CONFIDENTIAL (NACA RM H57J30)

FREE-FLIGHT TRANSONIC MODEL INVESTIGATION OF JET EFFECTS ON A FIGHTER-TYPE CONFIGU-RATION EMPLOYING A TAIL BOOM AND THREE HORIZONTAL-TAIL POSITIONS. Bruce G. Jackson. February 1958. 83p. diagrs., photos., tabs.
(NACA RM L57J31) CONFIDENTIAL

A FLIGHT STUDY OF LONGITUDINAL-CONTROL-SYSTEM DYNAMIC CHARACTERISTICS BY THE USE OF A VARIABLE-CONTROL-SYSTEM AIR-PLANE. Norman M. McFadden, Frank A. Pauli, and Donovan R. Heinle. March 1958. 32p. diagrs., photo. (NACA RM A57L10) CONFIDENTIAL

FLIGHT EVALUATION OF THE EFFECTS OF LEADING-EDGE-SLAT SPAN ON THE STABILITY AND CONTROL CHARACTERISTICS OF A SWEPT-WING FIGHTER-TYPE AIRPLANE DURING ACCEL-ERATED LONGITUDINAL MANEUVERS AT TRAN-SONIC SPEEDS. Gene J. Matranga and Katharine H. Armistead. March 1958. 46p. diagrs., photo., tab. (NACA RM H58A03a) CONFIDENTIAL

INVESTIGATION OF TWO BLUFF SHAPES IN AXIAL FREE FLIGHT OVER A MACH NUMBER RANGE FROM 0.35 TO 2.15. Lucille C. Coltrane. March 1958. 33p. diagrs., photos., tabs. (NACA RM L58A16) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OVER A MACH NUMBER RANGE OF 1.40 TO 2.78 OF A ROCKET-PROPELLED AIRPLANE CONFIGURATION HAVING A LOW 52.50 DELTA WING AND AN UNSWEPT HORIZONTAL TAIL. Alan B. Kehlet. March 1958. 26p. diagrs., photos., tab. (NACA RM L58A23) CONFIDENTIAL

AN ANALYTICAL EVALUATION OF THE EFFECTS
OF AN AERODYNAMIC MODIFICATION AND OF
STABILITY AUGMENTERS ON THE PITCH-UP BEHAVIOR AND PROBABLE PILOT OFINION OF TWO
CURRENT FIGHTER AIRPLANES. Melvin Sadoff
and John D. Stewart. April 1958. 60p. diagrs.,
tabs. (NACA RM A57K07) CONFIDENTIAL

INVESTIGATION OF A TILTING-WING VERTICAL-TAKE-OFF-AND-LANDING JET AIRPLANE MODEL IN HOVERING AND TRANSITION FLIGHT. Robert H. Kirby and James L. Hassell, Jr. August 1958. 20p. diagrs., photo., tab., film suppl. available on request. (NACA RM L58F26) CONFIDENTIAL

STABILITY INVESTIGATION OF A BLUNT CONE AND A BLUNT CYLINDER WITH A SQUARE BASE AT MACH NUMBERS FROM 0.64 TO 2.14. Lucille C. Coltrane. September 1958. 32p. diagrs., photos., tabs. (NACA RM L58G24) CONFIDENTIAL

(1.8.1.2.2) Lateral and Directional

EXPERIMENTAL DETERMINATION OF THE EFFECTS OF FREQUENCY AND AMPLITUDE OF OSCILLATION ON THE ROLL-STABILITY DERIVATIVES FOR A 60° DELTA-WING AIRPLANE MODEL. Lewis R. Fisher. February 1958. 49p. diagrs., photos., tabs. (NACA RM L57L17) CONFIDENTIAL

DYNAMIC DIRECTIONAL STABILITY DERIVATIVES FOR A 45° SWEPT-WING-VERTICAL-TAIL AIR-PLANE MODEL AT TRANSONIC SPEEDS AND ANGLES OF ATTACK, WITH A DESCRIPTION OF THE MECHANISM AND INSTRUMENTATION EMPLOYED. Albert L. Braslow, Harleth G. Wiley, and Cullen Q. Lee. April 1958. 46p. diagrs., photos. (NACA RM L58A28) CONFIDENTIAL

LOW-SPEED INVESTIGATION OF THE EFFECTS
OF FREQUENCY AND AMPLITUDE OF OSCILLATION IN SIDESLIP ON THE LATERAL STABILITY
DERIVATIVES OF A 60° DELTA WING, A 45°
SWEPTBACK WING, AND AN UNSWEPT WING.
Jacob H. Lichtenstein and James L. Williams. June
1958. 19p. diagrs., photos. (NACA RM L58B28)
CONFIDENTIAL

DYNAMIC LATERAL BEHAVIOR OF HIGH-PERFORMANCE AIRCRAFT. Martin T. Moul and John W. Paulson. August 1958. 10p. diagrs. (NACA RM L58E16) CONFIDENTIAL

INVESTIGATION OF A TILTING-WING VERTICAL-TAKE-OFF-AND-LANDING JET AIRPLANE MODEL IN HOVERING AND TRANSITION FLIGHT. Robert H. Kirby and James L. Hassell, Jr. August 1958. 20p. diagrs., photo., tab., film suppl. available on request. (NACA RM L58F26) CONFIDENTIAL

(1.8.1.2.3) Damping Derivatives

EXPERIMENTAL DETERMINATION OF THE EFFECTS OF FREQUENCY AND AMPLITUDE OF OSCILLATION ON THE ROLL-STABILITY DERIVATIVES FOR A 60° DELTA-WING AIRPLANE MODEL. Lewis R. Fisher. February 1958. 49p. diagrs., photos., tabs. (NACA RM L57L17) CONFIDENTIAL

STUDY OF EXIT PHASE OF FLIGHT OF A VERY HIGH ALTITUDE HYPERSONIC AIRPLANE BY MEANS OF A PILOT-CONTROLLED ANALOG COMPUTER. Windsor L. Sherman, Stanley Faber, and James B. Whitten. APPENDIX: THE ANALOG SIMULATOR PROGRAMING. Robert E. Andrews. March 1958. 53p. diagrs., photo., tabs. (NACA RM L57K21) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OVER A MACH NUMBER RANGE OF 1.40 TO 2.78 OF A ROCKET-PROPELLED AIRPLANE CONFIGURATION HAVING A LOW 52.50 DELTA WING AND AN UNSWEPT HORIZONTAL TAIL. Alan B. Kehlet. March 1958. 26p. diagrs., photos., tab. (NACA RM L58A23) CONFIDENTIAL

DYNAMIC DIRECTIONAL STABILITY DERIVATIVES FOR A 45° SWEPT-WING-VERTICAL-TAIL AIR-PLANE MODEL AT TRANSONIC SPEEDS AND ANGLES OF ATTACK, WITH A DESCRIPTION OF THE MECHANISM AND INSTRUMENTATION EMPLOYED. Albert L. Braslow, Harleth G. Wiley, and Cullen Q. Lee. April 1958. 46p. diagrs., photos. (NACA RM L58A28) CONFIDENTIAL

EFFECT OF CONTROL TRAILING-EDGE THICK-NESS OR ASPECT RATIO ON THE OSCILLATING HINGE-MOMENT AND FLUTTER CHARACTERIS-TICS OF A FLAP-TYPE CONTROL AT TRANSONIC SPEEDS. William C. Moseley, Jr., and Robert F. Thompson. April 1958. 43p. diagrs., photo., tabs. (NACA RM L58B25) CONFIDENTIAL

SOME EFFECTS OF FLOW SPOILERS AND OF AERODYNAMIC BALANCE ON THE OSCILLATING HINGE MOMENTS FOR A SWEPT FIN-RUDDER COMBINATION IN A TRANSONIC WIND TUNNEL. Robert W. Herr, Frederick W. Gibson, and Robert S. Osborne. May 1958. 31p. diagrs., photos. (NACA RM L58C28) CONFIDENTIAL

LOW-SPEED INVESTIGATION OF THE EFFECTS OF FREQUENCY AND AMPLITUDE OF OSCILLATION IN SIDESLIP ON THE LATERAL STABILITY DERIVATIVES OF A 60° DELTA WING, A 45° SWEPTBACK WING, AND AN UNSWEPT WING. Jacob H. Lichtenstein and James L. Williams. June 1958. 19p. diagrs., photos. (NACA RM L58B26)

(1) AERODYNAMICS

ROCKET-MODEL INVESTIGATION TO DETER-MINE THE LIFT AND PITCHING EFFECTIVENESS OF SMALL PULSE ROCKETS EXHAUSTED FROM THE FUSELAGE OVER THE SURFACE OF AN ADJACENT WING AT MACH NUMBERS FROM 0.9 TO 1.8. C. William Martz. September 1958. 22p. diagrs., photos. (NACA RM L58G29)

CONFIDENTIAL

(1.8.2) CONTROL

STUDY OF EXIT PHASE OF FLIGHT OF A VERY HIGH ALTITUDE HYPERSONIC AIRPLANE BY MEANS OF A PILOT-CONTROLLED ANALOG COMPUTER. Windsor L. Sherman, Stanley Faber, and James B. Whitten. APPENDIX: THE ANALOG SIMULATOR PROGRAMING. Robert E. Andrews. March 1958. 53p. diagrs., photo., tabs. (NACA RM L57K21) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF HYPER-SONIC GLIDERS. Robert W. Rainey. July 1958. 16p. diagrs., tab. (NACA RM L58E12a) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS 2.36 AND 2.87 OF AN AIRPLANE CON-FIGURATION HAVING A CAMBERED ARROW WING WITH A 75° SWEPT LEADING EDGE. Joseph M. Hallissy, Jr., and Dennis F. Hasson. August 1958. 63p. diagrs., photos., tabs. (NACA RM L58E21) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE EFFECT
OF SWEEP AND TAPER RATIO ON EFFECTIVENESS
OF SPOILER-SLOT-DEFLECTOR CONTROLS ON
ASPECT-RATIO-4 WINGS AT TRANSONIC SPEEDS.
Alexander D. Hammond and Linwood W. McKinney.
August 1958. 69p. diagrs., tabs.
(NACA RM L58E29) CONFIDENTIAL

INVESTIGATION OF WINGLESS MISSILE CONFIGURATIONS WITH FOLDING CONTROLS AND LOW-ASPECT-RATIO STABILIZING SURFACES. Frank A. Lazzeroni. September 1958. 33p. diagrs., photo. (NACA RM A58F30) · CONFIDENTIAL

SIMULATOR STUDIES OF JET REACTION CONTROLS FOR USE AT HIGH ALTITUDE. Wendell H. Stillwell and Hubert M. Drake. September 1958. 40p. diagrs., photos. (NACA RM H58G18a)

CONFIDENTIAL

(1.8.2.1) LONGITUDINAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF A TRIANGULAR WING AND CANARD. John W. Boyd and Victor L. Peterson. January 1958. 32p. diagrs., photo., tabs. (NACA RM A57J15) CONFIDENTIAL

A SIMULATOR INVESTIGATION OF FACTORS
AFFECTING THE DESIGN AND UTILIZATION OF A
STICK PUSHER FOR THE PREVENTION OF AIRPLANE PITCH-UP. Euclid C. Holleman and
David L. Boslaugh. January 1958. 71p. diagrs.
(NACA RM H57J30) CONFIDENTIAL

LONGITUDINAL STABILITY INVESTIGATION OF A VERTICAL-TAKE-OFF-AND-LANDING AIRPLANE CONFIGURATION WITH SIMULATED JET INTAKE AND EXHAUST AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord. January 1958. 80p. diagrs., photos., tab. (NACA RM L57K05)

A WIND-TUNNEL INVESTIGATION OF SEVERAL WINGLESS MISSILE CONFIGURATIONS AT SUPERSONIC SPEEDS. David E. Reese, Jr. February 1958. 51p. diagrs., photos., tabs. (NACA RM A57122) CONFIDENTIAL

SUBSONIC AERODYNAMIC CHARACTERISTICS UP TO EXTREME ANGLES OF ATTACK OF AN AIR-PLANE MODEL HAVING AN UNSWEPT WING AND A HIGH HORIZONTAL TAIL. Bruce E. Tinling. February 1958. 25p. diagrs., photos., tab. (NACA RM A57K05) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - TRIANGULAR WING AND CANARD ON AN EXTENDED BODY. John W. Boyd and Victor L. Peterson. February 1958. 62p. diagrs., tabs. (NACA RM A57K14) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.76 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF A TRIANGULAR WING AND UNSWEPT CANARD. Victor L. Peterson and Gene P. Menees. February 1958. 31p. diagrs., tabs. (NACA RM A57K26) CONFIDENTIAL

STATIC STABILITY AND CONTROL OF CANARD CONFIGURATIONS AT MACH NUMBERS FROM 0.70 TO 2.22 - LONGITUDINAL CHARACTERISTICS OF AN UNSWEPT WING AND CANARD. Victor L. Peterson and John W. Boyd. February 1958. 29p. diagrs., tabs. (NACA RM A57K27) CONFIDENTIAL

A FLIGHT STUDY OF LONGITUDINAL-CONTROL-SYSTEM DYNAMIC CHARACTERISTICS BY THE USE OF A VARIABLE-CONTROL-SYSTEM AIR-PLANE. Norman M. McFadden, Frank A. Pauli, and Donovan R. Heinle. March 1958. 32p. diagrs., photo. (NACA RM A57L10) CONFIDENTIAL

FLIGHT EVALUATION OF THE EFFECTS OF LEADING-EDGE-SLAT SPAN ON THE STABILITY AND CONTROL CHARACTERISTICS OF A SWEPTWING FIGHTER-TYPE AIRPLANE DURING ACCELERATED LONGITUDINAL MANEUVERS AT TRANSONIC SPEEDS. Gene J. Matranga and Katharine H. Armistead. March 1958. 46p. diagrs., photo., tab. (NACA RM H58A03a) CONFIDENTIAL

EFFECTS OF CANARD SURFACE SIZE ON STABILITY AND CONTROL CHARACTERISTICS OF TWO CANARD AIRPLANE CONFIGURATIONS AT MACH NUMBERS OF 1.41 AND 2.01. M. Leroy Spearman and Cornelius Driver. March 1958. 61p. diagrs., photo., tabs. (NACA RM L57L17a)

CONFIDENTIAL



(1) AERODYNAMICS

LONGITUDINAL AND LATERAL STABILITY AND CONTROL CHARACTERISTICS AT MACH NUMBER 2.01 OF A 600 DELTA-WING AIRPLANE CONFIGURATION EQUIPPED WITH A CANARD CONTROL AND WITH WING TRAILING-EDGE FLAP CONTROLS. M. Leroy Spearman and Cornelius Driver. March 1958. 51p. diagrs., photo., tabs. (NACA RM L58A20)

WIND-TUNNEL INVESTIGATION AT A MACH NUMBER OF 2.01 OF THE AERODYNAMIC CHARACTERISTICS IN COMBINED ANGLES OF ATTACK AND SIDESLIP OF SEVERAL HYPERSONIC MISSILE CONFIGURATIONS WITH VARIOUS CANARD CONTROLS. Ross B. Robinson. March 1958. 34p. diagrs., photos., tabs. (NACA RM L58A21)

PRELIMINARY STUDY OF AIRPLANE CONFIGURA-TIONS HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS. William C. Sleeman, Jr. March 1958. 36p. diagrs. (NACA RM L58B06) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A CANARD AND AN OUTBOARD-TAIL AIRPLANE MODEL AT A MACH NUMBER OF 2.01. M. Leroy Spearman and Ross B. Robinson. March 1958. 35p. diagrs., photos., tabs. (NACA RM L58B07) CONFIDENTIAL

AN ANALYTICAL EVALUATION OF THE EFFECTS OF AN AERODYNAMIC MODIFICATION AND OF STABILITY AUGMENTERS ON THE PITCH-UP BE-HAVIOR AND PROBABLE PILOT OPINION OF TWO CURRENT FIGHTER AIRPLANES. Melvin Sadoff and John D. Stewart. April 1958. 60p. diagrs., tabs. (NACA RM A57K07) CONFIDENTIAL

GROUND SIMULATOR STUDIES OF A SMALL SIDE-LOCATED CONTROLLER IN A POWER CONTROL SYSTEM. Arthur Assadourian. April 1958. 27p. diagrs., photos., tab. (NACA RM L58B14) CONFIDENTIAL

AN EXPLORATORY INVESTIGATION AT MACH NUMBERS OF 2.50 AND 2.87 OF A CANARD BOMBER-TYPE CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Thomas C. Kelly, Melvin M. Carmel, and Donald T. Gregory. April 1958. 45p. diagrs., photos., tab. (NACA RM L58B28)

STATIC STABILITY AND CONTROL CHARACTER-ISTICS OF A TRIANGULAR WING AND CANARD CONFIGURATION AT MACH NUMBERS FROM 2.58 TO 3.53. C. Ernest Hedstrom, James R. Blackaby, and Victor L. Peterson. May 1958. 62p. diagrs., photos., tabs. (NACA RM A58C05) CONFIDENTIAL

AN EXPERIMENTAL INVESTIGATION OF THE STATIC LONGITUDINAL STABILITY AND CONTROL CHARACTERISTICS OF A WINGLESS MISSILE CONFIGURATION AT MACH NUMBERS FROM 3.0 TO 6.3. Hermito R. Gloria. June 1958. 29p. diagrs., photos., tabs. (NACA RM A58C20) CONFIDENTIAL

CONTROL DEFLECTIONS, AIRPLANE RESPONSE, AND TAIL LOADS MEASURED ON AN F-100A AIRPLANE IN SERVICE OPERATIONAL FLYING. Chris Pembo and Gene J. Matranga. June 1958. 39p. diagrs., photo., tab. (NACA RM H58C26) CONFIDENTIAL

INVESTIGATION OF AERODYNAMIC CHARACTERISTICS OF AN AIRPLANE CONFIGURATION HAVING TAIL SURFACES OUTBOARD OF THE WING TIPS AT MACH NUMBERS OF 2.30, 2.97, AND 3.51. James D. Church, William C. Hayes, Jr., and William C. Sleeman, Jr. June 1958. 48p. diagrs., photos., tab. (NACA RM L58C25) CONFIDENTIAL

SOME FACTORS AFFECTING THE STABILITY AND PERFORMANCE CHARACTERISTICS OF CANARD AIRCRAFT CONFIGURATIONS. M. Leroy Spearman and Cornelius Driver. June 1958. 67p. diagrs., photo., tabs. (NACA RM L58D16)

CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF SEVERAL JET-SPOILER CONTROLS ON A 45° SWEPTBACK WING AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord. June 1958. 93p. diagrs., tab. (NACA RM L58D18) CONFIDENTIAL

MANEUVER PERFORMANCE OF INTERCEPTOR
MISSILES. David G. Stone. June 1958. 12p.
diagrs. (NACA RM L58E02) CONFIDENTIAL

EFFECTS OF CANARDS ON AIRPLANE PERFORM-ANCE AND STABILITY. Charles F. Hall and John W. Boyd. July 1958. 24p. diagrs. (NACA RM A58D24) CONFIDENTIAL

INVESTIGATION OF CONTROL EFFECTIVENESS AND STABILITY CHARACTERISTICS OF A MODEL OF A LOW-WING MISSILE WITH INTERDIGITATED TAIL SURFACES AT MACH NUMBERS OF 2.29, 2.97, AND 3.51. John G. Presnell, Jr. July 1958. 28p. diagrs., photos., tab. (NACA RM L58C19) CONFIDENTIAL

LONGITUDINAL STABILITY AND CONTROL CHARACTERISTICS AT MACH NUMBERS OF 1.41 AND 2.01 OF A 67° SWEPT-WING AIRPLANE CONFIGURATION WITH CANARD CONTROL SURFACES.

M. Leroy Spearman and Ross B. Robinson. July 1958. 36p. diagrs., photo., tabs.

(NACA RM L58E20) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT A MACH NUMBER OF 6.8 OF TWO HYPERSONIC MISSILE CONFIGURATIONS, ONE WITH LOW-ASPECT-RATIO CRUCIFORM FINS AND TRAILING-EDGE FLAPS AND ONE WITH A FLARED AFTERBODY AND ALL-MOVABLE CONTROLS. Ross B. Robinson and Peter T. Bernot. August 1958. 19p. diagrs., tabs. (NACA RM L58D24) CONFIDENTIAL

(1) AERODYNAMICS

FLIGHT, ANALOG-SIMULATOR, AND ANALYTICAL STUDIES OF AN AUTOMATICALLY CONTROLLED INTERCEPTOR WHICH USES A BANK-ANGLE-ERROR COMPUTER FOR LATERAL COMMANDS. Donald C. Cheatham and Roy F. Brissenden. August 1958. 53p. diagrs., photo., tabs. (NACA RM L58E26a) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE LOWSPEED STABILITY AND PERFORMANCE CHARACTERISTICS OF A JET-POWERED LOW-ASPECTRATIO VERTICAL-TAKE-OFF-AND-LANDING
CONFIGURATION WITH ENGINES BURIED IN
TILTABLE WINGS. William I. Scallion and
Clarence D. Cone, Jr. August 1958. 58p. diagrs.,
photos. (NACA RM L58F02) CONFIDENTIAL

INVESTIGATION OF A TILTING-WING VERTICAL-TAKE-OFF-AND-LANDING JET AIRPLANE MODEL IN HOVERING AND TRANSITION FLIGHT. Robert H. Kirby and James L. Hassell, Jr. August 1958. 20p. diagrs., photo., tab., film suppl. available on request. (NACA RM L58F26) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT MACH NUMBERS FROM 2.5 TO 3.5 OF A CANARD BOMBER CONFIGURATION DESIGNED FOR SUPERSONIC CRUISE FLIGHT. Melvin M. Carmel, Thomas C. Kelly, and Donald T. Gregory. September 1958. 53p. diagrs., photos., tab. (NACA RM L58G16) CONFIDENTIAL

(Title, Confidential)

ROCKET-MODEL INVESTIGATION TO DETER-MINE THE LIFT AND PITCHING EFFECTIVENESS OF SMALL PULSE ROCKETS EXHAUSTED FROM THE FUSELAGE OVER THE SURFACE OF AN ADJACENT WING AT MACH NUMBERS FROM 0.9 TO 1.8. C. William Martz. September 1958. 22p. diagrs., photos. (NACA RM L58G29) CONFIDENTIAL

(1.8.2.2) LATERAL

TRANSONIC LATERAL AND LONGITUDINAL AERO-DYNAMIC CHARACTERISTICS OF A LATERAL-CONTROL SYSTEM EMPLOYING ROTATABLE AIRFOILS MOUNTED VERTICALLY AT THE WING TIPS OF AN UNSWEPT WING-FUSELAGE-TAIL COMBINATION. John A. Axelson. January 1958. 43p. diagrs., photos. (NACA RM A57J16) CONFIDENTIAL

FREE-FLIGHT ROLL PERFORMANCE OF A STEADY-FLOW JET-SPOILER CONTROL ON AN 80° DELTA-WING MISSILE BETWEEN MACH NUMBERS OF 0.6 AND 1.8. Eugene D. Schult. January 1958. 35p. diagrs., photos. (NACA RM L57J28) CONFIDENTIAL

INVESTIGATION OF THE STATIC LATERAL STABILITY AND AILERON CHARACTERISTICS OF A 0.067-SCALE MODEL OF THE BELL X-2 AIR-PLANE AT MACH NUMBERS OF 2.29, 2.78, 3.22, AND 3.71. Roger H. Fournier and H. Norman Silvers. March 1958. 50p. diagrs., photos., tab. (NACA RM L57J28a) CONFIDENTIAL

CONTROL DEFLECTIONS, AIRPLANE RESPONSE, AND TAIL LOADS MEASURED ON AN F-100A AIR-PLANE IN SERVICE OPERATIONAL FLYING. Chris Pembo and Gene J. Matranga. June 1958. 39p. diagrs., photo., tab. (NACA RM H58C26) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A 450 SWEPT-WING FIGHTER-AIRPLANE MODEL AND AERODYNAMIC LOADS ON ADJACENT STORES AND MISSILES AT MACH NUMBERS OF 1.57, 1.87, 2.16, AND 2.53. Waldo I. Oehman and Kenneth L. Turner. June 1958. 107p. diagrs., photos., tabs. (NACA RM L58C17) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF SEVERAL
JET-SPOILER CONTROLS ON A 45° SWEPTBACK
WING AT MACH NUMBERS OF 1.61 AND 2.01.
Douglas R. Lord. June 1958. 93p. diagrs., tab.
(NACA RM L58D18) CONFIDENTIAL

TRANSONIC CHARACTERISTICS OF OUTBOARD AILERONS ON A 4-PERCENT-THICK 30° SWEPT-BACK WING, INCLUDING SOME EFFECTS OF AILERON TRAILING-EDGE THICKNESS AND AERO-DYNAMIC BALANCE. Charles F. Whitcomb and Chris C. Critzos. July 1958. 70p. diagrs., photos. (NACA RM L58E05)

A WIND-TUNNEL INVESTIGATION OF THE WING LOADS DUE TO DEFLECTED INBOARD AILERONS ON A 45° SWEPTBACK WING AT TRANSONIC SPEEDS. Atwood R. Heath, Jr., and Ann W. Igoe. July 1958. 101p. diagrs., photos., tabs. (NACA RM L58E12) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS AT A MACH NUMBER OF 6.8 OF TWO HYPERSONIC MISSILE CONFIGURATIONS, ONE WITH LOW-ASPECT-RATIO CRUCIFORM FINS AND TRAILING-EDGE FLAPS AND ONE WITH A FLARED AFTERBODY AND ALL-MOVABLE CONTROLS. Ross B. Robinson and Peter T. Bernot. August 1958. 19p. diagrs., tabs. (NACA RM L58D24) CONFIDENTIAL

DYNAMIC LATERAL BEHAVIOR OF HIGH-PERFORMANCE AIRCRAFT. Martin T. Moul and John W. Paulson. August 1958. 10p. diagrs. (NACA RM L58E16) CONFIDENTIAL

FLIGHT, ANALOG-SIMULATOR, AND ANALYTICAL STUDIES OF AN AUTOMATICALLY CONTROLLED INTERCEPTOR WHICH USES A BANK-ANGLE-ERROR COMPUTER FOR LATERAL COMMANDS. Donald C. Cheatham and Roy F. Brissenden. August 1958. 53p. diagrs., photo., tabs. (NACA RM L58E26a) CONFIDENTIAL

ANALYSIS OF EFFECTS OF INTERCEPTOR ROLL PERFORMANCE AND MANEUVERABILITY ON SUCCESS OF COLLISION-COURSE ATTACKS. William H. Phillips. August 1958. tabs. (NACA RM L58E27) CONFIDENTIAL

-CONFIDENTIAL

(1) AERODYNAMICS

INVESTIGATION OF A TILTING-WING VERTICAL-TAKE-OFF-AND-LANDING JET AIRPLANE MODEL IN HOVERING AND TRANSITION FLIGHT. Robert H. Kirby and James L. Hasseil, Jr. August 1958. 20p. diagrs., photo., tab., film suppl. available on request. (NACA RM L58F26) CONFIDENTIAL

(1.8.2.3) DIRECTIONAL

INVESTIGATION OF THE STATIC LATERAL STABILITY AND AILERON CHARACTERISTICS OF A 0.067-SCALE MODEL OF THE BELL X-2 AIR-PLANE AT MACH NUMBERS OF 2.29, 2.78, 3.22, AND 3.71. Roger H. Fournier and H. Norman Silvers. March 1958. 50p. diagrs., photos., tab. (NACA RM L57J28a) CONFIDENTIAL

CONTROL DEFLECTIONS, AIRPLANE RESPONSE, AND TAIL LOADS MEASURED ON AN F-100A AIRPLANE IN SERVICE OPERATIONAL FLYING. Chris Pembo and Gene J. Matranga. June 1958. 39p. diagrs., photo., tab. (NACA RM H58C26) CONFIDENTIAL

INVESTIGATION OF A TILTING-WING VERTICAL-TAKE-OFF-AND-LANDING JET AIRPLANE MODEL IN HOVERING AND TRANSITION FLIGHT. Robert H. Kirby and James L. Hassell, Jr. August 1958. 20p. diagrs., photo., tab., film suppl. available on request. (NACA RM L58F26) CONFIDENTIAL

(1.8.2.4) AIR BRAKES

EFFECT OF TARGET-TYPE THRUST REVERSER ON TRANSONIC AERODYNAMIC CHARACTERISTICS OF A SINGLE-ENGINE FIGHTER MODEL. John M. Swihart. January 1958. 42p. diagrs., photos., tab. (NACA RM L57J16) CONFIDENTIAL

AN INVESTIGATION OF THE DRAG CHARACTER-ISTICS OF SPEED BRAKES FOR MACH NUMBERS FROM 0.20 TO 1.30. Allen R. Vick. January 1958. 35p. diagrs., photos., tab. (NACA RM L57123a) CONFIDENTIAL

(1.8.2.5) HINGE MOMENTS

EFFECT OF CONTROL TRAILING-EDGE THICK-NESS OR ASPECT RATIO ON THE OSCILLATING HINGE-MOMENT AND FLUTTER CHARACTERIS-TICS OF A FLAP-TYPE CONTROL AT TRANSONIC SPEEDS. William C. Moseley, Jr., and Robert F. Thompson. April 1958. 43p. diagrs., photo., tabs. (NACA RM L58B25) CONFIDENTIAL SOME EFFECTS OF FLOW SPOILERS AND OF AERODYNAMIC BALANCE ON THE OSCILLATING HINGE MOMENTS FOR A SWEPT FIN-RUDDER COMBINATION IN A TRANSONIC WIND TUNNEL. Robert W. Herr, Frederick W. Gibson, and Robert S. Osborne. May 1958. 31p. diagrs., photos. (NACA RM L58C28) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF A 450 SWEPT-WING FIGHTER-AIRPLANE MODEL AND AERODYNAMIC LOADS ON ADJACENT STORES AND MISSILES AT MACH NUMBERS OF 1.57, 1.87, 2.16, AND 2.53. Waldo I. Oehman and Kenneth L. Turner. June 1958. 107p. diagrs., photos., tabs. (NACA RM L58C17)

TRANSONIC CHARACTERISTICS OF OUTBOARD AILERONS ON A 4-PERCENT-THICK 30° SWEPT-BACK WING, INCLUDING SOME EFFECTS OF AILERON TRAILING-EDGE THICKNESS AND AERO-DYNAMIC BALANCE. Charles F. Whitcomb and Chris C. Critzos. July 1958. 70p. diagrs., photos. (NACA RM L58E05) CONFIDENTIAL

(1.8.2.6) AUTOMATIC

A SIMULATOR INVESTIGATION OF FACTORS AFFECTING THE DESIGN AND UTILIZATION OF A STICK PUSHER FOR THE PREVENTION OF AIRPLANE PITCH-UP. Euclid C. Holleman and David L. Boslaugh. January 1958. 71p. diagrs. (NACA RM H57J30)

A FLIGHT STUDY OF LONGITUDINAL-CONTROL-SYSTEM DYNAMIC CHARACTERISTICS BY THE USE OF A VARIABLE-CONTROL-SYSTEM AIR-PLANE. Norman M. McFadden, Frank A. Pauli, and Donovan R. Heinle. March 1958. 32p. diagrs., photo. (NACA RM A57L10) CONFIDENTIAL

THE EFFECTS OF A MODIFIED ROLL-COMMAND SYSTEM ON THE FLIGHT-PATH STABILITY AND TRACKING ACCURACY OF AN AUTOMATIC INTER-CEPTOR. William C. Triplett. March 1958. 19p. diagrs., photo. (NACA RM A57L112)

CONFIDENTIAL

AN ANALYTICAL EVALUATION OF THE EFFECTS
OF AN AERODYNAMIC MODIFICATION AND OF
STABILITY AUGMENTERS ON THE PITCH-UP BEHAVIOR AND PROBABLE PILOT OPINION OF TWO
CURRENT FIGHTER AIRPLANES. Melvin Sadoff
and John D. Stewart. April 1958. 60p. diagrs.,
tabs. (NACA RM A57K07) CONFIDENTIAL

SIMULATOR INVESTIGATION OF COMMAND RE-ACTION CONTROLS. Euclid C. Holleman and Wendell H. Stillwell. July 1958. 12p. diagrs., tab. (NACA RM H58D22) CONFIDENTIAL



FLIGHT, ANALOG-SIMULATOR, AND ANALYTICAL STUDIES OF AN AUTOMATICALLY CONTROLLED INTERCEPTOR WHICH USES A BANK-ANGLE-ERROR COMPUTER FOR LATERAL COMMANDS. Donald C. Cheatham and Roy F. Brissenden. August 1958. 53p. diagrs., photo., tabs. (NACA RM L58E26a) CONFIDENTIAL

(1.8.2.7) JET REACTION

PRESSURE LOADS PRODUCED ON A FLAT-PLATE WING BY ROCKET JETS EXHAUSTING IN A SPANWISE DIRECTION BELOW THE WING AND PERPENDICULAR TO A FREE-STREAM FLOW OF MACH NUMBER 2.0. Raiph A. Falanga and Joseph J. Janos. June 1958. 47p. diagrs., photos., tabs. (NACA RM L58D09) CONFIDENTIAL

AERODYNAMIC CHARACTERISTICS OF SEVERAL JET-SPOILER CONTROLS ON A 45° SWEPTBACK WING AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord. June 1958. 93p. diagrs., tab. (NACA RM L58D18) CONFIDENTIAL

SIMULATOR INVESTIGATION OF COMMAND RE-ACTION CONTROLS. Euclid C. Holleman and Wendell H. Stillwell. July 1958. 12p. diagrs., tab. (NACA RM H58D22) CONFIDENTIAL

SIMULATION STUDY OF A HIGH-PERFORMANCE AIRCRAFT INCLUDING THE EFFECT ON PILOT CONTROL OF LARGE ACCELERATIONS DURING EXIT AND REENTRY FLIGHT. C. H. Woodling, James B. Whitten, Robert A. Champine, and Robert E. Andrews. July 1958. 10p. diagrs., photos., film suppl. available on request.

(NACA RM L58E08a) CONFIDENTIAL

SIMULATOR STUDIES OF JET REACTION CONTROLS FOR USE AT HIGH ALTITUDE. Wendell H. Stillwell and Hubert M. Drake. September 1958. 40p. diagrs., photos. (NACA RM H58G18a)

CONFIDENTIAL

(1.8.4) **STALLING**

LARGE-SCALE WIND-TUNNEL TESTS OF AN AIR-PLANE MODEL WITH A 45° SWEPTBACK WING OF ASPECT RATIO 2.8 EMPLOYING HIGH-VELOCITY BLOWING OVER THE LEADING- AND TRAILING-EDGE FLAPS. David H. Hickey and Kiyoshi Aoyagi. May 1958. 65p. diagrs., photos., tabs. (NACA RM A58A09) CONFIDENTIAL

(1.8.5) FLYING QUALITIES

A FLIGHT STUDY OF LONGITUDINAL-CONTROL-SYSTEM DYNAMIC CHARACTERISTICS BY THE USE OF A VARIABLE-CONTROL-SYSTEM AIR-PLANE. Norman M. McFadden, Frank A. Pauli, and Donovan R. Heinle. March 1958. 32p. diagrs., photo. (NACA RM A57L10) CONFIDENTIAL

FLIGHT EVALUATION OF THE EFFECTS OF LEADING-EDGE-SLAT SPAN ON THE STABILITY AND CONTROL CHARACTERISTICS OF A SWEPT-WING FIGHTER-TYPE AIRPLANE DURING ACCEL-ERATED LONGITUDINAL MANEUVERS AT TRANSONIC SPEEDS. Gene J. Matranga and Katharine H. Armistead. March 1958. 46p. diagrs., photo., tab. (NACA RM H58A03a) CONFIDENTIAL

STUDY OF EXIT PHASE OF FLIGHT OF A VERY HIGH ALTITUDE HYPERSONIC AIRPLANE BY MEANS OF A PILOT-CONTROLLED ANALOG COMPUTER. Windsor L. Sherman, Stanley Faber, and James B. Whitten. APPENDIX: THE ANALOG SIMULATOR PROGRAMING. Robert E. Andrews. March 1958. 53p. diagrs., plaoto., tabs. (NACA RM L57K21) CONFIDENTIAL

A COMPARISON OF FLIGHT-MEASURED CARRIER-APPROACH SPEEDS WITH VALUES PREDICTED BY SEVERAL DIFFERENT CRITERIA FOR 41 FIGHTER-TYPE AIRPLANE CONFIGURATIONS. Maurice D. White, Bernard A. Schlaff, and Fred J. Drinkwater III. May 1958. 127p. diagrs., tabs. (NACA RM A57L11) CONFIDENTIAL

CONTROL DEFLECTIONS, AIRPLANE RESPONSE, AND TAIL LOADS MEASURED ON AN F-100A AIR-PLANE IN SERVICE OPERATIONAL FLYING. Chris Pembo and Gene J. Matranga. June 1958. 39p. diagrs., photo., tab. (NACA RM H58C26) CONFIDENTIAL

ANALYSIS OF EFFECTS OF INTERCEPTOR ROLL PERFORMANCE AND MANEUVERABILITY ON SUCCESS OF COLLISION-COURSE ATTACKS. William H. Phillips. August 1958. 37p. diagrs., tabs. (NACA RM L58E27) CONFIDENTIAL

(1.8.6) MASS AND GYROSCOPIC PROBLEMS

INVESTIGATION OF TWO BLUFF SHAPES IN AXIAL FREE FLIGHT OVER A MACH NUMBER RANGE FROM 0.35 TO 2.15. Lucille C. Coltrane. March 1958. 33p. diagrs., photos., tabs. (NACA RM L58A16) CONFIDENTIAL



(1) AERODYNAMICS

STABILITY INVESTIGATION OF A BLUNT CONE AND A BLUNT CYLINDER WITH A SQUARE BASE AT MACH NUMBERS FROM 0.64 TO 2.14. Lucille C. Coltrane. September 1958. 32p. diagrs., photos., tabs. (NACA RM L58G24) CONFIDENTIAL

(1.8.8) AUTOMATIC STABILIZATION

STUDY OF EXIT PHASE OF FLIGHT OF A VERY HIGH ALTITUDE HYPERSONIC AIRPLANE BY MEANS OF A PILOT-CONTROLLED ANALOG COMPUTER. Windsor L. Sherman, Stanley Faber, and James B. Whitten. APPENDIX: THE ANALOG SIMULATOR PROGRAMING. Robert E. Andrews. March 1958. 53p. diagrs., photo., tabs. (NACA RM L57K21)

CONFIDENTIAL

SIMULATION STUDY OF A HIGH-PERFORMANCE AIRCRAFT INCLUDING THE EFFECT ON PILOT CONTROL OF LARGE ACCELERATIONS DURING EXIT AND REENTRY FLIGHT. C. H. Woodling, James B. Whitten, Robert A. Champine, and Robert E. Andrews. July 1958. 10p. diagrs., photos., film suppl. available on request. (NACA RM L58E08a)

CONFIDENTIAL

DYNAMIC LATERAL BEHAVIOR OF HIGH-PERFORMANCE AIRCRAFT. Martin T. Moul and John W. Paulson. August 1958. 10p. diagrs. (NACA RM L58E16) CONFIDENTIAL

FLIGHT, ANALOG-SIMULATOR, AND ANALYTICAL STUDIES OF AN AUTOMATICALLY CONTROLLED INTERCEPTOR WHICH USES A BANK-ANGLE-ERROR COMPUTER FOR LATERAL COMMANDS. Donald C. Cheatham and Roy F. Brissenden. August 1958. 53p. diagrs., photo., tabs. (NACA RM L58E26a) CONFIDENTIAL

(1.8.9) TRACKING

TRACKING PERFORMANCE OF A SWEPT-WING FIGHTER WITH A DIRECTOR-TYPE RADAR FIRE-CONTROL SYSTEM AND SCOPE PRESENTATION. Howard L. Turner, George A. Rathert, Jr., and Donovan R. Heinle. January 1958. 24p. diagrs., photo. (NACA RM A57J01) CONFIDENTIAL

GROUND SIMULATOR STUDIES OF A SMALL SIDE-LOCATED CONTROLLER IN A POWER CONTROL SYSTEM. Arthur Assadourian. April 1958. 27p. diagrs., photos., tab. (NACA RM L58B14) CONFIDENTIAL

FLIGHT, ANALOG-SIMULATOR, AND ANALYTICAL STUDIES OF AN AUTOMATICALLY CONTROLLED INTERCEPTOR WHICH USES A BANK-ANGLE-ERROR COMPUTER FOR LATERAL COMMANDS. Donald C. Cheatham and Roy F. Brissenden. August 1958. 53p. diagrs., photo., tabs. (NACA RM L58E26a) CONFIDENTIAL

A FLIGHT STUDY OF THE EFFECTS OF NOISE FILTERING IN THE ATTACK DISPLAY ON THE PILOT'S TRACKING PERFORMANCE. Howard L. Turner and Donovan R. Heinle. September 1958. 18p. diagrs., tabs. (NACA RM A58E21)

CONFIDENTIAL



(1) AERODYNAMICS

(1.9)

Aeroelasticity

TRANSONIC FLUTTER INVESTIGATION OF MODELS OF THE ALL-MOVABLE HORIZONTAL TAIL OF A FIGHTER AIRPLANE. Thomas B. Sellers. January 1958. 30p. diagrs., photos., tabs. (NACA RM L57K13) CONFIDENTIAL

TRANSONIC FLUTTER INVESTIGATION OF MODELS OF THE SWEPTBACK WING OF A FIGHTER AIRPLANE. Samuel L. Smith III and Robert W. Boswinkle, Jr. April 1958. 26p. diagrs., photos., tabs. (NACA RM L58A15) CONFIDENTIAL

INVESTIGATION OF FLUTTER CHARACTERISTICS OF THREE LOW-ASPECT-RATIO ALL-MOVABLE HALF-SPAN CONTROL SURFACES AT MACH NUMBERS FROM 1.49 TO 2.87. Homer G. Morgan, Irving E. Figge, and John G. Presnell, Jr. May 1958. 35p. diagrs., photos., tabs. (NACA RM L58B20) CONFIDENTIAL

SOME EFFECTS OF MASS RATIO ON THE TRANSONIC TLUTTER CHARACTERISTICS OF UNTAPERED 45° SWEPTBACK WINGS OF ASPECT RATIOS 2 AND 3.5. H. Neale Kelly. June 1958. 19p. diagrs., tabs. (NACA RM L58D17)

CONFIDENTIAL

EXPERIMENTAL AND ANALYTICAL INVESTIGATION OF THE TRANSONIC AND SUPERSONIC DIVERGENCE CHARACTERISTICS OF A DELTA-PLAN-FORM ALL-MOVABLE CONTROL.

A. Gerald Rainey, Perry W. Hanson, and Dennis J. Martin. August 1958. 38p. diagrs., photos., tabs. (NACA RM L58E07) CONFIDENTIAL



(2) HYDRODYNAMICS

-CONFIDENTIAL

(2) HYDRODYNAMICS

(2.2)

General Arrangement Studies

PRELIMINARY INVESTIGATION OF LAND-WATER OPERATION WITH A 1/10-SCALE MODEL OF A JET AIRPLANE EQUIPPED WITH HYDRO-SKIS. William C. Thompson. March 1958. 25p. diagrs., photos., tabs. (NACA RM L58A22) CONFIDENTIAL

HYDRODYNAMIC CHARACTERISTICS OF A MODEL OF A PROPOSED SIX-ENGINE HULL-TYPE SEA-PLANE DESIGNED FOR SUPERSONIC FLIGHT. Claude W. Coffee, Jr. July 1958. 32p. diagrs., photos., tab. (NACA RM L58E13) CONFIDENTIAL

(2) HYDRODYNAMICS

(2.6) Planing Surfaces

PRELIMINARY INVESTIGATION OF LAND-WATER OPERATION WITH A 1/10-SCALE MODEL OF A JET AIRPLANE EQUIPPED WITH HYDRO-SKIS. William C. Thompson. March 1958. 25p. diagrs., photos., tabs. (NACA RM L58A22) CONFIDENTIAL



(2) HYDRODYNAMICS

(2.10) Stability and Control

HYDRODYNAMIC CHARACTERISTICS OF MISSILES LAUNCHED UNDER WATER. John R. Dawson.

June 1958. 7p. diagrs., photo., film suppl. available on request. (NACA RM L58E09a) CONFIDENTIAL

(2.10.1) LONGITUDINAL

HYDRODYNAMIC CHARACTERISTICS OF A MODEL OF A PROPOSED SIX-ENGINE HULL-TYPE SEA-PLANE DESIGNED FOR SUPERSONIC FLIGHT. Claude W. Coffee, Jr. July 1958. 32p. diagrs., photos., tab. (NACA RM L58E13) CONFIDENTIAL



(3)

(3) PROPULSION

-CONFIDENTIAL

(3) PROPULSION

(3) PROPULSION

PRELIMINARY PERFORMANCE DATA OBTAINED IN A FULL-SCALE, FREE-JET INVESTIGATION OF A SIDE-INLET SUPERSONIC DIFFUSER. Ferris L. Seashore and John M. Farley. January 1958. 33p. diagrs., photos., tab. (NACA RM E57E24) CONFIDENTIAL

EXPLORATORY PERFORMANCE INVESTIGATION OF COBURNER-TYPE COMBUSTORS. Allen J. Metzler and Helmut F. Butze. August 1958. 27p. diagrs., tabs. (NACA RM E58E20a) CONFIDENTIAL



(3) PROPULSION

(3.1)

Complete Systems

INDUCTION SYSTEM CHARACTERISTICS AND ENGINE SURGE OCCURRENCE FOR TWO FIGHTER-TYPE AIRPLANES. Terry J. Larson, George M. Thomas, and Donald R. Bellman. May 1958. 36p. diagrs., photos., tab. (NACA RM H58C14)

CONFIDENTIAL

(3.1.3) TURBOJET ENGINES

EFFECT OF DESIGN COMPRESSOR PRESSURE RATIO ON PERFORMANCE OF HYPOTHETICAL TWO-SPOOL NUCLEAR-POWERED TURBOJET ENGINES. James F. Dugan, Jr. April 10, 1956. 46p. diagrs. (NACA RM E55K04) CONFIDENTIAL

COMPONENT PERFORMANCE INVESTIGATION OF J71 EXPERIMENTAL TURBINE. X - EFFECT OF FIRST-STATOR ADJUSTMENT; INTERNAL FLOW CONDITIONS OF J71-97 TURBINE WITH 132-PERCENT-DESIGN STATOR AREA. Donald A. Petrash, Harold J. Schum, and Elmer H. Davison. January 1958. 19p. diagrs., photos. (NACA RM E57E29)

EXPERIMENTAL BEHAVIOR OF PENTABORANE-AIR COMBUSTION PRODUCTS DURING EXPAN-SION IN A CONVERGENT-DIVERGENT NOZZLE. J. Robert Branstetter and Paul C. Setze. February 1958. (1), 69p. diagrs., photo., tabs. (NACA RM E57120) CONFIDENTIAL

EFFECT OF FORGING TEMPERATURE AND HEAT TREATMENT ON THE PERFORMANCE OF INCONEL 700 BUCKETS AT 1625° F IN A J33-9 TURBOJET ENGINE. C. A. Gyorgak, D. F. Springsteen, and J. R. Johnston. February 1958. 37p. diagrs., photos., tabs. (NACA RM E57K14) CONFIDENTIAL

COMPARISON OF EXPERIMENTALLY AND ANALYTICÁLLY DETERMINED WINDMILLING CHARACTERISTICS OF A COMPRESSOR WITH LOW OVER-ALL PRESSURE RATIO. James E. Hatch. February 1958. 16p. diagrs. (NACA RM E57L12a) CONFIDENTIAL

A PRELIMINARY STUDY OF THE EFFECT OF BORIC OXIDE DEPOSITS ON THE PERFORMANCE OF TWO SELECTED TURBINE STATOR-BLADE SHAPES. Paul C. Setze and William J. Nusbaum. February 1958. 23p. diagrs., photos. (NACA RM E57L18) CONFIDENTIAL EXPERIMENTAL INVESTIGATION OF THE EFFECT OF CIRCUMFERENTIAL INLET FLOW DISTORTION ON THE PERFORMANCE OF A FIVE-STAGE AXIAL-FLOW RESEARCH COMPRESSOR WITH TRANSONIC ROTORS IN ALL STAGES. William H. Robbins and Frederick Glaser. March 1958. 105p. diagrs., photo. (NACA RM E57J17) CONFIDENTIAL

INVESTIGATION AT SUPERSONIC SPEEDS OF THE COMPRESSOR STALL AND INLET BUZZ CHARACTERISTICS OF A J34 - SPIKE-INLET COMBINATION. J. Cary Nettles and Robert C. Campbell. March 1958. 30p. diagrs., photo. (NACA RM E57K19b) CONFIDENTIAL

SURVEY OF SUPERSONIC INLETS FOR HIGH MACH NUMBER APPLICATIONS. James F. Connors and John L. Allen. April 1958. 20p. diagrs., photos., tabs. (NACA RM E58A20) CONFIDENTIAL

EXPERIMENTAL RESULTS OF AN INVESTIGATION OF TWO METHODS OF INFLIGHT THRUST MEASUREMENT APPLICABLE TO AFTERBURNING TURBOJET ENGINES WITH EJECTORS. Harry E. Bloomer. May 1958. 38p. diagrs., photos. (NACA RM E57H28)

AN ACCELERATION SCHEDULE CONTROL FOR ACCELERATING A TURBOJET ENGINE AND ITS USE WITH A SPEED CONTROL. Theodore F. Gerus, Albert G. Powers, and Herbert J. Heppler. May 1958. 35p. diagrs. (NACA RM E58B19)

CONFIDENTIAL

EFFECT OF PRESSURE LEVEL ON AFTERBURNER-WALL TEMPERATURES. Thomas B. Shillito and George R. Smolak. June 1958. 24p. diagrs., photos. (NACA RM E58D01) CONFIDENTIAL

EXPLORATORY PERFORMANCE INVESTIGATION OF COBURNER-TYPE COMBUSTORS. Allen J. Metzler and Helmut F. Butze. August 1958. 27p. diagrs., tabs. (NACA RM E58E20a) CONFIDENTIAL

(3.1.4) TURBO-PROPELLER ENGINES

COMPARISON OF CALCULATED AND EXPERIMENTAL TEMPERATURES AND COOLANT PRESSURE LOSSES FOR A CASCADE OF SMALL AIR-COOLED TURBINE ROTOR BLADES. Francis S. Stepka. September 1958. 25p. diagrs., photos. (NACA RM E58E20) CONFIDENTIAL

-CONFIDENTIAL

(3) PROPULSION

(3.1.5) DUCTED PROPELLER ENGINES

EXPLORATORY PERFORMANCE INVESTIGATION OF COBURNER-TYPE COMBUSTORS. Allen J. Metzler and Helmut F. Butze. August 1958. 27p. diagrs., tabs. (NACA RM E58E20a) CONFIDENTIAL

(3.1.7) RAM-JET ENGINES

PRELIMINARY PERFORMANCE DATA OBTAINED IN A FULL-SCALE, FREE-JET INVESTIGATION OF A SIDE-INLET SUPERSONIC DIFFUSER. Ferris L. Seashore and John M. Farley. January 1958. 33p. diagrs., photos., tab. (NACA RM E57E24) CONFIDENTIAL

EXPERIMENTAL BEHAVIOR OF PENTABORANE-AIR COMBUSTION PRODUCTS DURING EXPAN-SION IN A CONVERGENT-DIVERGENT NOZZLE. J. Robert Branstetter and Paul C. Setze. February 1958. (1), 69p. diagrs., photo., tabs. (NACA RM E57120) CONFIDENTIAL

COMPARISON OF EXPERIMENTALLY AND ANALYTICALLY DETERMINED WINDMILLING CHARACTERISTICS OF A COMPRESSOR WITH LOW OVER-ALL PRESSURE RATIO. James E. Hatch. February 1958. 16p. diagrs. (NACA RM E57L12a) CONFIDENTIAL

SURVEY OF SUPERSONIC INLETS FOR HIGH MACH NUMBER APPLICATIONS. James F. Connors and John L. Allen. April 1958. 20p. diagrs., photos., tabs. (NACA RM E58A20) CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF EXTREME INTERNAL FLOW TURNING AT THE COWL LIP OF AN AXISYMMETRIC INLET AT A MACH NUMBER OF 2.95. Kenneth C. Weston and Kenneth L. Kowalski. May 1958. 20p. diagrs., photos., tab. (NACA RM E58A27a) CONFIDENTIAL

EFF :CT OF DISSOC'ATION ON EXHAUST-NOZZLE PERFORMANCE. T. W. Reynolds. June 1958. 25p. diagrs., tabs. (NACA RM E58C25)

(3.1.8) ROCKET ENGINES

PRESSURE LOADS PRODUCED ON A FLAT-PLATE WING BY ROCKET JETS EXHAUSTING IN A SPANWISE DIRECTION BELOW THE WING AND PER-PENDICULAR TO A FREE-STREAM FLOW OF MACH NUMBER 2.0. Ralph A. Falanga and Joseph J. Janos. June 1958. 47p. diagrs., photos., tabs. (NACA RM L58D09) CONFIDENTIAL

EVALUATION OF THREE INJECTORS IN A 2400-POUND-THRUST ROCKET ENGINE USING LIQUID OXYGEN AND LIQUID AMMONIA. Robert C. Hendricks, Robert C. Ehlers, and Jack C. Humphrey. July 1958. 16p. diagrs., tab. (NACA RM E58B25)

CONFIDENTIAL

COMPARISON OF INJECTORS WITH A 200-POUND-THRUST AMMONIA-OXYGEN ENGINE. Richard J. Priem and Bruce J. Clark. September 1958. 9p. diagrs., tab. (NACA RM E57H01) CONFIDENTIAL

EXPERIMENTAL STUDY OF BALLISTIC-MISSILE
BASE HEATING WITH OPERATING ROCKET.

J. Cary Nettles. September 1958. 10p. diagrs.,
photo. (NACA RM E58G17) CONFIDENTIAL

(3) PROPULSION

(3.2)

Control of Engines

(3.2.2)

CONTROL OF TURBOJET ENGINES

PERFORMANCE OF AN INLET HAVING A VARIABLE-ANGLE TWO-DIMENSIONAL COMPRESSION SURFACE AND A FIXED-GEOMETRY SUBSONIC DIFFUSER FOR APPLICATION TO REDUCED ENGINE ROTATIVE SPEEDS: MACH NUMBERS 0.66, 1.5, 1.7, AND 2.0. John L. Allen. January 1958. 29p. diagrs., photos. (NACA RM E57302)

AN ACCELERATION SCHEDULE CONTROL FOR ACCELERATING A TURBOJET ENGINE AND ITS USE WITH A SPEED CONTROL. Theodore F. Gerus, Albert G. Powers, and Herbert J. Heppler. May 1958. 35p. diagrs. (NACA RM E58B19)

CONFIDENTIAL

(3.2.6) CONTROL OF RAM-JET ENGINES

PRELIMINARY PERFORMANCE DATA OBTAINED IN A FULL-SCALE, FREE-JET INVESTIGATION OF A SIDE-INLET SUPERSONIC DIFFUSER. Ferris L. Seashore and John M. Farley. January 1958. 33p. diagrs., photos., tab. (NACA RM E57E24)

(3) PROPULSION

(3.3)

Auxiliary Booster Systems

(3.3.2)
GAS TURBINES

(3. 3. 2. 1) LIQUID INJECTION

USE OF HIGHLY REACTIVE CHEMICAL ADDITIVES TO IMPROVE AFTERBURNER PERFORMANCE AT ALTITUDE. John P. Wanhainen and Joseph N. Sivo. September 1958. 24p. diagrs., photos. (NACA RM E58610) CONFIDENTIAL

(3. 3. 2. 2) AFTERBURNING

EXPERIMENTAL RESULTS OF AN INVESTIGATION OF TWO METHODS OF INFLIGHT THRUST MEASUREMENT APPLICABLE TO AFTERBURNING TURBOJET ENGINES WITH EJECTORS. Harry E. Bloomer. May 1958. 36p. diagrs., photos. (NACA RM E57H28) CONFIDENTIAL

EFFECT OF PRESSURE LEVEL ON AFTERBURNER-WALL TEMPERATURES. Thomas B. Shillito and George R. Smolak. June 1958. 24p. diagrs., photos. (NACA RM E58D01) CONFIDENTIAL

USE OF HIGHLY REACTIVE CHEMICAL ADDITIVES TO IMPROVE AFTERBURNER PERFORMANCE AT ALTITUDE. John P. Wanhainen and Joseph N. Sivo. September 1958. 24p. diagrs., photos. (NACA RM E58G10) CONFIDENTIAL

(3.4)

Fuels

(3.4.1) PREPARATION

PREPARATION OF DIPENTABORYLMETHANE BY FRIEDEL-CRAFTS REACTION. Albert C. Antoine. April 1958. 11p. diagrs., tabs. (NACA RM E58A14a) CONFIDENTIAL

THERMAL REACTION OF DIBORANE WITH TRI-METHYLBORANE. John H. Lamneck, Jr., and Samuel Kaye. September 1958. 26p. diagrs., photo., tabs. (NACA RM E58E12) CONFIDENTIAL (Title, Confidential)

(3.4.2) PHYSICAL AND CHEMICAL PROPERTIES

THE ADHESION OF MOLTEN BORON OXIDE TO VARIOUS MATERIALS. W. R. Witzke. April 1958. 13p. diagrs., photos., tab. (NACA RM E57L11)

CONFIDENTIAL

PREPARATION OF DIPENTABORYLMETHANE BY FRIEDEL-CRAFTS REACTION. Albert C. Antoine. April 1958. 11p. diagrs., tabs. (NACA RM E58A14a) CONFIDENTIAL

THERMAL REACTION OF DIBORANE WITH TRI-METHYLBORANE. John H. Lamneck, Jr., and Samuel Kaye. September 1958. 26p. diagrs., photo., tabs. (NACA RM E58E12) CONFIDENTIAL (Title, Confidential)

(3.4.3) RELATION TO ENGINE PERFORMANCE

EXPERIMENTAL BEHAVIOR OF PENTABORANE-AIR COMBUSTION PRODUCTS DURING EXPAN-SION IN A CONVERGENT-DIVERGENT NOZZLE. J. Robert Branstetter and Paul C. Setze. February 1958. (1), 69p. diagrs., photo., tabs. (NACA RM E57120) CONFIDENTIAL A PRELIMINARY STUDY OF THE EFFECT OF BORIC OXIDE DEPOSITS ON THE PERFORMANCE OF TWO SELECTED TURBINE STATOR-BLADE SHAPES. Paul C. Setze and William J. Nusbaum. February 1958. 23p. diagrs., photos. (NACA RM E57L18) CONFIDENTIAL

THE ADHESION OF MOLTEN BORON OXIDE TO VARIOUS MATERIALS. W. R. Witzke. April 1958. 13p. diagrs., photos., tab. (NACA RM E57L11) CONFIDENTIAL

EFF CT OF DISSOC'ATION ON EXHAUST-NOZZLE PERFORMANCE. T. W. Reynolds. June 1958. 25p. diagrs., tabs. (NACA RM E58C25)

CONFIDENTIAL

A STUDY OF THE COMBUSTION RATES OF HYDRO-CARBON FUELS WITH RED FUMING NITRIC ACID IN A SMALL ROCKET ENGINE. Louis Baker, Jr. August 1958. 42p. diagrs., tabs. (NACA RM E58D03a) CONFIDENTIAL

(3.4.3.2)
TURBINE ENGINES, RAM JETS,
AND PULSE JETS

LOW-PRESSURE PERFORMANCE OF A TUBULAR COMBUSTOR WITH GASEOUS HYDROGEN. Edmund R. Jonash, Arthur L. Smith, and Vincent F. Hlavin. May 9, 1955. 37p. diagrs., tabs. (NACA RM E54L30a) CONFIDENTIAL

A PRELIMINARY STUDY OF THE EFFECT OF BORIC OXIDE DEPOSITS ON THE PERFORMANCE OF TWO SELECTED TURBINE STATOR-BLADE SHAPES. Paul C. Setze and William J. Nusbaum. February 1958. 23p. diagrs., photos. (NACA RM E57L18) CONFIDENTIAL

(3) PROPULSION

(3, 4, 3, 3) ROCKETS (INCLUDES FUEL AND OXIDANT)

PERFORMANCE OF JP-4 FUEL WITH FLUORINE-OXYGEN MIXTURES IN 1000-POUND-THRUST ROCKET ENGINES. Donald L. Nored and Howard W. Douglass. June 1958. 30p. diagrs., photos., tab. (NACA RM ES8C18) CONFIDENTIAL

(Title, Confidential)

EVALUATION OF THREE INJECTORS IN A 2400-POUND-THRUST ROCKET ENGINE USING LIQUID OXYGEN AND LIQUID AMMONIA. Robert C. Hendricks, Robert C. Ehlers, and Jack C. Humphrey. July 1958. 16p. diagrs., tab. (NACA RM E58B25)

CONFIDENTIAL

CHEMICAL AND PHYSICAL FACTORS AFFECTING
COMBUSTION IN FUEL - NITRIC ACID SYSTEMS.
Louis Baker, Jr. July 1958. 20p. diagrs., tab.
(NACA RM E58D03) CONFIDENTIAL

A STUDY OF THE COMBUSTION RATES OF HYDRO-CARBON FUELS WITH RED FUMING NITRIC ACID IN A SMALL ROCKET ENGINE. Louis Baker, Jr. August 1958. 42p. diagrs., tabs. (NACA RM E58D03a) CONFIDENTIAL

COMPARISON OF INJECTORS WITH A 200-POUND-THRUST AMMONIA-OXYGEN ENGINE. Richard J. Priem and Bruce J. Clark. September 1958, 9p. diagrs., tab. (NACA RM E57H01) CONFIDENTIAL

(3.5)

Combustion and Combusters

THE ADHESION OF MOLTEN BORON OXIDE TO VARIOUS MATERIALS. W. R. Witzke. April 1958. 13p. diagrs., photos., tab. (NACA RM E57L11)

CONFIDENTIAL

EXPLORATORY PERFORMANCE INVESTIGATION OF COBURNER-TYPE COMBUSTORS. Allen J. Metzler and Helmut F. Butze. August 1958. 27p. diagrs., tabs. (NACA RM E58E20a) CONFIDENTIAL

(3.5.1) GENERAL COMBUSTION RESEARCH

A PRELIMINARY INVESTIGATION OF THE PERFORMANCE OF A SHORT-LENGTH TURBOJET COMBUSTOR USING VAPORIZED HYDROCARBON FUELS. R. E. Jones and E. V. Pawiik. January 1958. 28p. diagrs., photos., tabs. (NACA RM E57J03) CONFIDENTIAL

(3.5.1.4)

EFFECTS OF FUEL ATOMIZATION

EVALUATION OF THREE INJECTORS IN A 2400-POUND-THRUST ROCKET ENGINE USING LIQUID OXYGEN AND LIQUID AMMONIA. Robert C. Hendricks, Robert C. Ehlers, and Jack C. Humphrey. July 1958. 16p. diagrs., tab. (NACA RM E58B25)

CONFIDENTIAL

COMPARISON OF INJECTORS WITH A 200-POUND-THRUST AMMONIA-OXYGEN ENGINE Richard J. Priem and Bruce J. Clark. September 1958. 9p. diagrs., tab. (NACA RM E57H01) CONFIDENTIAL

(3.5.1.5) REACTION MECHANISMS

EFF CT OF DISSOC'ATION ON EXHAUST-NOZZLE PERFORMANCE. T. W. Reynolds. June 1958. 25p. diagrs., tabs. (NACA RM E58C25)

CONFIDENTIAL

A STUDY OF THE COMBUSTION RATES OF HYDRO-CARBON FUELS WITH RED FUMING NITRIC ACID IN A SMALL ROCKET ENGINE. Louis Baker, Jr. August 1958. 42p. diagrs., tabs. (NACA RM E58D03a) CONFIDENTIAL

USE OF HIGHLY REACTIVE CHEMICAL ADDITIVES TO IMPROVE AFTERBURNER PERFORMANCE AT ALTITUDE. John P. Wanhainen and Joseph N. Sivo. September 1958. 24p. diagrs., photos. (NACA RM E58G10) CONFIDENTIAL

(3.5.2)

EFFECT OF ENGINE OPERATING CONDITIONS AND COMBUSTION CHAMBER GEOMETRY

A PRELIMINARY INVESTIGATION OF THE PERFORMANCE OF A SHORT-LENGTH TURBOJET COMBUSTOR USING VAPORIZED HYDROCARBON FUELS. R. E. Jones and E. V. Pawlik. January 1958. 28p. diagrs., photos., tabs. (NACA RM E57J03) CONFIDENTIAL

(3.5.2.2) TURBINE ENGINES

LOW-PRESSURE PERFORMANCE OF A TUBULAR COMBUSTOR WITH GASEOUS HYDROGEN. Edmund R. Jonash, Arthur L. Smith, and Vincent F. Hlavin. May 9, 1955. 37p. diagrs., tabs. (NACA RM E54L30a) CONFIDENTIAL

EXPLORATORY PERFORMANCE INVESTIGATION OF COBURNER-TYPE COMBUSTORS. Allen J. Metzler and Helmut F. Butze. August 1958. 27p. diagrs., tabs. (NACA RM E58E20a) CONFIDENTIAL





(3.5.2.5) ROCKET ENGINES

EVALUATION OF THREE INJECTORS IN A 2400-POUND-THRUST ROCKET ENGINE USING LIQUID OXYGEN AND LIQUID AMMONIA. Robert C. Hendricks, Robert C. Ehlers, and Jack C. Humphrey. July 1958. 16p. diagrs., tab. (NACA RM E58B25) CONFIDENTIAL

CHEMICAL AND PHYSICAL FACTORS AFFECTING COMBUSTION IN FUEL - NITRIC ACID SYSTEMS. Louis Baker, Jr. July 1958. 20p. diagrs., tab. (NACA RM E58D03) CONFIDENTIAL

. .

A STUDY OF THE COMBUSTION RATES OF HYDRO-CARBON FUELS WITH RED FUMING NITRIC ACID IN A SMALL ROCKET ENGINE. Louis Baker, Jr. August 1958. 42p. diagrs., tabs. (NACA RM E58DO3a) CONFIDENTIAL

COMPARISON OF INJECTORS WITH A 200-POUND-THRUST AMMONIA-OXYGEN ENGINE. Richard J. Priem and Bruce J. Clark. September 1958. 9p. diagrs., tab. (NACA RM E57H01) CONFIDENTIAL

(3.6)

Compression and Compressors

(3.6.1) FLOW THEORY AND EXPERIMENT

EXPERIMENTAL INVESTIGATION OF THE EFFECT OF CIRCUMFERENTIAL INLET FLOW DISTORTION ON THE PERFORMANCE OF A FIVE-STAGE AXIAL-FLOW RESEARCH COMPRESSOR WITH TRANSONIC ROTORS IN ALL STAGES. William H. Robbins and Frederick Glaser. March 1958. 105p. diagrs., photo. (NACA RM E57J17) CONFIDENTIAL

EXPERIMENTAL SHOCK CONFIGURATIONS AND SHOCK LOSSES IN A TRANSONIC-COMPRESSOR ROTOR AT DESIGN SPEED. Genevieve R. Miller and Melvin J. Hartmann. June 1958. 55p. diagrs., photos. (NACA RM E58A14b) CONFIDENTIAL

EXPERIMENTAL PERFORMANCE OF A 0.35 HUB-TIP RADIUS RATIO TRANSONIC AXIAL-FLOW-COMPRESSOR STAGE DESIGNED FOR 40 POUNDS PER SECOND PER UNIT FRONTAL AREA. Richard R. Cullom, John C. Montgomery, and Paul T. Yasaki. September 1958. 32p. diagrs., tab. (NACA RM E58D04a) (Title, Confidential)

DESIGN AND EXPERIMENTAL PERFORMANCE OF A 0.35 HUB-TIP RADIUS RATIO TRANSONIC AXIAL-FLOW-COMPRESSOR ROTOR DESIGNED FOR 40 POUNDS PER SECOND PER UNIT FRONTAL AREA. John C. Montgomery and Paul T. Yasaki. September 1958. 39p. diagrs., tabs. (NACA RM E58D17) CONFIDENTIAL

(Title, Confidential)

(3.6.1.1) AXIAL FLOW

EFFECT OF DESIGN COMPRESSOR PRESSURE RATIO ON PERFORMANCE OF HYPOTHETICAL TWO-SPOOL NUCLEAR-POWERED TURBOJET ENGINES. James F. Dugan, Jr. April 10, 1956. 46p. diagrs. (NACA RM E55K04) CONFIDENTIAL

PRELIMINARY ANALYSIS OF OVER-ALL PERFORMANCE OF AN EIGHT-STAGE AXIAL-FLOW RESEARCH COMPRESSOR WITH TWO LONG-CHORD TRANSONIC INLET STAGES. Gilbert K. Sievers, Richard P. Geye, and James G. Lucas. February 1958. 19p. diagrs., photos. (NACA RM E57H14) CONFIDENTIAL

INVESTIGATION OF REYNOLDS NUMBER EFFECT ON PERFORMANCE OF AN EIGHT-STAGE AXIAL-FLOW RESEARCH COMPRESSOR WITH LONG- AND MEDIUM-CHORD LENGTHS IN THE TWO TRAN-SONIC INLET STAGES. Gilbert K. Sievers, Richard P. Geye, and James G. Lucas. February 1958. 21p. diagrs., photo. (NACA RM E57J30) CONFIDENTIAL

COMPARISON OF EXPERIMENTALLY AND ANALYTICALLY DETERMINED WINDMILLING CHARACTERISTICS OF A COMPRESSOR WITH LOW OVER-ALL PRESSURE RATIO. James E. Hatch. February 1958. 16p. diagrs. (NACA RM E57L12a) CONFIDENTIAL

TRANSONIC INVESTIGATION OF AN AXIAL-FLOW COMPRESSOR ROTOR WITH A CONTRACTED EXIT ANNULUS. Robert S. Babington. February 1958. 41p. diagrs., photo. (NACA RM L57K27)

CONFIDENTIAL

EXPERIMENTAL INVESTIGATION OF THE EFFECT OF CIRCUMFERENTIAL INLET FLOW DISTORTION ON THE PERFORMANCE OF A FIVE-STAGE AXIAL-FLOW RESEARCH COMPRESSOR WITH TRANSONIC ROTORS IN ALL STAGES. William H. Robbins and Frederick Glaser. March 1958. 105p. diagrs., photo. (NACA RM E57J17) CONFIDENTIAL

TWO-DIMENSIONAL CASCADE INVESTIGATION AT MACH NUMBERS UP TO 1.0 OF NACA 65-SERIES BLADE SECTIONS AT CONDITIONS TYPICAL OF COMPRESSOR TIPS. James C. Dunavant and James C. Emery. March 1958. 185p. diagrs., photos., tab. (NACA RM L58A02) CONFIDENTIAL

INVESTIGATION OF A HIGH-FLOW TRANSONIC-COMPRESSOR INLET STAGE HAVING A HUB-TIP RADIUS RATIO OF 0.35. A. Richard Felix. March 1958. 47p. diagrs., photos., tab. (NACA RM L58A08) CONFIDENTIAL

INVESTIGATION OF TWO-STAGE COUNTER-ROTATING COMPRESSOR. IV - OVER-ALL PERFORMANCE OF COMPRESSOR WITH MODIFIED SECOND-STAGE ROTOR. Ward W. Wilcox and William Stevans. May 1958. 31p. diagrs., tab. (NACA RM E58A27) CONFIDENTIAL

RELATION BETWEEN FLOW RANGE AND OTHER COMPRESSOR-STAGE CHARACTERISTICS.
Arthur W. Goldstein and Ralph L. Schacht. May 1958. 37p. diagrs. (NACA RM E58B24)
CONFIDENTIAL



INDUCTION SYSTEM CHARACTERISTICS AND ENGINE SURGE OCCURRENCE FOR TWO FIGHTER-TYPE AIRPLANES. Terry J. Larson, George M. Thomas, and Donald R. Bellman. May 1958. 36p. diagrs., photos., tab. (NACA RM H58C14)

EXPERIMENTAL SHOCK CONFIGURATIONS AND SHOCK LOSSES IN A TRANSONIC-COMPRESSOR ROTOR AT DESIGN SPEED. Genevieve R. Miller and Melvin J. Hartmann. June 1958. 55p. diagrs., photos. (NACA RM E58A14b) CONFIDENTIAL

ANALYSIS OF TRANSONIC ROTOR-BLADE PASSAGE LOSS WITH HOT-WIRE ANEMOMETERS. George W. Lewis, Edward R. Tysl, and Theodore E. Fessler. June 1958. 28p. diagrs., photos. (NACA RM E58C04) CONFIDENTIAL

EXPERIMENTAL PERFORMANCE OF A 0.35 HUB-TIP RADIUS RATIO TRANSONIC AXIAL-FLOW-COMPRESSOR STAGE DESIGNED FOR 40 POUNDS PER SECOND PER UNIT FRONTAL AREA. Richard R. Cullom, John C. Montgomery, and Paul T. Yasaki. September 1958. 32p. diagrs., tab. (NACA RM E58D04a) (ONFIDENTIAL (Title, Confidential) DESIGN AND EXPERIMENTAL PERFORMANCE OF A 0.35 HUB-TIP RADIUS RATIO TRANSONIC AXIAL-FLOW-COMPRESSOR ROTOR DESIGNED FOR 40 POUNDS PER SECOND PER UNIT FRONTAL AREA. John C. Montgomery and Paul T. Yasaki. September 1958. 39p. diagrs., tabs. (NACA RM E58D17) CONFIDENTIAL

(Title, Confidential)

(3.6.3) MATCHING

EFFECT OF DESIGN COMPRESSOR PRESSURE RATIO ON PERFORMANCE OF HYPOTHETICAL TWO-SPOOL NUCLEAR-POWERED TURBOJET ENGINES. James F. Dugan, Jr. April 10, 1956. 46p. diagrs. (NACA RM E55K04) CONFIDENTIAL

PRELIMINARY ANALYSIS OF OVER-ALL PER-FORMANCE OF AN EIGHT-STAGE AXIAL-FLOW RESEARCH COMPRESSOR WITH TWO LONG-CHORD TRANSONIC INLET STAGES. Gilbert K. Slevers, Richard P. Geye, and James G. Lucas. February 1958. 19p. diagrs., photos. (NACA RM E57H14) CONFIDENTIAL

(3.7) Turbines

(3.7.1) FLOW THEORY AND EXPERIMENT

COMPONENT PERFORMANCE INVESTIGATION
OF J71 EXPERIMENTAL TURBINE. X - EFFECT
OF FIRST-STATOR ADJUSTMENT; INTERNAL
FLOW CONDITIONS OF J71-97 TURBINE WITH
132-PERCENT-DESIGN STATOR AREA. Donald A.
Petrash, Harold J. Schum, and Elmer H. Davison.
January 1958. 19p. diagrs., photos.
(NACA RM E57E29)

CONFIDENTIAL

(3.7.1.1) AXIAL FLOW

EFFECT OF DESIGN COMPRESSOR PRESSURE RATIO ON PERFORMANCE OF HYPOTHETICAL TWO-SPOOL NUCLEAR-POWERED TURBOJET ENGINES. James F. Dugan, Jr. April 10, 1956. 46p. diagrs. (NACA RM E55K04) CONFIDENTIAL

COMPONENT PERFORMANCE INVESTIGATION OF J71 EXPERIMENTAL TURBINE. X - EFFECT OF FIRST-STATOR ADJUSTMENT; INTERNAL FLOW CONDITIONS OF J71-97 TURBINE WITH 132-PERCENT-DESIGN STATOR AREA. Donald A. Petrash, Harold J. Schum, and Elmer H. Davison. January 1958. 19p. diagrs., photos. (NACA RM E57E29)

EXPERIMENTAL INVESTIGATION OF A 7-INCH-TIP-DIAMETER TRANSONIC TURBINE. Warren J. Whitney and William T. Wintucky. January 1958. 14p. diagrs., photo., tabs. (NACA RM E57J29) CONFIDENTIAL

A METHOD FOR RAPID SELECTION OF DESIGN CHARACTERISTICS OF 1-, 1½-, AND 2-STAGE TURBINES WITH OPTIMUM ANNULUS TAPER. Peggy L. Yohner and Robert E. English. February 1958. 86p. diagrs., tabs. (NACA RM E57J09) CONFIDENTIAL

A PRELIMINARY STUDY OF THE EFFECT OF BORIC OXIDE DEPOSITS ON THE PERFORMANCE OF TWO SELECTED TURBINE STATOR-BLADE SHAPES. Paul C. Setze and William J. Nusbaum. February 1958. 23p. diagrs., photos. (NACA RM E57L18) CONFIDENTIAL A METHOD FOR DETERMINING TURBINE DESIGN CHARACTERISTICS FOR ROCKET TURBODRIVE APPLICATIONS. Warner L. Stewart, David G. Evans, and Warren J. Whitney. May 1958. 32p. diagrs., tab. (NACA RM E57K25a) CONFIDENTIAL

DESIGN AND EXPERIMENTAL INVESTIGATION OF A SINGLE-STAGE TURBINE WITH A ROTOR ENTERING RELATIVE MACH NUMBER OF 2. Thomas P. Moffitt. September 1958. 30p. diagrs., photos., tabs. (NACA RM E58F20a) CONFIDENTIAL

(3.7.1.3) MIXED FLOW

INVESTIGATION OF A 0.6 HUB-TIP RADIUS-RATIO TRANSONIC TURBINE DESIGNED FOR SECONDARY-FLOW STUDY. IV - ROTOR LOSS PATTERNS AS DETERMINED BY HOT-WIRE ANEMOMETERS WITH ROTOR OPERATING IN A CIRCUMFERENTIALLY UNIFORM INLET FLOW FIELD. Milton G. Kofskey and Hubert W. Allen. May 1958. 20p. diagrs., photos. (NACA RM E58B27)

(3.7.2) COOLING

COMPARISON OF CALCULATED AND EXPERIMENTAL TEMPERATURES AND COOLANT PRESSURE LOSSES FOR A CASCADE OF SMALL AIR-COOLED TURBINE ROTOR BLADES. Francis S. Stepka. September 1958. 25p. diagrs., photos. (NACA RM E58E20) CONFIDENTIAL

(3.7.3) STRESS AND VIBRATION

EFFECT OF FORGING TEMPERATURE AND HEAT TREATMENT ON THE PERFORMANCE OF INCONEL 700 BUCKETS AT 1625° F IN A J33-9 TURBOJET ENGINE. C. A. Gyorgak, D. F. Springsteen, and J. R. Johnston. February 1958, 37p. diagrs., photos., tabs. (NACA RM E57K14) CONFIDENTIAL



(3.7.4) MATCHING

EFFECT OF DESIGN COMPRESSOR PRESSURE RATIO ON PERFORMANCE OF HYPOTHETICAL TWO-SPOOL NUCLEAR-POWERED TURBOJET ENGINES. James F. Dugan, Jr. April 10, 1956. 46p. diagrs. (NACA RM E55K04) CONFIDENTIAL

A METHOD FOR RAPID SELECTION OF DESIGN CHARACTERISTICS OF 1-, 12-, AND 2-STAGE TURBINES WITH OPTIMUM ANNULUS TAPER.

Peggy L. Yohner and Robert E. English. February 1958. 86p. diagrs., tabs. (NACA RM E57J09)

CONFIDENTIAL

(3.9) Heat Transfer

LIMITED TESTS OF MOLYBDENUM COATED WITH MOLYBDENUM DISILICIDE IN A SUPERSONIC HEATED-AIR JET AND BRIEF DESCRIPTION OF THE COATING FACILITY. E. M. Fields and N. T. Wakelyn. January 1958. 21p. diagrs., photos., tabs. (NACA RM L57112) CONFIDENTIAL

PRELIMINARY SURVEY OF POSSIBLE COOLING METHODS FOR HYPERSONIC AIRCRAFT. Jack B. Esgar, Robert O. Hickel, and Francis S. Stepka. May 1958. 37p. diagrs. (NACA RM E57L19) CONFIDENTIAL

EFFECT OF PRESSURE LEVEL ON AFTERBURNER-WALL TEMPERATURES. Thomas B. Shillito and George R. Smolak. June 1958. 24p. diagrs., photos. (NACA RM E58D01) CONFIDENTIAL

(3.9.1) THEORY AND EXPERIMENT

COMPARISON OF CALCULATED AND EXPERIMENTAL TEMPERATURES AND COOLANT PRESSURE LOSSES FOR A CASCADE O. SMALL AIR-COOLED TURBINE ROTOR BLADES. Francis S. Stepka. September 1958. 25p. diagrs., photos. (NACA RM E58E20) CONFIDENTIAL

(3.9.1.1) CASCADES

COMPARISON OF CALCULATED AND EXPERIMENTAL TEMPERATURES AND COOLANT PRESSURE LOSSES FOR A CASCADE OF SMALL AIR-COOLED TURBINE ROTOR BLADES. Francis S. Stepka. September 1958. 25p. diagrs., photos. (NACA RM E58E20) CONFIDENTIAL

(3.10) Cooling of Engines

(3.10.2) GAS-TURBINE SYSTEMS

EFFECT OF PRESSURE LEVEL ON AFTERBURNER-WALL TEMPERATURES. Thomas B. Shillito and George R. Smolak. June 1958. 24p. diagrs., photos. (NACA RM E58D01) CONFIDENTIAL

FLIGHT INVESTIGATION OF A FULL-SCALE AIR-CRAFT EJECTOR WITH VARIOUS SPACING RATIOS AND CORRELATION WITH SMALL-SCALE TESTS.
C. Dewey Havill and Rodney C. Wingrove. August 1958. 48p. diagrs., photos., tab.
(NACA RM A58D21) CONFIDENTIAL

(3.12)

Accessories and Accessory Functions

(3.12.1) FUEL SYSTEMS

(3.12.1.8) ROCKET ENGINES

EXPERIMENTAL INVESTIGATION OF A 7-INCH-TIP-DIAMETER TRANSONIC TURBINE. Warren J. Whitney and William T. Wintucky. January 1958. 14p. diagrs., photo., tabs. (NACA RM E57J29) CONFIDENTIAL

DESIGN AND EXPERIMENTAL INVESTIGATION OF A SINGLE-STAGE TURBINE WITH A ROTOR ENTERING RELATIVE MACH NUMBER OF 2. Thomas P. Moffitt. September 1958. 30p. diagrs., photos., tabs. (NACA RM E58F20a) CONFIDENTIAL

> (3.12.1.8.1) Turbopump

A METHOD FOR DETERMINING TURBINE DESIGN CHARACTERISTICS FOR ROCKET TURBODRIVE APPLICATIONS. Warner L. Stewart, David G. Evans, and Warren J. Whitney. May 1958. 32p. diagrs., tab. (NACA RM E57K25a) CONFIDENTIAL

(3.12.5) COOUNG SYSTEMS

FEASIBILITY OF NOSE-CONE COOLING BY THE UPSTREAM EJECTION OF SOLID COOLANTS AT THE STAGNATION POINT. William H. Kinard. March 1958. 17p. diagrs., photos., tab. (NACA RM L57K22) CONFIDENTIAL

PRELIMINARY SURVEY OF POSSIBLE COOLING METHODS FOR HYPERSONIC AIRCRAFT. Jack B. Esgar, Robert O. Hickel, and Francis S. Stepka. May 1958. 37p. diagrs. (NACA RM E57L19)

CONFIDENTIAL

EXPERIMENTAL ABLATION COOLING. Aleck C. Bond, Bernard Rashis, and L. Ross Levin. July 1958. 17p. diagrs., photos., film suppl. available on request. (NACA RM L58E15a) CONFIDENTIAL

QUALITATIVE MEASUREMENTS OF THE EFFECTIVE HEATS OF ABLATION OF SEVERAL MATERIALS IN SUPERSONIC AIR JETS AT STAGNATION TEMPERATURES UP TO 11,000° F. Bernard Rashis, William G. Witte, and Russell N. Hopko. July 1958. 25p. diagrs., photo., tabs. (NACA RM L58E22) CONFIDENTIAL

(4) AIRCRAFT LOADS AND CONSTRUCTION

(4)

CONFIDENTIAL

(4) AIRCRAFT LOADS AND CONSTRUCTION

(4.1)

Loads

(4.1.1) AERODYNAMIC

TABULATED PRESSURE DATA FOR A 60° DELTA-WING-BODY-TAIL MODEL WITH A HOT JET EXHAUSTING FROM A PYLON-MOUNTED NACELLE. Edwin E. Lee, Jr., and John M. Swihart. February 1958. 199p. diagrs., photos., tabs. (NACA RM L57J22) CONFIDENTIAL

(4.1.1.1) WINGS

AERODYNAMIC LOAD DISTRIBUTION ON A 45° SWEPTBACK WING WITH LEADING-EDGE CHORD-EXTENSIONS AT TRANSONIC SPEEDS, INCLUDING EFFECTS OF A SPOILER-SLOT-DEFLECTOR AILERON. James W. Schmeer, Charles F. Whitcomb, and F. E. West, Jr. February 1958. 78p. diagra, tabs. (NACA RM L57L02)

CONFIDENTIAL

CALCULATION OF FLUTTER CHARACTERISTICS FOR FINITE-SPAN SWEPT OR UNSWEPT WINGS AT SUBSONIC AND SUPERSONIC SPEEDS BY A MODI-FIED STRIP ANALYSIS. E. Carson Yates, Jr. March 1958. 121p. diagrs., tabs. (NACA RM L57L10) CONFIDENTIAL

AN ANALYSIS OF SURFACE PRESSURES AND AERODYNAMIC LOAD DISTRIBUTION OVER THE SWEPT WING OF THE DOUGLAS D-558-II RESEARCH AIRPLANE AT MACH NUMBERS FROM 0.73 TO 1.73. Norman V. Taillon. April 1958. 51p. diagrs., photo., tabs. (NACA RM H58A30) CONFIDENTIAL

PRESSURE LOADS PRODUCED ON A FLAT-PLATE WING BY ROCKET JETS EXHAUSTING IN A SPANWISE DIRECTION BELOW THE WING AND PERPENDICULAR TO A FREE-STREAM FLOW OF MACH NUMBER 2.0. Ralph A. Falanga and Joseph J. Janos. June 1958. 47p. diagrs., photos., tabs. (NACA RM L58D09) CONFIDENTIAL

EFFECT OF LEADING-EDGE-FLAP DEFLECTION ON THE WING LOADS, LOAD DISTRIBUTIONS, AND FLAP HINGE MOMENTS OF THE DOUGLAS X-3 RESEARCH AIRPLANE AT TRANSONIC SPEEDS. Earl R. Keener, Norman J. McLeod, and Norman V. Taillon. July 1958. 87p. diagrs., photos., tabs. (NACA RM H58D29)

(4.1.1.1.1) Steady Loads

TABULATED PRESSURE DATA FOR A 60° DELTA-WING-BODY-TAIL MODEL WITH A HOT JET EXHAUSTING FROM A PYLON-MOUNTED NACELLE. Edwin E. Lee, Jr., and John M. Swihart. February 1958. 199p. diagrs., photos., tabs. (NACA RM L57J22) CONFIDENTIAL

ANALYSIS OF FLIGHT-DETERMINED AND PRE-DICTED EFFECTS OF FLEXIBILITY ON THE STEADY-STATE WING LOADS OF THE B-52 AIR-PLANE. Albert E. Kuhl, John T. Rogers, and Mary V. Little. April 1958. 57p. diagrs., photo., tab. (NACA RM H57C25) CONFIDENTIAL

ANALYSIS OF PRESSURE DISTRIBUTIONS FOR A SERIES OF TIP AND TRAILING-EDGE CONTROLS ON A 60° DELTA WING AT MACH NUMBERS OF 1.61 AND 2.01. Douglas R. Lord and K. R. Czarnecki. May 1958. ii, 231p. diagrs., photos., tabs. (NACA RM L58C07) CONFIDENTIAL

TRANSONIC INVESTIGATION OF YAWED WINGS OF ASPECT RATIOS 3 AND 6 WITH A SEARS-HAACK BODY AND WITH SYMMETRICAL AND ASYMMETRICAL BODIES INDENTED FOR A MACH NUMBER OF 1.20. George H. Holdaway and Elaine W. Hatfield. June 1958. 111p. diagrs., photos., tabs. (NACA RM A58CO3)

CONFIDENTIAL

A WIND-TUNNEL INVESTIGATION OF THE WING LOADS DUE TO DEFLECTED INBOARD AILERONS ON A 45° SWEPTBACK WING AT TRANSONIC SPEEDS. Atwood R. Heath, Jr., and Ann W. Igoe. July 1958. 101p. diagrs., photos., tabs. (NACA RM L58E12) CONFIDENTIAL

ANALYSIS OF PRESSURE DATA OBTAINED AT TRANSONIC SPEEDS ON A THIN LOW-ASPECT-RATIO CAMBERED DELTA WING-BODY COMBI-NATION. John P. Mugler, Jr. September 1958. 36p. diagrs., photos. (NACA RM L58F24)

(4.1.1.1.2) Maneuvering

AN ANALYTICAL EVALUATION OF THE EFFECTS
OF AN AERODYNAMIC MODIFICATION AND OF
STABILITY AUGMENTERS ON THE PITCH-UP BEHAVIOR AND PROBABLE PILOT OPINION OF TWO
CURRENT FIGHTER AIRPLANES. Melvin Sadoff
and John D. Stewart. April 1958. 60p. diagrs.,
tabs. (NACA RM A57K07) CONFIDENTIAL

CONFIDENTIAL

(4) AIRCRAFT LOADS AND CONSTRUCTION

FLIGHT INVESTIGATION OF THE AERODYNAMIC FORCES ON A WING-MOUNTED EXTERNAL-STORE INSTALLATION ON THE DOUGLAS D-558-II RESEARCH AIRPLANE. Clinton T. Johnson. May 1958. 42p. diagrs., photos., tabs. (NACA RM H58B24)

CONTROL DEFLECTIONS, AIRPLANE RESPONSE, AND TAIL LOADS MEASURED ON AN F-100A AIRPLANE IN SERVICE OPERATIONAL FLYING. Chris Pembo and Gene J. Matranga. June 1958. 39p. diagrs., photo., tab. (NACA RM H58C26) CONFIDENTIAL

(4.1.1.3) Gust Loads

INVESTIGATION OF VORTEX MOVEMENTS ABOUT A WING IN STEADY SUBSONIC FLOW UNDERGOING A LARGE ANGLE-OF-ATTACK CHANGE IN A BLAST-INDUCED GUST. Donald R. McFarland and Paul W. Huber. January 1958. 41p. diagrs., photos., tab. (NACA RM L57K04) CONFIDENTIAL

(4.1.1.1.4)
Buffeting Loads

BUFFET TESTS OF AN ATTACK-AIRPLANE MODEL WITH EMPHASIS ON ANALYSIS OF DATA FROM WIND-TUNNEL TESTS. Don D. Davis, Jr., and Dewey E. Wornom. February 1958. 56p. diagrs., photos., tab. (NACA RM L57H13)

CONFIDENTIAL

MEASUREMENTS OF THE BUFFETING LOADS ON THE WING AND HORIZONTAL TAIL OF A 1/4-SCALE MODEL OF THE X-1E AIRPLANE.

A. Gerald Rainey and William B. Igoe. September 1958. 35p. diagrs., photo., tabs.

(NACA RM L58F25) CONFIDENTIAL

(4.1.1.2) TAIL

(4.1.1.2.1) Steady Loads

EFFECT AT HIGH SUBSONIC SPEEDS OF FUSE-LAGE FOREBODY STRAKES ON THE STATIC STABILITY AND VERTICAL-TAIL-LOAD CHAR-ACTERISTICS OF A COMPLETE MODEL HAVING A DELTA WING. Edward C. Polhamus and Kenneth P. Spreemann. February 1958. 32p. diagrs., photo. (NACA RM L57K15a) (4.1.1.2.2) Maneuvering

AN ANALYTICAL EVALUATION OF THE EFFECTS
OF AN AERODYNAMIC MODIFICATION AND OF
STABILITY AUGMENTERS ON THE PITCH-UP BEHAVIOR AND PROBABLE PILOT OFINION OF TWO
CURRENT FIGHTER AIRPLANES. Melvin Sadoff
and John D. Stewart. April 1958. 60p. diagrs.,
tabs. (NACA RM A57K07) CONFIDENTIAL

(4.1.1.2.3) Buffeting and Gust

MEASUREMENTS OF THE BUFFETING LOADS ON THE WING AND HORIZONTAL TAIL OF A 1/4-SCALE MODEL OF THE X-1E AIRPLANE.

A. Gerald Rainey and William B. Igoe. September 1958. 35p. diagrs., photo., tabs.

(NACA RM L58F25) CONFIDENTIAL

(4. 1. 1. 3) BODIES

EXPERIMENTAL AND THEORETICAL DETER-MINATION OF FORCES AND MOMENTS ON A STORE AND ON A STORE-PYLON COMBINATION MOUNTED ON A 45° SWEPT-WING-FUSELAGE CONFIGURATION AT A MACH NUMBER OF 1.61. Odell A. Morris, Harry W. Carlson, and Douglas J. Geler. January 1958. 123p. diagrs., photos. (NACA RM L57K18) CONFIDENTIAL

WIND-TUNNEL INVESTIGATION OF THE EFFECTS OF LIP GEOMETRY ON DRAG AND PRESSURE RECOVERY OF A NORMAL-SHOCK NOSE INLET ON A BODY OF REVOLUTION AT MACH NUMBERS OF 1.41 AND 1.81. A. Warner Robins. February 1958. 96p. diagrs., photos., tabs. (NACA RM L57K08) CONFIDENTIAL

FLIGHT INVESTIGATION OF THE AERODYNAMIC FORCES ON A WING-MOUNTED EXTERNAL-STORE INSTALLATION ON THE DOUGLAS D-558-II RESEARCH AIRPLANE. Clinton T. Johnson. May 1958. 42p. diagrs., photos., tabs. (NACA RM H58B24) CONFIDENTIAL





(4) AIRCRAFT LOADS AND CONSTRUCTION

EFFECTS OF EXTERNAL STORE-PYLON CONFIGURATION AND POSITION ON THE AERODYNAMIC CHARACT ERISTICS OF A 45° SWEPT WING-FUSELAGE COMBINATION AT A MACH NUMBER OF 1.61. Odell A. Morris. May 1958. 52p. diagrs. (NACA RM L58C13) CONFIDENTIAL

EFFECTS OF BOATTAIL AREA CONTOURING AND SIMULATED TURBOJET EXHAUST ON THE LOADING AND FUSELAGE-TAIL COMPONENT DRAG OF A TWIN-ENGINE FIGHTER-TYPE AIRPLANE MODEL. Willard E. Foss, Jr., Jack F. Runckel, and Edwin E. Lee, Jr. July 1958. 62p. diagrs., photos., tabs. (NACA RM L58C04) CONFIDENTIAL

ANALYSIS OF PRESSURE DATA OBTAINED AT TRANSONIC SPEEDS ON A THIN LOW-ASPECT-RATIO CAMBERED DELTA WING-BODY COMBI-NATION. John P. Mugler, Jr. September 1958. 36p. diagrs., photos. (NACA RM L58F24) CONFIDENTIA

(4.1.1.5) AEROELASTICITY

CALCULATION OF FLUTTER CHARACTERISTICS FOR FINITE-SPAN SWEPT OR UNSWEPT WINGS AT SUBSONIC AND SUPERSONIC SPEEDS BY A MODI-FIED STRIP ANALYSIS. E. Carson Yates, Jr. March 1958. 121p. diagrs., tabs. (NACA RM L57L10) CONFIDENTIAL

ANALYSIS OF FLIGHT-DETERMINED AND PREDICTED EFFECTS OF FLEXIBILITY ON THE STEADY-STATE WING LOADS OF THE B-52 AIR-PLANE. Albert E. Kuhl, John T. Rogers, and Mary V. Little. April 1958. 57p. diagrs., photo., tab. (NACA RM H57C25) CONFIDENTIAL

(4.1.2) LANDING

A COMPARISON OF FLIGHT-MEASURED CARRIER-APPROACH SPEEDS WITH VALUES PREDICTED BY SEVERAL DIFFERENT CRITERIA FOR 41 FIGHTER-TYPE AIRPLANE CONFIGURATIONS. Maurice D. White, Bernard A. Schlaff, and Fred J. Drinkwater III. May 1958. 127p. diagrs., tabs. (NACA RM A57L11) CONFIDENTIAL

(4) AIRCRAFT LOADS AND CONSTRUCTION

(4.2)

Vibration and Flutter

EXPERIMENTAL INVESTIGATION OF THE DRAG DUE TO WEDGES ALONG THE TRAILING EDGE OF A SWEPT WING. Bruno J. Gambucci and John A. Wyss. June 1958. 15p. diagrs., photos. (NACA RM A58D15) CONFIDENTIAL

(4.2.1) WINGS AND AILERONS

TRANSONIC FLUTTER INVESTIGATION OF TWO 50° SEMISPAN MODIFIED-DELTA WINGS WITH TIP AILERONS. Robert J. Platt, Jr. February 1958. 18p. diagrs., photos., tabs. (NACA RM L57J14a) CONFIDENTIAL

CALCULATION OF FLUTTER CHARACTERISTICS FOR FINITE-SPAN SWEPT OR UNSWEPT WINGS AT SUBSONIC AND SUPERSONIC SPEEDS BY A MODI-FIED STRIP ANALYSIS. E. Carson Yates, Jr. March 1958. 121p. diagrs., tabs. (NACA RM L57L10) CONFIDENTIAL

TRANSONIC FLUTTER INVESTIGATION OF MOD-ELS OF THE SWEPTBACK WING OF A FIGHTER AIRPLANE. Samuel L. Smith III and Robert W. Boswinkle, Jr. April 1958. 26p. diagrs., photos., tabs. (NACA RM L58A15) CONFIDENTIAL

EFFECT OF CONTROL TRAILING-EDGE THICK-NESS OR ASPECT RATIO ON THE OSCILLATING-HINGE-MOMENT AND FLUTTER CHARACTERIS-TICS OF A FLAP-TYPE CONTROL AT TRANSONIC SPEEDS. William C. Moseley, Jr., and Robert F. Thompson. April 1958. 43p. diagrs., photo., tabs. (NACA RM L58B25) CONFIDENTIAL

EFFECTS OF MODIFICATIONS TO A CONTROL SURFACE ON A 6-PERCENT-THICK UNSWEPT WING ON THE TRANSONIC CONTROL-SURFACE FLUTTER DERIVATIVES. John A. Wyss, Robert M. Sorenson, and Bruno J. Gambucci. May 1958. 61p. diagrs., photos., tabs. (NACA RM A58B04) CONFIDENTIAL

TESTS OF AERODYNAMICALLY HEATED MULTI-WEB WING STRUCTURES IN A FREE JET AT MACH NUMBER 2. FOUR ALUMINUM-ALLOY MODELS OF 20-INCH CHORD AND SPAN WITH 0.064-INCH-THICK SKIN, 0.025-INCH-THICK RIBS AND WEBS, AND ZERO, ONE, TWO, OR THREE CHORDWISE RIBS. John R. Davidson, Richard Rosecrans, and Louis F. Vosteen. May 1958. 42p. diagrs., photos., tabs., film suppl. available on request. (NACA RM L57L13)

SOME EFFECTS OF FLOW SPOILERS AND OF AERODYNAMIC BALANCE ON THE OSCILLATING HINGE MOMENTS FOR A SWEPT FIN-RUDDER COMBINATION IN A TRANSONIC WIND TUNNEL. Robert W. Herr, Frederick W. Gibson, and Robert S. Osborne. May 1958. 31p. diagrs., photos. (NACA RM L58C28) CONFIDENTIAL

TESTS OF AERODYNAMICALLY HEATED MULTI-WEB WING STRUCTURES IN A FREE JET AT MACH NUMBER 2. AN ALUMINUM-ALLOY MODEL OF 40-INCH CHORD WITH 0.125-INCH-THICK SKIN. George E. Griffith and Georgene H. Miltonberger. June 1958. 36p. diagrs., photos., tabs., film suppl. available on request. (NACA RM L58C24)

CONFIDENTIAL

EFFECT OF AERODYNAMIC HEATING ON THE FLUTTER OF A RECTANGULAR WING AT A MACH NUMBER OF 2. Harry L. Runyan and Nan H. Jones. June 1958. 16p. diagrs., photos. (NACA RM L58C31) CONFIDENTIAL

SOME EFFECTS OF MASS RATIO ON THE TRAN-SONIC FLUTTER CHARACTERISTICS OF UN-TAPERED 45° SWEPTBACK WINGS OF ASPECT RATIOS 2 AND 3.5. H. Neale Kelly. June 1958. 19p. diagrs., tabs. (NACA RM L58D17)

ROCKET-MODEL INVESTIGATION TO DETER-MINE THE LIFT AND PITCHING EFFECTIVENESS OF SMALL PULSE ROCKETS EXHAUSTED FROM THE FUSELAGE OVER THE SURFACE OF AN ADJACENT WING AT MACH NUMBERS FROM 0.9 TO 1.8. C. William Martz. September 1958. 22p. diagrs., photos. (NACA RM L58G29) CONFIDENTIAL

(4.2.2) TAILS

TRANSONIC FLUTTER INVESTIGATION OF MODELS OF THE ALL-MOVABLE HORIZONTAL TAIL OF A FIGHTER AIRPLANE. Thomas B. Sellers. January 1958. 30p. diagrs., photos., tabs. (NACA RM L57K13)

INVESTIGATION OF AN ALL-MOVABLE CONTROL SURFACE AT A MACH NUMBER OF 6.86 FOR POSSIBLE FLUTTER. William T. Lauten, Jr., Gilbert M. Levey, and William O. Armstrong. May 1958. 19p. diagrs., photos., tabs. (NACA RM L58B27) CONFIDENTIAL



(4) AIRCRAFT LOADS AND CONSTRUCTION

(4.2.2.1) ELEVATORS AND RUDDERS

EFFECTS OF MODIFICATIONS TO A CONTROL SURFACE ON A 6-PERCENT-THICK UNSWEPT WING ON THE TRANSONIC CONTROL-SURFACE FLUTTER DERIVATIVES. John A. Wyss, Robert M. Sorenson, and Bruno J. Gambucci. May 1958. 61p. diagrs., photos., tabs. (NACA RM A58B04) CONFIDENTIAL

INVESTIGATION OF FLUTTER CHARACTERISTICS OF THREE LOW-ASPECT-RATIO ALL-MOVABLE HALF-SPAN CONTROL SURFACES AT MACH NUMBERS FROM 1.49 TO 2.87. Homer G. Morgan, Irving E. Figge, and John G. Presnell, Jr. May 1958. 35p. diagrs., photos., tabs.

(NACA RM L58B20) CONFIDENTIAL

SOME EFFECTS OF FLOW SPOILERS AND OF AERODYNAMIC BALANCE ON THE OSCILLATING HINGE MOMENTS FOR A SWEPT FIN-RUDDER COMBINATION IN A TRANSONIC WIND TUNNEL. Robert W. Herr, Frederick W. Gibson, and Robert S. Osborne. May 1958. 31p. diagrs., photos. (NACA RM L58C28)

(4) AIRCRAFT LOADS AND CONSTRUCTION

(4.3)

Structures

PRELIMINARY SURVEY OF POSSIBLE COOLING METHODS FOR HYPERSONIC AIRCRAFT. Jack B. Esgar, Robert O. Hickel, and Francis S. Stepka. May 1958. 37p. diagrs. (NACA RM E57L19)

CONFIDENTIAL

(4.3.7) LOADS AND STRESSES

TESTS OF AERODYNAMICALLY HEATED MULTI-WEB WING STRUCTURES IN A FREE JET AT MACH NUMBER 2. AN ALUMINUM-ALLOY MODEL OF 40-INCH CHORD WITH 0.125-INCH-THICK SKIN. George E. Griffith and Georgene H. Miltonberger. June 1958. 36p. diagrs., photos., tabs., film suppl. available on request. (NACA RM L58C24)

CONFIDENTIAL

(4.3.7.7) DYNAMIC

BUFFET TESTS OF AN ATTACK-AIRPLANE MODEL WITH EMPHASIS ON ANALYSIS OF DATA FROM WIND-TUNNEL TESTS. Don D. Davis, Jr., and Dewey E. Wornom. February 1958. 56p. diagrs., photos., tab. (NACA RM L57H13)

CONFIDENTIAL

A PRELIMINARY INVESTIGATION OF HIGH-SPEED IMPACT: THE PENETRATION OF SMALL SPHERES INTO THICK COPPER TARGETS. A. C. Charters and G. S. Locke, Jr. May 1958. 21p. diagrs., photos. (NACA RM A58B26)

CONFIDENTIAL

MEASUREMENTS OF THE BUFFETING LOADS ON THE WING AND HORIZONTAL TAIL OF A 1/4-SCALE MODEL OF THE X-1E AIRPLANE.
A. Gerald Rainey and William B. Igoe. September 1958. 35p. diagrs., photo., tabs.
(NACA RM L58F25) CONFIDENTIAL

(4. 3. 7. 7. 2) Transient

TESTS OF AERODYNAMICALLY HEATED MULTI-WEB WING STRUCTURES IN A FREE JET AT MACH NUMBER 2. FOUR ALUMINUM-ALLOY MODELS OF 20-INCH CHORD AND SPAN WITH 0.064-INCH-THICK SKIN, 0.025-INCH-THICK RIBS AND WEBS, AND ZERO, ONE, TWO, OR THREE CHORDWISE RIBS. John R. Davidson, Richard Rosecrans, and Louis F. Vosteen. May 1958. 42p. diagrs., photos., tabs., film suppl. available on request. (NACA RM L57L13)

(5) MATERIALS

(5)

CONFIDENTIAL

(5) MATERIALS

LIMITED TESTS OF MOLYBDENUM COATED WITH MOLYBDENUM DISILICIDE IN A SUPERSONIC HEATED-AIR JET AND BRIEF DESCRIPTION OF THE COATING FACILITY. E. M. Fields and N. T. Wakelyn. January 1958. 21p. diagrs., photos., tabs. (NACA RM L57112) CONFIDENTIAL

INVESTIGATION OF TANTALUM IN A 3,800° F. SUPERSONIC AIRSTREAM. Otto F. Trout, Jr., and Jerry L. Modisette. January 1958. 13p. diagrs., photos., tab. (NACA RM L57J07a) CONFIDENTIAL

A FEASIBILITY STUDY OF THE FLARE-CYLINDER CONFIGURATION AS A REENTRY BODY SHAPE FOR AN INTERMEDIATE RANGE BALLISTIC MISSILE. James R. Hall and Benjamine J. Garland. May 1958. 23p. diagrs. (NACA RM L58C21) CONFIDENTIAL



(5) MATERIALS

(5.1)

Types

EXPERIMENTAL ABLATION COOLING. Aleck C. Bond, Bernard Rashis, and L. Ross Levin. July 1958. 17p. diagrs., photos., film suppl. available on request. (NACA RM L58E15a) CONFIDENTIAL

QUALITATIVE MEASUREMENTS OF THE EFFECTIVE HEATS OF ABLATION OF SEVERAL MATERIALS IN SUPERSONIC AIR JETS AT STAGNATION TEMPERATURES UP TO 11,000° F. Bernard Rashis, William G. Witte, and Russell N. Hopko. July 1958. 25p. diagrs., photo., tabs. (NACA RM L58E22)

(5.1.3) STEELS

INVESTIGATION OF LITHIUM HYDRIDE AND MAGNESIUM AS HIGH-TEMPERATURE INTERNAL COOLANTS WITH SEVERAL SKIN MATERIALS.

Jerry L. Modisette. May 1958. 16p. diagrs., photos., tab. (NACA RM L58B17) CONFIDENTIAL (Title. Confidential)

(5.1.4) HEAT-RESISTING ALLOYS

EFFECT OF FORGING TEMPERATURE AND HEAT TREATMENT ON THE PERFORMANCE OF INCONEL 700 BUCKETS AT 1625° F IN A J33-9 TURBOJET ENGINE. C. A. Gyorgak, D. F. Springsteen, and J. R. Johnston. February 1958. 37p. diagrs., photos., tabs. (NACA RM E57K14) CONFIDENTIAL

INVESTIGATION OF LITHIUM HYDRIDE AND MAGNESIUM AS HIGH-TEMPERATURE INTERNAL COOLANTS WITH SEVERAL SKIN MATERIALS. Jerry L. Modisette. May 1958. 16p. diagrs., photos., tab. (NACA RM L58B17) CONFIDENTIAL (Title, Confidential)

(5.1.5) CERAMICS

INVESTIGATION OF LITHIUM HYDRIDE AND MAGNESIUM AS HIGH-TEMPERATURE INTERNAL COOLANTS WITH SEVERAL SKIN MATERIALS. Jerry L. Modisette. May 1958. 16p. diagrs., photos., tab. (NACA RM L58B17) CONFIDENTIAL (Title, Confidential)

(5.1.6) PLASTICS

PRELIMINARY INVESTIGATION OF GRAPHITE, SILICON CARBIDE. AND SEVERAL POLYMER—GLASS-CLOTH LAMINATES IN A MACH NUMBER 2 AIR JET AT STAGNATION TEMPERATURES OF 3,000° F AND 4,000° F. Francis W. Casey, Jr., and Russell N. Hopko. January 1958. 18p. diagrs., photos. (NACA RM L57K15) CONFIDENTIAL

FEASIBILITY OF NOSE-CONE COOLING BY THE UPSTREAM EJECTION OF SOLID COOLANTS AT THE STAGNATION POINT. William H. Kinard. March 1958. 17p. diagrs., photos., tab. (NACA RM L57K22)

(5.1.9) PROTECTIVE COATINGS

LIMITED TESTS OF MOLYBDENUM COATED WITH MOLYBDENUM DISILICIDE IN A SUPERSONIC HEATED-AIR JET AND BRIEF DESCRIPTION OF THE COATING FACILITY. E. M. Fields and N. T. Wakelyn. January 1958. 21p. diagrs., photos., tabs. (NACA RM L57112) CONFIDENTIAL

INVESTIGATION OF LITHIUM HYDRIDE AND MAGNESIUM AS HIGH-TEMPERATURE INTERNAL COOLANTS WITH SEVERAL SKIN MATERIALS.

Jerry L. Modisette. May 1958. 16p. diagrs., photos., tab. (NACA RM L58B17) CONFIDENTIAL (Title, Confidential)

EXPERIMENTAL ABLATION COOLING. Aleck C. Bond, Bernard Rashis, and L. Ross Levin. July, 1958. 17p. diagrs., photos., film suppl. available on request. (NACA RM L58E15a) CONFIDENTIAL

(5.1.10) FABRICS

PRELIMINARY INVESTIGATION OF GRAPHITE, SILICON CARBIDE, AND SEVERAL POLYMER—GLASS-CLOTH LAMINATES IN A MACH NUMBER 2 AIR JET AT STAGNATION TEMPERATURES OF 3,000° F AND 4,000° F. Francis W. Casey, Jr., and Russell N. Hopko. January 1958. 18p. diagrs., photos. (NACA RM L57K15) CONFIDENTIAL





(5) MATERIALS

(5.1.11) SANDWICH AND LAMINATES

PRELIMINARY INVESTIGATION OF GRAPHITE, SILICON CARBIDE. AND SEVERAL POLYMER—GLASS-CLOTH LAMINATES IN A MACH NUMBER 2 AIR JET AT STAGNATION TEMPERATURES OF 3,000° F AND 4,000° F. Francis W. Casey, Jr., and Russell N. Hopko. January 1958. 18p. diagrs., photos. (NACA RM L57K15) CONFIDENTIAL

(5.1.13) TITANIUM

INVESTIGATION OF LITHIUM HYDRIDE AND MAGNESIUM AS HIGH-TEMPERATURE INTERNAL COOLANTS WITH SEVERAL SKIN MATERIALS. Jerry L. Modisette. May 1958. 16p. diagrs., photos., tab. (NACA RM L58B17) CONFIDENTIAL (Title, Confidential)

(5) MATERIALS

(5.2)

Properties

(5.2.4) STRESS-RUPTURE

EFFECT OF FORGING TEMPERATURE AND HEAT TREATMENT ON THE PERFORMANCE OF INCONEL 700 BUCKETS AT 1625° F IN A J33-9 TURBOJET ENGINE. C. A. Gyorgak, D. F. Springsteen, and J. R. Johnston. February 1958. 37p. diagrs., photos., tabs. (NACA RM E57K14) CONFIDENTIAL

A PRELIMINARY INVESTIGATION OF HIGH-SPEED IMPACT: THE PENETRATION OF SMALL SPHERES INTO THICK COPPER TARGETS. A. C. Charters and G. S. Locke, Jr. May 1958. 21p. diagrs., photos. (NACA RM A58B26)

CONFIDENTIAL

(5.2.11) THERMAL

BEHAVIOR OF SOME MATERIALS AND SHAPES IN SUPERSONIC FREE JETS AT STAGNATION TEMPERATURES UP TO 4,210° F, AND DESCRIPTIONS OF THE JETS. E. M. Fields, Russell N. Hopko, Robert L. Swain, and Otto F. Trout, Jr. February 1958. 59p. diagrs., photos., tabs. (NACA RM L57K26) CONFIDENTIAL

(5.2.13) PLASTICITY

AN INVESTIGATION OF THE EFFECT OF TARGET TEMPERATURE ON PROJECTILE PENETRATION AND CRATERING. William H. Kinard and C. H. Lambert, Jr. July 1958. 18p. diagrs., photos. (NACA RM L58E14) CONFIDENTIAL

(7) OPERATING PROBLEMS

(7)

A SECURE AND ADDRESS OF THE PARTY OF THE PAR

E. St. Light of Martin 21 or Shaker white the All Control

(7) OPERATING PROBLEMS

(7.1) Safety

OPERATIONAL PROBLEMS OF MANNED ORBITAL VEHICLES. Hubert M. Drake, Donald R. Bellman, and Joseph A. Walker. July 1958. 16p. diagrs., tab. (NACA RM H58D21) CONFIDENTIAL

(7.1.1) PILOT-ESCAPE TECHNIQUES

OPERATIONAL PROBLEMS OF MANNED ORBITAL VEHICLES. Hubert M. Drake, Donald R. Bellman, and Joseph A. Walker. July 1958. 18p. diagrs., tab. (NACA RM H58D21) CONFIDENTIAL



(7.2) Navigation

OPERATIONAL PROBLEMS OF MANNED ORBITAL VEHICLES. Hubert M. Drake, Donald R. Bellman, and Joseph A. Walker. July 1958. 16p. diagrs., tab. (NACA RM H58D21) CONFIDENTIAL



(7) OPERATING PROBLEMS

(7.4) Noise

EFFECT OF COMPRESSIBILITY ON THE HOVERING PERFORMANCE OF TWO 10-FOOT-DIAMETER HELICOPTER ROTORS TESTED IN THE LANGLEY FULL-SCALE TUNNEL. Joseph W. Jewel, Jr., and Robert D. Harrington. April 1958. 43p. diagrs., photos., tab. (NACA RM L58B19) CONFIDENTIAL

(7.7)

Piloting Techniques

A FLIGHT STUDY OF LONGITUDINAL-CONTROL-SYSTEM DYNAMIC CHARACTERISTICS BY THE USE OF A VARIABLE-CONTROL-SYSTEM AIR-PLANE. Norman M. McFadden, Frank A. Pauli, and Donovan R. Heinle. March 1958. 32p. diagrs., photo. (NACA RM A57L10) CONFIDENTIAL

A COMPARISON OF FLIGHT-MEASURED CARRIER-APPROACH SPEEDS WITH VALUES PREDICTED BY SEVERAL DIFFERENT CRITERIA FOR 41 FIGHTER-TYPE AIRPLANE CONFIGURATIONS. Maurice D. White, Bernard A. Schlaff, and Fred J. Drinkwater III. May 1958. 127p. diagrs., tabs. (NACA RM A57L11) CONFIDENTIAL

CONTROL DEFLECTIONS, AIRPLANE RESPONSE, AND TAIL LOADS MEASURED ON AN F-100A AIRPLANE IN SERVICE OPERATIONAL FLYING. Chris Pembo and Gene J. Matranga. June 1958. 39p. diagrs., photo., tab. (NACA RM H58C26) CONFIDENTIAL

OPERATIONAL PROBLEMS OF MANNED ORBITAL VEHICLES. Hubert M. Drake, Donald R. Bellman, and Joseph A. Walker. July 1958. 16p. diagrs., tab. (NACA RM H58D21) CONFIDENTIAL

FLIGHT INVESTIGATION OF THE LOW-SPEED CHARACTERISTICS OF A 45° SWEPT-WING FIGHTER-TYPE AIRPLANE WITH BLOWING BOUNDARY-LAYER CONTROL APPLIED TO THE TRAILING-EDGE FLAPS. Hervey C. Quigley, Seth B. Anderson, and Robert C. Innis. August 1958. 50p. diagrs., photos., tabs. (NACA RM A58E05) CONFIDENTIAL

ANALYSIS OF EFFECTS OF INTERCEPTOR ROLL PERFORMANCE AND MANEUVERABILITY ON SUCCESS OF COLLISION-COURSE ATTACKS. William H. Phillips. August 1958. 37p. diagrs., tabs. (NACA RM L58E27) CONFIDENTIAL

SIMULATOR STUDIES OF JET REACTION CONTROLS FOR USE AT HIGH ALTITUDE. Wendell H. Stillwell and Hubert M. Drake. September 1958. 40p. diagrs., photos. (NACA RM H58G18a)

CONFIDENTIAL





(7.8)

Physiological

OPERATIONAL PROBLEMS OF MANNED ORBITAL VEHICLES. Hubert M. Drake, Donald R. Bellman, and Joseph A. Walker. July 1958. 16p. diagrs., tab. (NACA RM H58D21) CONFIDENTIAL

SIMULATION STUDY OF A HIGH-PERFORMANCE
AIRCRAFT INCLUDING THE EFFECT ON PILOT
CONTROL OF LARGE ACCELERATIONS DURING
EXIT AND REENTRY FLIGHT. C. H. Woodling,
James B. Whitten, Robert A. Champine, and Robert
E. Andrews. July 1958. 10p. diagrs., photos.,
film suppl. available on request.
(NACA RM L58E08a)

CONFIDENTIAL

(7.10)

General

OPERATIONAL PROBLEMS OF MANNED ORBITAL VEHICLES. Hubert M. Drake, Donald R. Bellman, and Joseph A. Walker. July 1958. 16p. diagrs., tab. (NACA RM H58D21) CONFIDENTIAL

(8) INSTRUMENTS

(8)

(8) INSTRUMENTS

(8) INSTRUMENTS

TELEMETER TRANSMISSION AT 219.5 MEGA-CYCLES FROM TWO ROCKET-POWERED MODELS A MACH NUMBERS UP TO 15.7. George B. Graves, Jr., and J. Thomas Markley. July 1958. 38p. diagrs., photos. (NACA RM L58D18a) CONFIDENTIAL



(8) INSTRUMENTS

(8.1) Flight

TRACKING PERFORMANCE OF A SWEPT-WING FIGHTER WITH A DIRECTOR-TYPE RADAR FIRE-CONTROL SYSTEM AND SCOPE PRESENTATION. Howard L. Turner, George A. Rathert, Jr., and Donovan R. Heinle. January 1958. 24p. diagrs., photo. (NACA RM A57J01) CONFIDENTIAL

EXPERIMENTAL RESULTS OF AN INVESTIGATION OF TWO METHODS OF INFLIGHT THRUST MEASUREMENT APPLICABLE TO AFTERBURNING TURBOJET ENGINES WITH EJECTORS. Harry E. Bloomer. May 1958. 38p. diagrs., photos. (NACA RM E57H28) CONFIDENTIAL

OPERATIONAL PROBLEMS OF MANNED ORBITAL VEHICLES. Hubert M. Drake, Donald R. Bellman, and Joseph A. Walker. July 1958. 18p. diagrs., tab. (NACA RM H58D21) CONFIDENTIAL

SIMULATION STUDY OF A HIGH-PERFORMANCE AIRCRAFT INCLUDING THE EFFECT ON PILOT CONTROL OF LARGE ACCELERATIONS DURING EXIT AND REENTRY FLIGHT. C. H. Woodling, James B. Whitten, Robert A. Champine, and Robert E. Andrews. July 1958. 10p. diagrs., photos., film suppl. available on request.

(NACA RM L58E08a) CONFIDENTIAL

A FLIGHT STUDY OF THE EFFECTS OF NOISE FILTERING IN THE ATTACK DISPLAY ON THE PILOT'S TRACKING PERFORMANCE. Howard L. Turner and Donovan R. Heinle. September 1958. 18p. diagrs., tabs. (NACA RM A58E21)

CONFIDENTIAL

(9) RESEARCH EQUIPMENT AND TECHNIQUES

(9)

(9) RESEARCH EQUIPMENT AND TECHNIQUES

(9) RESEARCH EQUIPMENT AND TECHNIQUES

LIMITED TESTS OF MOLYBDENUM COATED WITH MOLYBDENUM DISILICIDE IN A SUPERSONIC HEATED-AIR JET AND BRIEF DESCRIPTION OF THE COATING FACILITY. E. M. Fields and N. T. Wakelyn. January 1958. 21p. diagrs., photos., tabs. (NACA RM L57112) CONFIDENTIAL

(9) RESEARCH EQUIPMENT AND TECHNIQUES

(9.1)

Equipment

SIMULATION STUDY OF A HIGH-PERFORMANCE AIRCRAFT INCLUDING THE EFFECT ON PILOT CONTROL OF LARGE ACCELERATIONS DURING EXIT AND REENTRY FLIGHT. C. H. Woodling, James B. Whitten, Robert A. Champine, and Robert E. Andrews. July 1958. 10p. diagrs., photos., film suppl. available on request. (NACA RM L58E08a) CONFIDENTIAL

(9.1.1)WIND TUNNELS

BEHAVIOR OF SOME MATERIALS AND SHAPES IN SUPERSONIC FREE JETS AT STAGNATION TEM-PERATURES UP TO 4,210° F, AND DESCRIPTIONS OF THE JETS. E. M. Fields, Russell N. Hopko, Robert L. Swain, and Otto F. Trout, Jr. February 1958. 59p. diagrs., photos., tabs. (NACA RM L57K26) CONFIDENTIAL

THEORETICAL ANALYSIS OF THE INTERFERENCE EFFECTS OF SEVERAL SUPERSONIC-TUNNEL WALLS CAPABLE OF ABSORBING THE SHOCK CAUSED BY THE NOSE OF A MODEL. Clarence W. Matthews. May 1958. 50p. diagrs. (NACA RM L58B21) CONFIDENTIAL

(9.1.2)FREE-FLIGHT

A FLIGHT STUDY OF LONGITUDINAL-CONTROL-SYSTEM DYNAMIC CHARACTERISTICS BY THE USE OF A VARIABLE-CONTROL-SYSTEM AIR-PLANE. Norman M. McFadden, Frank A. Pauli, and Donovan R. Heinle. March 1958. 32p. diagrs., photo. (NACA RM A57L10) CONFIDENTIAL

EFFECTS OF SURFACE ROUGHNESS AND EXTREME COOLING ON BOUNDARY-LAYER TRANSITION FOR 150 CONE-CYLINDER IN FREE FLIGHT AT MACH NUMBERS TO 7.6. Leonard Rabb and Milan J.
Krasnican. March 1958. 61p. diagrs., photos.,
tabs. (NACA RM E57K19) CONFIDENTIAL

(9.1.4)PROPULSION RESEARCH EQUIPMENT

PRELIMINARY PERFORMANCE DATA OBTAINED IN A FULL-SCALE, FREE-JET INVESTIGATION OF A SIDE-INLET SUPERSONIC DIFFUSER. Ferris L. Seashore and John M. Farley. January 1958. 33p. diagrs., photos., tab. (NACA RM E57E24) CONFIDENTIAL

(9.1.6)MATERIALS

AN INVESTIGATION OF THE EFFECT OF TARGET TEMPERATURE ON PROJECTILE PENETRATION AND CRATERING. William H. Kinard and C. H. Lambert, Jr. July 1958. 18p. diagrs., photos. (NACA RM L58E14) CONFIDENTIAL

(9) RESEARCH EQUIPMENT AND TECHNIQUES

(9.2)

Technique

TRACKING PERFORMANCE OF A SWEPT-WING FIGHTER WITH A DIRECTOR-TYPE RADAR FIRE-CONTROL SYSTEM AND SCOPE PRESENTATION. Howard L. Turner, George A. Rathert, Jr., and Donovan R. Heinle. January 1958. 24p. diagrs. photo. (NACA RM A57J01) CONFIDENTIAL

STUDY OF EXIT PHASE OF FLIGHT OF A VERY HIGH ALTITUDE HYPERSONIC AIRPLANE BY MEANS OF A PILOT-CONTROLLED ANALOG COMPUTER. Windsor L. Sherman, Stanley Faber, and James B. Whitten. APPENDIX: THE ANALOG SIMULATOR PROGRAMING. Robert E. Andrews. March 1958. 53p. diagrs., photo., tabs. (NACA RM L57K21) CONFIDENTIAL

BOUNDARY-LAYER-TRANSITION MEASUREMENTS IN FULL-SCALE FLIGHT. Richard D. Banner, John G. McTigue, and Gilbert Petty, Jr. July 1958. 10p diagrs., photos. (NACA RM H58E28) CONFIDENTIAL

AN INVESTIGATION OF THE EFFECT OF TARGET TEMPERATURE ON PROJECTILE PENETRATION AND CRATERING. William H. Kinard and C. H. Lambert, Jr. July 1958. 18p. diagrs., photos. (NACA RM L58E14) CONFIDENTIAL

A FLIGHT STUDY OF THE EFFECTS OF NOISE FILTERING IN THE ATTACK DISPLAY ON THE PILOT'S TRACKING PERFORMANCE. Howard L. Turner and Donovan R. Heinle. September 1958. 18p. diagrs., tabs. (NACA RM A58E21)

CONFIDENTIAL

(9.2.1)CORRECTIONS

THEORETICAL ANALYSIS OF THE INTERFERENCE EFFECTS OF SEVERAL SUPERSONIC-TUNNEL WALLS CAPABLE OF ABSORBING THE SHOCK CAUSED BY THE NOSE OF A MODEL. Clarence W. Matthews. May 1958. 50p. diagrs. (NACA RM L58B21) CONFIDENTIAL

(9.2.2)**AERODYNAMICS**

INVESTIGATION OF VORTEX MOVEMENTS ABOUT A WING IN STEADY SUBSONIC FLOW UNDERGOING A LARGE ANGLE-OF-ATTACK CHANGE IN A BLAST-INDUCED GUST. Donald R. McFarland and Paul W. Huber. January 1958. 41p. diagrs., photos., tab. (NACA RM L57K04) CONFIDENTIAL AERODYNAMIC CHARACTERISTICS OVER A MACH NUMBER RANGE OF 1.40 TO 2.78 OF A ROCKET-PROPELLED AIRPLANE CONFIGURATION HAVING A LOW 52.50 DELTA WING AND AN UNSWEPT HORIZONTAL TAIL. Alan B. Kehlet. March 1958. 26p. diagrs., photos., tab. (NACA RM L58A23) CONFIDENTIAL

(9.2.3)**HYDRODYNAMICS**

PRELIMINARY INVESTIGATION OF LAND-WATER OPERATION WITH A 1/10-SCALE MODEL OF A JET AIRPLANE EQUIPPED WITH HYDRO-SKIS. William C. Thompson. March 1958. 25p. diagrs., photos., tabs. (NACA RM L58A22) CONFIDENTIAL

(9.2.4)LOADS AND CONSTRUCTION

INVESTIGATION OF VORTEX MOVEMENTS ABOUT A WING IN STEADY SUBSONIC FLOW UNDERGOING A LARGE ANGLE-OF-ATTACK CHANGE IN A BLAST-INDUCED GUST. Donald R. McFarland and Paul W. Huber. January 1958. 41p. diagrs., photos., tab. (NACA RM L57K04) CONFIDENTIAL

BUFFET TESTS OF AN ATTACK-AIRPLANE MODEL WITH EMPHASIS ON ANALYSIS OF DATA FROM WIND-TUNNEL TESTS. Don D. Davis, Jr., and Dewey E. Wornom. February 1958. 56p. diagrs., photos., tab. (NACA RM L57H13) CONFIDENTIAL

(9.2.5)**PROPULSION**

PRELIMINARY PERFORMANCE DATA OBTAINED IN A FULL-SCALE, FREE-JET INVESTIGATION OF A SIDE-INLET SUPERSONIC DIFFUSER. Ferris L. Seashore and John M. Farley. January 1958. 33p. diagrs., photos., tab. (NACA RM E57E24) CONFIDENTIAL

FLIGHT INVESTIGATION OF A FULL-SCALE AIR-CRAFT EJECTOR WITH VARIOUS SPACING RATIOS AND CORRELATION WITH SMALL-SCALE TESTS. C. Dewey Havill and Rodney C. Wingrove. August 1958. 48p. diagrs., photos., tab. (NACA RM A58D21) CONFIDENTIAL



(9) RESEARCH EQUIPMENT AND TECHNIQUES

(9.2.6) OPERATING PROBLEMS

OPERATIONAL PROBLEMS OF MANNED ORBITAL VEHICLES. Hubert M. Drake, Donald R. Bellman, and Joseph A. Walker. July 1958. 16p. diagrs., tab. (NACA RM H58D21) CONFIDENTIAL

ALPHABETICAL SUBJECT INDEX

CONFIDENTIAL

ALPHABETICAL SUBJECT INDEX



Subject Heading Number		Subject Heading Number
A	Air Inlets - Wing-Leading-Edge Aircraft	(1.4.1.3) (1.7)
Accessories and Accessory Functions (3.12) See also	See also Airplanes	(1.1)
Cooling Systems Fuel Systems	Airships Biplanes and Triplanes	
Ignition Systems Lubrication Systems	Missiles Rotating-Wing Aircraft Seaplanes	
Starting Systems Adhesives (5.1.8)	Airplanes	(1.7.1)
Aerodynamic Loads, Bodies (4.1.1.3)	See also	` ,
Aerodynamics (1)	Airplanes - Components in Comb	ination
See also	Airplanes - Performance	
Aerodynamics, Fundamental	Airplanes - Specific Types	
Aeroelasticity	Airplanes - Components in Combination	(1.7.1.1)
Aircraft	See also	(1.1.1.1)
Bodies Internal Aerodynamics	Interference, Jet - Airplane	
Parachutes	Propeller and Jet Combinations	_
Propellers	Airplanes	
Stability and Control	Stores - Airplane Components	
Wings Wings, Rotating	Tail-Wing-Fuselage Combination Airplan	
Aerodynamics, Fundamental (1.1)	Wing-Fuselage Combinations - A	
See also	Wing-Nacelle Combinations - Ai	rplanes
Aerodynamics With Heat	Airplanes - Performance	(1.7.1.3)
Flow, Compressible	Airplanes - Specific Types	(1.7.1.2)
Flow, Incompressible	Airships	(1.7.5)
Flow of Rarefied Gases	Alloys, Heat-Resisting	(5.1.4)
Flow, Time-Dependent	Aluminum	(5.1.1) (6.1)
Flow, Viscous	Atmosphere See also	(0.1)
Aerodynamics With Heat (1.1.4) See also	Electricity, Atmospheric	
Heat, Additions of - Aerodynamic	Gusts, Atmospheric	
Heat Transfer, Aerodynamic	Standard Atmosphere	
Heating, Aerodynamic	Autogiros	(1.7.3.1)
Aeroelasticity (1.9)	•	
Aftercoolers (3.9.2.3)	В	
Air Brakes (1.8.2.4)	_	(4.0.4.1)
Air Inlets $(1.4.1)$	Beams, Box	(4.3.4.1)
See also	Beams, Diagonal-Tension	(4.3.4.2) (4.3.4)
Air Inlets - Nose, Annular	Beams, Structural See also	(4.0.4)
Air Inlets - Nose, Central	Beams, Box	
Air Inlets, Side Air Inlets - Wing-Leading-Edge	Beams, Diagonal-Tension	
Air Inlets - Central, Subsonic (1.4.1.1.2)	Bearings, Antifriction	(3.8.3.1)
Air Inlets - Central, Supersonic (1.4.1.1.3)	Bearings, Kingsbury and Mitchell	(3.8.2.4)
Air Inlets - Nose, Annular (1.4.1.2)	Bearings, Sleeve	(3.8.2.1)
Air Inlets - Nose, Central (1.4.1.1)	Bearings, Slipper-Plate	(3.8.2.3)
See also	Bends	(1.4.2.4)
Air Inlets - Central, Subsonic	Bibliographies and Indexes	(11)
Air Inlets - Central, Supersonic	Biplanes and Triplanes	(1.7.6) (1.5.2.1)
Air Inlets - Propeller-Spinner-Cowl	Blade Sections - Propellers Bodies	(1.3.2.1) (1.3)
Air Inlets - Propeller-Spinner-Cowl (1.4.1.1.1)	See also	(2.0)
Air Inlets, Scoops (1.4.1.4.1) Air Inlets, Side (1.4.1.4)	Bodies - Aerodynamic Theory	
See also	Bodies, Ducted	
Air Inlets, Scoops	Bodies - Shape Variables	
Air Inlets, Submerged	Canopies	
Air Inlets, Submerged (1.4.1.4.2)	Hulls - Aerodynamic	
, , , , , , , , , , , , , , , , , , , ,		

CHIPPHIA

	Subject Heading Number		Subject Heading Number
Bodies - Aerodynamic Theory	(1.3.1)	Aerodynamic	S
Bodies - Cross Section	(1.3.2.2)	Boundary Layer - Wing Sections	(1.2.1.6)
Bodies, Ducted	(1.3.4)	See also	
See also		Boundary-Layer Characteristics -	-
Bodies, Ducted - Nose Shape		Wing Sections	
Bodies, Ducted - Tail Shape		Boundary-Layer Control - Wing	
Exits, Side - Ducted Bodies		Sections	(4 0 5 0)
Inlets, Side - Ducted Bodies	(4 0 4 4)	Boxes, Structural	(4.3.5.2)
Bodies, Ducted - Nose Shape	(1.3.4.1)		
Bodies, Ducted - Tail Shape	(1.3.4.2)	C	
Bodies - Fineness Ratio	(1.3.2.1) $(1.3.2)$	Commiss	(1.3.3)
Bodies - Shape Variables See also	(T. 3. 2)	Canopies Cascades	(1.4.5)
Bodies - Cross Section		See also	(1.1.0)
Bodies - Fineness Ratio		Cascades, Experiment	
Bodies - Surface Conditions		Cascades, Theory	
Bodies - Thickness Distribution		Cascades, Experiment	(1.4.5.2)
Protuberances - Bodies		Cascades, Theory	(1.4.5.1)
Bodies - Surface Conditions	(1.3.2.4)	Ceramals	(5.1.12)
Bodies - Thickness Distribution	(1.3.2.3)	Ceramics	(5.1.5)
Booster Systems, Auxiliary	(3.3)	Columns, Beam	(4.3.1.2)
See also	` ,	Columns - Sections	(4.3.1.3)
Booster Systems, Auxiliary - G	as	Columns, Structural	(4.3.1)
Turbin		See also	
Booster Systems, Auxiliary -		Columns, Beam	
Reciprocating Engines		Columns - Sections	
Rocket Assist		Columns, Tubular	
Booster Systems, Auxiliary - Gas		Columns, Tubular	(4.3.1.1)
Turbines	(3.3.2)	Combustion and Combustors	(3.5)
See also		See also	
Turbines, Gas - Afterburning		Combustion - Effect of Engine	
Turbines, Gas - Bleedoff	_	Operating Conditions and Combustion-Chamber	
Turbines, Gas - Liquid Injection Booster Systems, Auxiliary -	11	Geometry	
Reciprocating Engines	(3.3.1)	Combustion Research - General	
Boundary-Layer Characteristics -	(0.0.1)	Combustion - Compression-Ignition	
Complete Wings	(1.2.2.8.1)	(Diesel) Engines	(3, 5, 2, 1, 2)
Boundary-Layer Characteristics -	(1.111.011)	Combustion - Detonation	(3.5.1.3)
Internal Aerodynamics	(1.4.7.1)	Combustion - Effect of Engine Operat	•
Boundary-Layer Characteristics -	\ ,	Conditions and Combustion-Cham	
Wing Sections	(1.2.1.6.1)	Geometry	(3.5.2)
Boundary Layer - Complete Wings	(1.2.2.8)	See also	
See also		Combustion - Pulse-Jet Engines	
Boundary-Layer Characteristic		Combustion - Ram-Jet Engines	
Complete Wing		Combustion - Reciprocating Engin	nes
Boundary-Layer Control - Comp	_	Combustion - Rocket Engines	
	/ings	Combustion - Turbine Engines	
Boundary-Layer Control - Complet		Combustion - Effects of Fuel	(3.5.1.4)
	s (1.2.2.8.2)	Atomization Combustion - Ignition of Gases	(3.5.1.4) $(3.5.1.6)$
Boundary-Layer Control - Internal		Combustion - Ignition of Gases Combustion, Laminar-Flow	(3.5.1.1)
Aerodynamics	(1.4.7.2)	Combustion - Pulse-Jet Engines	(3.5.2.4)
Boundary-Layer Control - Wing	(1.2.1.6.2)	Combustion - Ram-Jet Engines	(3.5.2.3)
Sections Poundary Layer Internal	(1.2.1.0.2)	Combustion - Reaction Mechanisms	(3.5.1.5)
Boundary Layer, Internal Aerodynamics	(1.4.7)	Combustion - Reciprocating Engines	(3.5.2.1)
See also	(1.4.1)	See also	(0.0.2.2)
Boundary-Layer Characteristic	·s -	Combustion - Compression-Igniti	on
Internal Aerodynamic		(Diesel) Engin	
Boundary-Layer Control - Inter		Combustion - Spark-Ignition Engi	ines

	Subject		Subject
	Heading		Heading
	Number		Number
Combustion Research - General	(3.5.1)	Control, Longitudinal	
See also	, ,	Control, Automatic	(1.8.2.6)
Combustion - Detonation		Control, Directional	(1.8.2.3)
Combustion - Effects of Fuel		Control, Hinge Moments	(1.8.2.5)
Atomization		Control, Jet-Reaction	(1.8.2.7)
Combustion - Ignition of Gases		Control, Lateral	(1.8.2.2)
Combustion, Laminar-Flow		Control, Longitudinal	(1.8.2.1)
Combustion - Reaction Mechanis	ms	Controls, All-Movable - Complete	(4 0 0 4 0)
Combustion, Turbulent-Flow	(9 E 9 E)	Wings	(1.2.2.4.3)
Combustion - Rocket Engines	(3.5.2.5)	Controls - Complete Wings	(1.2.2.4)
Combustion - Spark-Ignition Engines	(3, 5, 2, 1, 1)	See also	oto
Combustion - Turbine Engines	(3.5.2.2)	Controls, All-Movable - Compl	ngs
Combustion, Turbulent-Flow	(3.5.1.2)	Controls, Flap-Type - Complet	•
Compression and Compressors	(3.6)	Wing	
See also	(/	Controls, Spoiler - Complete W	
Compressor Flow Theory and		Controls, Flap-Type - Complete	8-
Experiment		Wings	(1.2, 2, 4.1)
Compressors - Matching		Controls, Flap-Type - Wing	•
Compressors - Stress and Vibra	ation	Sections	(1.2.1.5.1)
Compressor Flow Theory and		Controls, Spoiler - Complete	
Experiment	(3.6.1)	Wings	(1.2.2.4.2)
See also		Controls, Spoiler - Wing Sections	(1.2.1.5.2)
Compressors - Axial-Flow		Controls - Wing Sections	(1.2.1.5)
Compressors - Mixed-Flow	amont	See also	
Compressors - Positive Displac Compressors - Radial-Flow	ement	Controls, Flap-Type - Wing Sections	
Compressors - Axial-Flow	(3.6.1.1)	Controls, Spoiler - Wing Sections	ms
Compressors - Matching	(3.6.3)	Cooling - Gas-Turbine Systems	(3.10.2)
Compressors - Mixed-Flow	(3.6.1.3)	Cooling - Pulse Jets	(3.10.4)
Compressors - Positive Displaceme		Cooling - Ram Jets	(3.10.3)
Compressors - Radial-Flow	(3.6.1.2)	Cooling - Rockets	(3.10.5)
Compressors - Stress and Vibration		Cooling Systems	(3.12.5)
Connections, Bolted	(4.3.6.1)	Cylinder and Piston Mechanisms	(3.8.2.2)
Connections, Bonded	(4.3.6.4)	Cylinders	(4.3.5.1)
Connections, Riveted	(4.3.6.2)	See also	
Connections, Structural	(4.3.6)	Cylinders, Structural - Circula	
See also		Cylinders, Structural - Elliptic	
Connections, Bolted		Cylinders, Structural - Circular	(4.3.5.1.1)
Connections, Bonded		Cylinders, Structural - Elliptical	(4.3.5.1.2)
Connections, Riveted Connections, Welded		D	
Connections, Welded	(4.3.6.3)	_	
Contact Surfaces, Sliding	(3.8.2)	Damping Derivatives - Stability	(1.8.1.2.3)
See also	(****-/	Diffusers	(1.4.2.1)
Bearings, Kingsbury and Mitche	ell	See also	
Bearings, Sleeve		Diffusers, Subsonic	
Bearings, Slipper-Plate		Diffusers, Supersonic	
Cylinder and Piston Mechanism		Diffusers, Subsonic	(1.4.2.1.1)
Control	(1.8.2)	Diffusers, Supersonic	(1.4.2.1.2)
See also		Dihedral - Complete Wings	(1.2.2.2.7)
Air Brakes		Ditching Characteristics Ducts	(2.9) $(1.4.2)$
Control Directional		See also	(1.7.4)
Control Hinga Moments		Bends	
Control, Hinge Moments Control, Jet-Reaction		Diffusers	
Control, Lateral		Nozzles	
Concret, Dateral		Pipes	
		-	

98			
	Subject		Subject
	Heading		Heading
10	Number		Number
E		Engines, Reciprocating - Liquid-	
Electricity, Atmospheric	(6.1.3)	Cooled	(3.10.1.1)
Engine Types, Comparison	(3.1.12)	Engines, Reciprocating - Spark-	(
	(3.1.2.2)	Ignition	(3.1.1.1)
Engines, Compound - Charging and	(0.212)	Engines, Rocket	(3.1.8)
	(3.2.1.3)	Engines, Spark-Ignition - Charging	(33233)
Engines, Compression-Ignition -	(and Control	(3.2.1.1)
	(3.2.1.2)	Engines, Turbine - Gas Generator	(3.1.2.3)
Engines, Control	(3.2)	Engines, Turbojet	(3.1.3)
See also	()	Engines, Turbo-Propeller	(3.1.4)
Engines, Control - Gas-Generator		Engines, Turbosupercharged	(3.1.2.1)
Engines, Control - Pulse-Jet		Engines With Turbines, Reciprocati	
Engines, Control - Ram-Jet		See also	6 ()
Engines, Control - Rocket		Engines, Compound	
Engines, Control - Turbine-Propell	er	Engines, Turbine - Gas Generat	or
Engines, Control - Turbine-Ram-Je	et.	Engines, Turbosupercharged	.
Engines, Control - Turbojet	•	Exits	(1.4.3)
Engines, Reciprocating - Charging	and	Exits, Side - Ducted Bodies	(1.3.4.4)
Cont		Exits, blue Ducted Doutes	(2.0.1.1)
Engines, Control - Gas-Generator	(3.2.8)	F	
Engines, Control - Pulse-Jet	(3.2.5)		
Engines, Control - Ram-Jet	(3.2.6)	Fabrics	(5.1.10)
Engines, Control - Rocket	(3.2.7)	Fans	(1.4.6)
Engines, Control - Turbine-Propeller	(3.2.4)	Fire Hazards	(7.9)
Engines, Control - Turbine-Ram-Jet	(3.2.3)	Flaps, Leading-Edge - Complete	
Engines, Control - Turbojet	(3.2.2)	Wings	(1.2.2.3.3)
Engines, Cooling	(3.10)	Flaps, Leading-Edge - Wing	
See also		Sections	(1.2.1.4.4)
Cooling - Gas-Turbine Systems		Flaps, Plain - Wing Sections	(1.2.1.4.1)
Cooling - Pulse Jets		Flaps, Slotted - Wing Sections	(1.2.1.4.3)
Cooling - Ram Jets		Flaps, Split - Wing Sections	(1.2.1.4.2)
Cooling - Rockets		Flaps, Trailing-Edge - Complete	
Engines, Reciprocating - Cooling		Wings	(1.2.2.3.1)
Engines, Ducted-Propeller	(3.1.5)	Floats, Wing-Tip	(2.5.1)
Engines, Miscellaneous	(3.1.11)	Flow, Compressible	(1.1.2)
Engines, Pulse-Jet	(3.1.6)	See also	
Engines, Ram-Jet	(3.1.7)	Flow, Mixed	
Engines, Reciprocating	(3.1.1)	Flow, Subsonic	
See also		Flow, Supersonic	
Engines, Reciprocating - Compress		Flow, Free-Molecule	(1.1.5.2)
Ignition (Die	•	Flow, Incompressible	(1.1.1)
Engines, Reciprocating - Spark-Ign	ition	Flow, Jet-Mixing	(1.1.3.3)
Engines, Reciprocating - Air-Cooled (3.10.1.2)	Flow, Laminar	(1.1.3.1)
Engines, Reciprocating - Charging	(a a a)	Flow, Mixed	(1.1.2.2)
and Control	(3.2.1)	Flow of Rarefied Gases	(1.1.5)
See also		See also	
Engines, Compound - Charging		Flow, Free-Molecule	
and Control		Flow, Slip	
Engines, Compression-Ignition -		Flow, Slip	(1.1.5.1)
Charging and Control		Flow, Subsonic	(1.1.2.1)
Engines, Spark-Ignition - Charging		Flow, Supersonic	(1.1.2.3)
and Control		Flow, Time-Dependent	(1.1.6)
Engines, Reciprocating - Compression		Flow, Turbulent	(1.1.3.2)
Ignition (Diesel)		Flow, Viscous	(1.1.3)
Engines, Reciprocating - Cooling	(3.10.1)	See also	
See also		Flow, Jet-Mixing	
Engines, Reciprocating - Air-		Flow, Laminar	
Cooled		Flow, Turbulent	/1 0 E\
Engines, Reciprocating - Liquid-		Flying Qualities	(1.8.5)
Cooled		Frames, Gridworks, and Trusses	(4.3.2)

			99
	Subject		Subject
	Heading		Heading
	Number		Number
Friction and Lubrication	(3.8)	Fuels - Reciprocating Engines	(3.4.3.1)
See also	• •	See also	•
Contact Surfaces, Sliding		Fuels - Compression-Ignition	
Friction and Lubrication - Theory	y	(Diesel) Engines	
and Experimen	t	Fuels - Spark-Ignition Engines	
Lubricants		Fuels - Relation to Engine Performa	nce (3.4.3)
Surfaces, Contact - Rolling		See also	
Surfaces, Contact - Sliding and		Fuels - Reciprocating Engines	
Rolling		Fuels - Rockets (Includes Fuel	
Friction and Lubrication - Hydrody-	(0 0 1 1)	and Oxidant)	
namic Theory	(3.8.1.1)	Fuels - Turbine Engines, Ram Jo	•
Friction and Lubrication - Surface	(0 0 1 0)	and Pulse J	ets
Conditions	(3.8.1.3)	Fuels - Rockets (Includes Fuel and	/9 A 9 9\
Friction and Lubrication - Theory	/9 O 1\	Oxidant)	(3.4.3.3)
and Experiment See also	(3.8.1)	Fuels - Spark-Ignition Engines Fuels - Turbine Engines, Ram Jets,	(3.4.3.1.1)
Friction and Lubrication - Hydro	_	and Pulse Jets	(3.4.3.2)
dynamic Theory		and I tibe octs	(0.1.0.2)
Friction and Lubrication - Surface		G	
Condition		G	
Lubrication, Chemistry		Gases, Kinetic - Properties	(3.11.1)
Fuel Systems	(3.12.1)	Gases, Properties	(3.11)
See also	(01111)	See also	()
Fuel Systems - Engines, Compou	nd	Gases, Kinetic - Properties	
Fuel Systems - Engines, Compre	ssion-	Gases, Thermodynamic - Prope	rties
Igr	nition	Gases, Thermodynamic - Propertie	s (3.11.2)
Fuel Systems - Engines, Pulse-J	et	Gears	(3.8.4.1)
Fuel Systems - Engines, Ram-Je	t	Gusts, Alleviation	(6.1.2.4)
Fuel Systems - Engines, Rocket		Gusts, Atmospheric	(6.1.2)
Fuel Systems - Engines, Spark-I	gnition	See also	
Fuel Systems - Engines, Turbine	-	Gusts, Alleviation	
Propeller		Gusts, Frequency	
Fuel Systems - Engines, Turboje		Gusts, Structure	
Fuel Systems - Engines, Compound	(3.12.1.3)	Gusts, Turbulence	(0 4 0 0)
Fuel Systems - Engines,		Gusts, Frequency	(6.1.2.2)
Compression-	40 40 40	Gusts, Structure	(6.1.2.1)
Ignition	(3.12.1.2)	Gusts, Turbulence	(6.1.2.3)
Fuel Systems - Engines, Pulse-Jet	(3.12.1.6)	H	
Fuel Systems - Engines, Ram-Jet	(3.12.1.7)	Д	
Fuel Systems - Engines, Rocket	(3.12.1.8)	Heat, Additions of - Aerodynamic	(1.1.4.3)
See also Fuel Systems - Rocket, Turbopur		Heat Exchangers	(3.9.2)
Fuel Systems - Engines, Spark-	пÞ	See also	(0.0.2)
Ignition	(3.12.1.1)	Aftercoolers	
Fuel Systems - Engines, Turbine-	(0.12.1.1)	Intercoolers	
Propeller	(3.12.1.5)	Oil Coolers	
Fuel Systems - Engines, Turbojet	(3.12.1.4)	Radiators	
Fuel Systems - Rocket, Turbopump (Regenerators	
Fuels	(3.4)	Heat Transfer	(3.9)
See also	` ,	See also	
Fuels, Preparation		Heat Exchangers	
Fuels - Properties, Physical and	l	Heat Transfer, Theory and Expe	
Chemical		Heat Transfer, Aerodynamic	(1.1.4.2)
Fuels - Relation to Engine Perform	rmance	Heat Transfer, Cascades	(3.9.1.1)
Fuels - Compression-Ignition		Heat Transfer, Theory and	/n ^ - 1
	(3.4.3.1.2)	Experiment	(3.9.1)
Fuels, Preparation	(3.4.1)	See also	
Fuels - Properties, Physical and	(0.4.5)	Heat Transfer, Cascades	/1 1 4 1
Chemical	(3.4.2)	Heating, Aerodynamic	(1.1.4.1)

0			C - 1- 2 4
	Subject		Subject
	Heading		Heading
	Number		Number
Heating and Ventilating	(7.5)	Ice Prevention and Removal - Pro	pulsion
	1.7.3.2)		ystems
	1.2.2.3)	Ice Prevention and Removal - Win	dshields
See also		Ice Prevention and Removal - Win	
Flaps, Leading-Edge - Complete			Tails
Wings		Ice Prevention and Removal - Acces-	
Flaps, Trailing-Edge - Complete		sories, Miscellaneous	(7.3.5)
Wings		Ice Prevention and Removal - Engine	
Slots and Slats - Complete Wings		Induction Systems	(7.3.1)
	1.2.1.4)	Ice Prevention and Removal -	, ,
See also		Propellers	(7.3.2)
Flaps, Leading-Edge - Wing		Ice Prevention and Removal -	` ,
Sections		Propulsion Systems	(7.3.6)
Flaps, Plain - Wing Sections		Ice Prevention and Removal -	,
Flaps, Slotted - Wing Sections		Windshields	(7.3.4)
Flaps, Split - Wing Sections		Ice Prevention and Removal - Wings	(
		and Tails	(7.3.3)
Slots and Slats - Wing Sections	(2.3)		(3.12.2)
Hull Variables - Seaplane	(2.3)	Ignition Systems Inlets and Exits - Complete Wings (1.2.2.2.5
See also			1.2.1.2.4)
Hulls, Seaplane - Afterbody Shape		- ' '	(1.3.4.3)
Hulls, Seaplane - Chines		Inlets, Side - Ducted Bodies	
Hulls, Seaplane - Dead Rise		Instruments	(8)
Hulls, Seaplane - Forebody Shape		See also	
Hulls, Seaplane - Length-Beam Rati	0	Instruments, Flight	
Hulls, Seaplane - Steps	44>	Instruments, Laboratory	
Hulls - Aerodynamic	(1.3.5)	Instruments, Meteorological	
Hulls, Seaplane - Afterbody Shape	(2.3.4)	Instruments, Flight	(8.1)
Hulls, Seaplane - Chines	(2.3.6)	Instruments, Laboratory	(8.2)
Hulls, Seaplane - Dead Rise	(2.3.2)	Instruments, Meteorological	(8.3)
Hulls, Seaplane – Forebody Shape	(2.3.5)	Intercoolers	(3.9.2.2)
Hulls, Seaplane - Length-Beam Ratio	(2.3.1)		(1.7.1.1.6)
Hulls, Seaplane - Steps	(2.3.3)	Interference, Jet - Missiles ((1.7.2.1.3)
Hydrodynamic Configurations - General		Interference of Bodies - Propellers	(1.5.2.8)
Studies	(2.2)	Internal Aerodynamics	(1.4)
Hydrodynamic Theory	(2.1)	See also	
Hydrodynamics	(2)	Air Inlets	
See also		Boundary Layer, Internal Aerodyr	namics
Ditching Characteristics		Cascades	
Hull Variables - Seaplane		Ducts	
Hydrodynamic Configurations - Gene	eral	Exits	
	iies	Fans	
Hydrodynamic Theory		Pumps, Jet and Thrust Augmenton	rs
Hydrofoils			
Planing Surfaces, Hydrodynamic		${f L}$	
Seaplanes and Hulls - Specific Types	3		
Stability and Control - Hydrodynami		Lightning Hazards	(7.6)
Stabilizers, Lateral - Hydrodynamic		Loads	(4.1)
Surface Craft		See also	
Hydrofoils	(2.7)	Loads, Aerodynamic	
11, 12 01012	(=/	Loads, Landing	
I		Loads, Aérodynamic	(4.1.1)
_		See also	•
Ice Formation	(6.2)	Aerodynamic Loads, Bodies	
Ice Prevention and Removal	(7.3)	Loads, Aerodynamic - Tail	
See also	\···-/	Loads, Aerodynamic - Wings	
Ice Prevention and Removal - Acce	s-	Loads - Aeroelasticity	
sories, Miscellaneou		Loads - Rotating Wings	
Ice Prevention and Removal - Engir		Loads, Aerodynamic - Tail	(4.1.1.2)
Induction System		See also	•
Ice Prevention and Removal - Prop		Loads, Buffeting and Gust - Tail	



TO MELDENTIAL TO

		1411/16	101
	Subject Heading		Subject Heading
	Number		Number
Loads, Maneuvering - Tail Loads, Steady - Tail		Loads, Landing See also	(4.1.2)
Loads, Aerodynamic - Wings	(4.1.1.1)	Loads, Landing - Ground-Run	
See also		Loads, Landing - Impact	
Loads, Buffeting - Wings		Loads, Landing - Prelanding Conditions	
Loads, Gust - Wings Loads, Maneuvering - Wings		Loads, Landing - Ground-Run	(4.1.2.2)
Loads, Steady - Wings		See also	(
Loads - Aeroelasticity	(4.1.1.5)	Loads, Landing - Ground-Run,	
Loads and Construction, Aircraft	(4)	Land	
See also Loads		Loads, Landing - Ground-Run, Water	
Structures		Loads, Landing - Ground-Run,	(4 1 0 0 1)
Vibration and Flutter	/4 D ED	Land	(4.1.2.2.1)
Loads and Stresses, Structural	(4.3.7)	Loads, Landing - Ground-Run, Water	(4.1.2.2.2)
See also Loads and Stresses, Structural -	_	Loads, Landing - Impact	(4.1.2.1)
Bending		See also	()
Loads and Stresses, Structural -	-	Loads, Landing - Impact, Land	
Compression		Loads, Landing - Impact, Water	r
Loads and Stresses, Structural -	-		(4 = 0 4 4)
Concentrated		Loads, Landing - Impact, Land	(4.1.2.1.1)
Loads and Stresses, Structural - Dynamic	•	Loads, Landing - Impact, Water Loads, Landing - Prelanding	(4.1.2.1.2)
Loads and Stresses, Structural	-	Conditions	(4.1.2.3)
Normal Pressures		Loads, Maneuvering - Tail	(4.1.1.2.2)
Loads and Stresses, Structural	•	Loads, Maneuvering - Wings	(4.1.1.1.2)
Shear		Loads - Rotating Wings	(4.1.1.4)
Loads and Stresses, Structural	-	Loads, Steady - Tail	(4.1.1.2.1)
Tension		Loads, Steady - Wings	(4.1.1.1.1)
Loads and Stresses, Structural - Torsion	•	Lubricants Lubrication, Chemistry	(3.8.5) (3.8.1.2)
Loads and Stresses, Structural -		Lubrication Systems	(3.12.4)
Bending	(4.3.7.3)		, , , , ,
Loads and Stresses, Structural -	, ,	M	
Compression	(4.3.7.2)		
Loads and Stresses, Structural -	(4 0 5 0)	Mach Number Effects - Complete	/1 0 0 C)
Concentrated	(4.3.7.6)	Wings Mach Number Effects - Propellers	(1.2.2.6) (1.5.2.5)
Loads and Stresses, Structural - Dynamic	(4.3.7.7)	Mach Number Effects - Wing Section	, ,
See also	(4.0.1.1)	Magnesium	(5.1.2)
Loads and Stresses, Structural	-	Mass and Gyroscopic Problems	(1.8.6)
Repeated Dynamic		Materials	(5)
Loads and Stresses, Structural	-	See also	
Transient Dynamic		Materials, Operating Stresses a	
Loads and Stresses, Structural - Normal Pressures	(4.3.7.8)	Materials, Properties	Jus
Loads and Stresses, Structural -	(4.0.1.0)	Materials - Types	
Repeated Dynamic	(4.3.7.7.1)	Materials, Airframe - Operating	
Loads and Stresses, Structural -		Stresses	(5.3.1)
Shear	(4.3.7.5)	Materials, Operating Stresses and	(5.0)
Loads and Stresses, Structural -	/4 9 7 1	Conditions See also	(5.3)
Tension Loads and Stresses, Structural -	(4.3.7.1)	Materials, Airframe - Operatin	ıσ
Torsion	(4.3.7.4)	Stresse	-
Loads and Stresses, Structural -	(4.0.1.4)	Materials, Propulsion System -	
Transient Dynamic	(4.3.7.7.2)	Operating Stresses	
Loads, Buffeting and Gust - Tail	(4.1.1.2.3)	Materials, Properties	(5.2)
Loads, Buffeting - Wings	(4.1.1.1.4)	See also	
Loads, Gust - Wings	(4.1.1.1.3)	Materials, Properties - Compr	essive




	CONTIN	LIN'III VE.	
02	Subject		Subject
0 2	Heading		Heading
	Number		Number
			•
Materials, Properties - Corrosion		Tail-Body Combinations - Missil	
Resistance)	Wing-Body Combinations - Missi	lles
Materials, Properties - Creep		Wing-Tail-Body Combinations -	
Materials, Properties - Effects of		Missiles	/1 77 9 9\
Nuclear Radiation		Missiles, Specific Types	(1.7.2.2)
Materials, Properties - Fatigue		N	
Materials, Properties - Flexure Materials, Properties - Multiaxia	1	A	
Stress		Navigation	(7.2)
Materials, Properties - Plasticity		Noise	(7.4)
Materials, Properties - Shear		Nomenclature	(10)
Materials, Properties - Stress-Ru	wture	Nozzles	(1.4.2.2)
Materials, Properties - Structure	•	Nuclear-Energy Systems	(3.1.10)
Materials, Properties - Tensile			(,
Materials, Properties - Thermal		0	
Materials, Properties - Compressive	(5.2.2)		
Materials, Properties - Corrosion		Oil Coolers	(3.9.2.5)
Resistance	(5.2.8)	Operating Problems	(7)
Materials, Properties - Creep	(5.2.3)	See also	
Materials, Properties - Effects of		Fire Hazards	
Nuclear Radiation	(5.2.10)	Heating and Ventilating	
Materials, Properties - Fatigue	(5.2.5)	Ice Prevention and Removal	
Materials, Properties - Flexure	(5.2.7)	Lightning Hazards	
Materials, Properties - Multiaxial		Navigation	
Stress	(5. 2. 12)	Noise	
Materials, Properties - Plasticity	(5.2.13)	Operating Problems, General	
Materials, Properties - Shear	(5.2.6)	Operating Problems, Physiologi	cal
Materials, Properties - Stress-	(F 0 4)	Piloting Techniques	
Rupture	(5.2.4)	Safety	/E 10\
Materials, Properties - Structure	(5.2.9)	Operating Problems, General	(7.10)
Materials, Properties - Tensile	(5.2.1)	Operating Problems, Physiological	(7.8)
Materials, Properties - Thermal	(5.2.11)	TO TO	
Materials, Propulsion System - Operating Stresses	(5.3.2)	P	
Materials - Types	(5.1)	Parachutes	(1.10)
See also	(0.1)	Piloting Techniques	(7.7)
Adhesives		Pipes	(1.4.2.3)
Alloys, Heat-Resisting		Planing Surfaces, Hydrodynamic	(2.6)
Aluminum		Plastics	(5.1.6)
Ceramals		Plates, Curved	(4.3.3.2)
Ceramics		See also	(/
Fabrics		Plates, Curved - Stiffened	
Magnesium		Plates, Curved - Unstiffened	
Plastics		Plates, Curved - Stiffened	(4.3.3.2.2)
Protective Coatings		Plates, Curved - Unstiffened	(4.3.3.2.1)
Sandwich and Laminates		Plates, Flat	(4.3.3.1)
Steels		See also	
Titanium		Plates, Flat - Stiffened	
Woods		Plates, Flat - Unstiffened	
Meteorology	(6)	Plates, Flat - Stiffened	(4.3.3.1.2)
See also		Plates, Flat - Unstiffened	(4.3.3.1.1)
Atmosphere		Plates, Structural	(4.3.3)
Ice Formation	(4 F -)	See also	
Missiles	(1.7.2)	Plates, Curved	
See also		Plates, Flat	/1 0 0 0 1\
Missiles - Components in Combin	ation	Profiles - Complete Wings	(1.2.2.2.1)
Missiles, Specific Types	n /1 /7 0 1\	Propeller and Jet Combinations -	(1 7 1 1 A)
Missiles - Components in Combinatio	n (1. 7. Z. 1)	Airplanes Propeller Operating Conditions	(1.7.1.1.4) (1.5.6)
See also Interference, Jet - Missiles		Propeller Selection Charts	(1.5.5)
michiefence, Jet - Missiles		1 Toponor percentil Charte	(2.0.0)



			103
	Subject		Subject
	Heading Number		Heading Number
Describer Chinese Combinations		Bridge Will Model on Deciman	
Propeller-Spinner-Cowl Combinations Propeller Theory	(1.5.7)	Engines With Turbines, Reciproca	ung
Propellers	(1.5.1) (1.5)	Nuclear-Energy Systems	
See also	(1.0)	Rotors, Jet-Driven . Propulsion Systems - Vibration and	
Propeller Operating Conditions		Flutter	(3.13)
Propeller Selection Charts		Protective Coatings	(5.1.9)
Propeller-Spinner-Cowl Combinati	ons	Protuberances - Bodies	(1.3.2.5)
Propeller Theory		Pumps, Jet and Thrust Augmentors	(1.4.4)
Propellers - Designated Types			
Propellers - Design Variables		R	
Slipstream - Propellers			
Propellers - Blade Plan Forms	(1.5.2.4)	Radiators	(3.9.2.1)
Propellers - Design Variables	(1.5.2)	Regenerators	(3.9.2.4)
See also		Research Equipment	(9.1)
Blade Sections - Propellers Interference of Bodies - Propellers	_	See also	
Mach Number Effects - Propellers		Research Equipment, Free-Flight	•
Propellers - Blade Plan Forms		Research Equipment, Materials Research Equipment, Propeller	
Propellers - Diameter		Research Equipment, Propulsion	
Propellers, Dual-Rotation		Research Equipment, Structures	
Propellers - Pitch and Yaw		Towing Tanks and Impact Basins	
Propellers - Pitch Distribution		Wind Tunnels	
Propellers, Pusher		Research Equipment and Techniques	(9)
Propellers - Solidity		See also	
Propellers - Designated Types	(1.5.3)	Research Equipment	
	(1.5.2.10)	Research Technique	
Propellers, Dual-Rotation	(1.5.2.7)	Research Equipment, Free-Flight	(9.1.2)
Propellers - Pitch and Yaw	(1.5, 2.9)	Research Equipment, Materials	(9.1.6)
Propellers - Pitch Distribution Propellers, Pusher	(1.5.2.3)	Research Equipment, Propeller	(9.1.5) (9.1.4)
Propellers - Solidity	(1.5.2.6) (1.5.2.2)	Research Equipment, Propulsion Research Equipment, Structures	(9.1.7)
Propulsion	(3)	Research Technique	(9.2)
See also	(3)	See also	(0.2)
Accessories and Accessory Function	ons	Research Technique, Aerodynami	С
Booster Systems, Auxiliary		Research Technique - Corrections	
Combustion and Combustors		Research Technique, Hydrodynam	
Compression and Compressors		Research Technique - Loads and (Construction
Engines, Control		Research Technique, Mathematics	
Engines, Cooling		Research Technique - Operating I	Problems
Friction and Lubrication		Research Technique, Propulsion	(0.00)
Fuels		Research Technique, Aerodynamic	(9.2.2)
Gases, Properties		Research Technique - Corrections	(9.2.1)
Heat Transfer Propulsion - Complete Systems		Research Technique, Hydrodynamic Research Technique, Loads and	(9.2.3)
Propulsion Systems - Vibration and	a	Construction	(9.2.4)
Flutte		Research Technique, Mathematics	(9.2.7)
Turbines	•	Research Technique - Operating	(0.2)
Propulsion - Complete Systems	(3.1)	Problems	(9.2.6)
See also	(01-)	Research Technique, Propulsion	(9.2.5)
Engine Types, Comparison		Reynolds Number Effects - Complete	, ,
Engines, Ducted-Propeller		Wings	(1.2.2.5)
Engines, Miscellaneous		Reynolds Number Effects - Wing	
Engines, Pulse-Jet		Sections	(1.2.1.7)
Engines, Ram-Jet		Rocket Assist	(3.3.3)
Engines, Reciprocating		Rotating-Wing Aircraft	(1.7.3)
Engines, Rocket		See also	
Engines, Turbojet		Autogiros	
Engines, Turbo-Propeller		Helicopters	(3.1.9)
		Rotors, Jet-Driven	(0.1.8)



104	
104 Subject	Subject
Heading	Heading Number
Number	Number
S	Stability Lateral - Static (1.8.1.1.2)
(7.1)	Stability, Lateral - Static (1.8.1.1.2) Stability, Longitudinal - Dynamic (1.8.1.2.1)
Safety (7.1)	Stability, Longitudinal - Static (1.8.1.1.1)
See also Safety - Pilot-Escape Techniques	Stability, Static (1.8.1.1)
Safety - Pilot-Escape Techniques (7.1.1)	See also
Sandwich and Laminates (5.1.11)	Stability, Directional - Static
Seaplanes (1.7.4)	Stability, Lateral - Static
See also	Stability, Longitudinal - Static
Seaplanes - General Studies	Stabilization, Automatic (1.8.8)
Seaplanes - Specific Types	Stabilizers, Lateral - Hydrodynamic (2.5)
Seaplanes and Hulls - Specific Types (2.4)	See also Floats, Wing-Tip
Seaplanes - General Studies (1.7.4.1) Seaplanes - Specific Types (1.7.4.2)	Stalling (1.8.4)
Seaplanes - Specific Types (1.7.4.2) Shells, Structural (4.3.5)	Standard Atmosphere (6.1.1)
See also	Starting Systems (3.12.3)
Boxes, Structural	Steels (5.1.3)
Cylinders	Stores - Airplane Components (1.7.1.1.5)
Slipstream - Propellers (1.5.4)	Structures (4.3)
Slots and Slats - Complete Wings $(1.2.2.3.2)$	See also
Slots and Slats - Wing Sections $(1.2.1.4.5)$	Beams, Structural
Spinning $(1.8.3)$	Columns, Structural Connections, Structural
Stability (1.8.1)	Frames, Gridworks, and Trusses
See also Stability, Dynamic	Loads and Stresses, Structural
Stability, Dynamic Stability, Static	Plates, Structural
Stability and Control (1.8)	Shells, Structural
See also	Weight Analysis
Control	Summaries, Technical (12)
Flying Qualities	Surface Conditions - Complete Wings (1.2.2.2.6)
Mass and Gyroscopic Problems	Wings (1.2.2.2.6) Surface Conditions - Wing
Spinning	Sections (1.2.1.2.5)
Stability Stability	Surface Craft (2.8)
Stabilization, Automatic Stalling	Surfaces, Contact - Rolling (3.8.3)
Tracking	See also
Tumbling	Bearings, Antifriction
Stability and Control, Directional -	Surfaces, Contact - Sliding and Rolling (3.8.4)
Hydrodynamic (2.10.3)	See also
Stability and Control - Hydrodynamic (2.10)	Gears T
See also	1
Stability and Control, Directional -	Tail-Body Combinations - Missiles (1.7.2.1.2)
Hydrodynamic Stability and Control, Lateral -	Tail-Wing-Fuselage Combinations -
Hydrodynamic	Airplanes (1.7.1.1.3)
Stability and Control, Longitudinal -	Titanium (5.1.13)
Hydrodynamic	Towing Tanks and Impact Basins (9.1.3)
Stability and Control, Lateral -	Tracking $(1.8.9)$
Hydrodynamic (2.10.2)	Tumbling (1.8.7) Turbine Cooling (3.7.2)
Stability and Control, Longitudinal -	
Hydrodynamic (2.10.1)	I di bilic I ion I i ion
Stability, Directional - Static (1.8.1.1.3) Stability, Dynamic (1.8.1.2)	See also Turbines - Axial-Flow
Stability, Dynamic (1.8.1.2) See also	Turbines - Mixed-Flow
Damping Derivatives - Stability	Turbines - Radial-Flow
Stability, Lateral and Directional -	Turbines (3.7)
Dynamic	See also
Stability, Longitudinal - Dynamic	Turbine Cooling
Stability, Lateral and Directional -	Turbine Flow Theory and Experiment Turbines - Matching
Dynamic (1.8.1.2.2)	I M Dilles - www.mrg



		77776	109
	Subject Heading Number		Subject Heading Number
			(* 0 1 0 1)
Turbines - Stress and Vibration	(0 = 4 4)	Wing Sections - Camber	(1.2.1.2.1)
Turbines - Axial-Flow	(3.7.1.1)	Wing Sections - Profiles, Designate	
Turbines, Gas - Afterburning	(3.3.2.2)	Wing Sections - Section Variables	(1.2.1.2)
Turbines, Gas - Bleedoff	(3.3.2.3)	See also	
Turbines, Gas - Liquid Injection	(3.3.2.1)	Inlets and Exits - Wing Sections	
Turbines - Matching	(3.7.4)	Surface Conditions - Wing Section	ns
Turbines - Mixed-Flow	(3.7.1.3)	Wing Sections - Camber	
Turbines - Radial-Flow	(3.7.1.2)	Wing Sections - Thickness	n
Turbines - Stress and Vibration	(3.7.3)	Wing Sections - Thickness Distr	
		Wing Sections - Thickness	(1.2.1.2.2)
V		Wing Sections - Thickness	(4 0 4 0 0)
		Distribution	(1.2.1.2.3)
Vibration and Flutter	(4.2)	Wing Sections - Wake	(1.2.1.9)
See also		Wing-Tail-Body Combinations -	(1 T O 1 ()
Vibration and Flutter - Bodies		Missiles	(1.7.2.1.4)
Vibration and Flutter - Panels and			
Surface Covering		***	
Vibration and Flutter - Propeller		W	
and Comp			(1 0)
Vibration and Flutter - Rotating-		Wings	(1.2)
	craft	See also	
Vibration and Flutter - Tails		Wing Sections	
Vibration and Flutter - Wings an		Wings, Complete	(1 0 0)
Vibration and Flutter - Bodies	(4.2.3)	Wings, Complete	(1.2.2)
Vibration and Flutter - Elevators an		See also	
	s (4.2.2.1)	Boundary Layer - Complete Win	ngs
Vibration and Flutter - Panels and		Controls - Complete Wings	
Surface Coverings	(4.2.6)	High-Lift Devices - Complete V	vings
Vibration and Flutter - Propellers,		Mach Number Effects - Comple	te wings
Fans, and Compressors	(4.2.4)	Reynolds Number Effects - Con	
Vibration and Flutter - Rotating-Win			Wings
Aircra	, , ,	Wings, Complete - Design Vari	abies
Vibration and Flutter - Tabs	(4.2.2.2)	Wings, Complete - Theory	
Vibration and Flutter - Tails	(4.2.2)	Wings, Complete - Wake	(1 0 0 0 0)
See also		Wings, Complete - Aspect Ratio	(1, 2, 2, 2, 2)
Vibration and Flutter - Elevator		Wings, Complete - Design Variable	es (1.2.2.2)
and Rudder	5	See also	
Vibration and Flutter - Tabs		Dihedral - Complete Wings	
Vibration and Flutter - Wings and		Inlets and Exits - Complete Win	ıgs
Ailerons	(4.2.1)	Profiles - Complete Wings	Winas
		Surface Conditions - Complete	
W		Wings, Complete - Aspect Rati	0
		Wings, Complete - Sweep	n:
Weight Analysis	(4.3.8)	Wings, Complete - Taper and T	(1.2.2.2.3)
Wind Tunnels	(9.1.1)	Wings, Complete - Sweep	
Wing-Body Combinations - Missiles	(1.7, 2.1, 1)	Wings, Complete - Taper and Twis	
Wing-Fuselage Combinations -		Wings, Complete - Theory	(1.2.2.1)
Airplanes	(1.7.1.1.1)	Wings, Complete - Wake	(1.2.2.7)
Wing-Nacelle Combinations -		Wings, Rotating	(1.6)
Airplanes	(1.7.1.1.2)	See also	•
Wing-Section Theory	(1.2.1.1)	Wings, Rotating - Experimenta	
Wing Sections	(1.2.1)	Studie	S
See also		Wings, Rotating - Theory	(1 6 0 0)
Boundary Layer - Wing Sections		Wings, Rotating - Autorotating	(1.6.2.2)
Controls - Wing Sections		Wings, Rotating - Experimental	(1 0 0)
High-Lift Devices - Wing Section		Studies	(1.6.2)
Mach Number Effects - Wing Se	ctions	See also	
Reynolds Number Effects - Wing		Wings, Rotating - Autorotating	
Wing Sections - Profiles, Design	nated	Wings, Rotating - Power-Drive	
Wing Sections - Section Variable	es	Wings, Rotating - Power-Driven	(1.6.2.1)
Wing-Section Theory		Wing, Rotating - Theory	(1.6.1)
Wing Sections - Wake		Woods	(5.1.7)
		. I = 1 A A	

AUTHOR FILEY

AUTHOR INDEX

Α

Allen, Hubert W., 24
Allen, John L., 2, 17
Anderson, Bernhard H., 20(2)
Anderson, Lewis A., 21
Anderson, Seth B., 11
Anderson, Warren E., 21
Andrews, Robert E., 38(2)
Antoine, Albert C., 62
Aoyagi, Kiyoshi, 11
Appich, W. H., Jr., 37
Armistead, Katharine H., 11
Armstrong, William O., 1, 76
Assadourian, Arthur, 47
Axelson, John A., 12

В

Baals, Donald D., 9 Babington, Robert S., 23 Baker, Louis, Jr., 63(2) Banner, Richard D., 2 Beale, William T., 19 Beckwith, Ivan E., 2 Beheim, Milton A., 17, 19, 23 Bellman, Donald R., 17, 83 Bernot, Peter T., 37 Bird, John D., 1 Blackaby, James R., 28 Bland, William M., Jr., 1, 3, 4 Bloomer, Harry E., 23 Boatright, William B., 11 Bond, Aleck C., 1, 5, 6 Boslaugh, David L., 34 Boswinkle, Robert W., Jr., 14 Bowditch, David N., 20(2) Boyd, John W., 28(4) Branstetter, J. Robert, 58 Braslow, Albert Louis, 45 Brissenden, Roy F., 48 Brooks, Joseph D., 9 Buglia, James J., 33 Burbank, Paige B., 3 Butze, Helmut F., 57

C

Campbell, Robert C., 19
Carlson, Harry W., 1
Carmel, Melvin M., 13, 29
Casey, Francis W., Jr., 1
Champine, Robert A., 38
Charters, Alex C., Jr., 78
Chauvin, Leo T., 2
Cheatham, Donald C., 48
Church, James D., 31
Clark, Bruce J., 59
Clark, Frank L., 2
Coffee, Claude W., Jr., 53

Coltrane, Lucille C., 17(2)
Cone, Clarence D., Jr., 10
Connors, James F., 2(2)
Cooper, Morton, 2
Critzos, Chris C., 9
Cubbage, James M., Jr., 4
Cubbison, Robert W., 3, 5
Cullom, Richard R., 66
Cunningham, Bernard E., 6
Czarnecki, Kazimierz Roman, 11

D

Davidson, John R., 5
Davis, Don D., Jr., 9
Davison, Elmer H., 58
Dawson, John Robert, 35
Demele, Fred A., 11
Dickey, Robert R., 29
Douglass, Howard W., 63
Drake, Hubert M., 46, 83
Drinkwater, Fred J., III, 11
Driver, Cornelius, 31, 34, 40(2)
Dryer, Murray, 17
Dugan, James F., Jr., 58
Dunavant, James C., 24
Dunning, Robert W., 3

E

Edwards, Clyde L. W., 2 Ehlers, Robert C., 59 Emery, James C., 24 English, Robert E., 68 Esgar, Jack B., 5 Evans, David G., 68

F

Faber, Stanley, 38
Faget, Maxime A., 33
Falanga, Ralph A., 2
Farley, John M., 57
Felix, A. Richard, 66
Ferguson, Harold M., 20
Fessler, Theodore E., 19
Fields, Edison M., 4, 5
Figge, Irving E., 12
Fisher, Lewis R., 30
Flaherty, Richard J., 2, 20
Foss, Willard E., Jr., 9, 17
Foster, Gerald V., 17, 30
Fournier, Roger H., 2, 10

G

Gallagher, James J., 2 Gambucci, Bruno J., 12, 14 Garland, Benjamine J., 4, 5, 33
Geier, Douglas J., 1, 30
Gertsma, Laurence W., 17, 19
Gerus, Theodore F., 58
Geye, Richard P., 66(2)
Gibson, Frederick W., 12
Glaser, Frederick W., 58
Gloria, Hermilo R., 3, 16
Gnos, A. Vernon, 12
Goldstein, Arthur W., 66
Grant, Frederick C., 8
Graves, George B., Jr., 2
Gregory, Donald T., 13, 29
Griffith, George E., 5
Gyorgak, Charles A., 58

H

Hall, Charles F., 28 Hall, James Rudyard, 4, 5 Hallissy, Joseph M., Jr., 10 Hammond, Alexander D., 10 Hanson, Perry W., 52 Harrington, Robert D., 26 Hartmann, Melvin J., 22 Hassell, James L., Jr., 31 Hasson, Dennis F., 10 Hatch, James E., 1 Hatfield, Elaine W., 14 Havill, C. Dewey, 23 Hayes, Clyde, 21 Hayes, William C., Jr., 31 Heath, Atwood R., Jr., 12 Heberlig, Jack C., 2 Hedstrom, C. Ernest, 28 Heinle, Donovan R., 32, 44, 51 Hendricks, Robert C., 59 Henry, John R., 1 Heppler, Herbert J., 58 Herr, Robert W., 12 Hickel, Robert O., 5 Hickey, David H., 11 Higdon, Nancy S., 13 Hlavin, Vincent F., 62 Hoffman, Sherwood, 28 Holdaway, George H., 14 Holleman, Euclid C., 34, 49 Hopkins, Edward J., 13 Hopko, Russell N., 1, 2, 3, 5 Howell, Robert R., 4, 20 Huber, Paul W., 1 Humphrey, Jack C., 59

I

Igoe, Ann W., 12 Igoe, William B., 34 Innis, Robert C., 11 J

Jackson, Bruce G., 23
Janos, Joseph J., 2
Jaquet, Byron M., 10
Jewel, Joseph W., Jr., 26
Johnson, Clinton T., 9
Johnston, James R., 58
Jonash, Edmund R., 62
Jones, Jim J., 2
Jones, Nan H., 5
Jones, R. E., 64
Jorgensen, Leland H., 29

K

Kaye, Samuel, 62 Keating, Stephen J., Jr., 13 Keener, Earl R., 8 Kehlet, Alan B., 1, 13 Kelly, H. Neale, 9 Kelly, Mark W., 41 Kelly, Thomas C., 13, 29 Kinard, William H., 5, 82 Kirby, Robert H., 31 Kofskey, Milton G., 24 Kolenkiewicz, Ronald, 1, 3 Kouyoumjian, Walter L., 2, 17 Kowalski, Kenneth L., 20 Krasnican, Milan J., 4 Kraus, Samuel, 6 Kuhl, Albert E., 13 Kurkowski, Richard L., 12

I

Lambert, C. H., Jr., 82 Lamneck, John H., Jr., 62 Lampkin, Bedford A., 30 Larson, Terry J., 17 Lauten, William T., Jr., 76 Lazzeroni, Frank A., 36 Lee, Cullen Q., 45 Lee, Dorothy B., 4(3), 5 Lee, Edwin E., Jr., 17, 23 Leiss, Abraham, 2 Levey, Gilbert M., 76 Levin, L. Ross, 6 Lewis, George William, Jr., 19 Lewis, Martha C., 26 Lichtenstein, Jacob H., 10 Little, Mary V., 13 Locke, G. S., Jr., 78 Lopez, Armando E., 29 Lord, Douglas R., 10, 11, 12 Lucas, James G., 66(2) Luidens, Roger W., 17, 20 Lundell, John H., 21

M

Mackley, Ernest A., 21(2) Markley, J. Thomas, 2(2) Martin, Dennis J., 52 Martz, C. William, 15 Matranga, Gene J., 11, 33 Matthews, Clarence W., 2 McFadden, Norman M., 44 McFarland, Donald R., 1 McKinney, Linwood W., 10 McLeod, Norman J., 8 McTigue, John G., 2 Menees, Gene P., 28(2) Mercer, Charles E., 1 Metzler, Allen J., 57 Miller, Genevieve R., 22 Miltonberger, Georgene H., 5 Modisette, Jerry L., 4, 6 Moffitt, Thomas P., 3 Montgomery, John C., 66(2) Morgan, Homer G., 12 Morris, Odell A., 1, 30 Morris, Owen G., 9 Moseley, William C., Jr., 12 Moul, Martin T., 42 Mugler, John P., Jr., 8 Muhl, Richard R., 13

N

Nelson, William J., 4, 19 Nettles, John Cary, 19, 23 Nielsen, Helmer V., 1 Nielsen, Jack N., 30 Nored, Donald L., 63 Norton, Harry T., Jr., 1 Nusbaum, William J., 58

O

Obery, Leonard J., 3 Oehman, Waldo I., 8 O'Neal, Robert L., 1 Osborne, Robert S., 12

P

Pauli, Frank A., 44
Paulson, John W., 42
Pawlik, E. V., 64
Pembo, Chris, 33
Penland, Jim A., 1
Peterson, Victor L., 28(6)
Petrash, Donald A., 58
Petty, Gilbert, Jr., 2
Phillips, William Hewitt, 34
Platt, Robert J., Jr., 11
Polhamus, Edward C., 13

Powers, Albert G., 58 Presnell, John G., Jr., 2, 12 Priem, Richard J., 59

Q

Quigley, Hervey C., 11

R

Rabb, Leonard, 4
Rainey, A. Gerald, 34, 52
Rainey, Robert W., 11
Rashis, Bernard, 3, 6
Rathert, George A., Jr., 32
Reese, David E., Jr., 1, 16
Reynolds, Thaine W., 59
Robbins, William H., 58
Robins, Augustine Warner, 17
Robinson, Ross B., 10, 31, 36, 37, 41
Rogers, John T., 13
Rosecrans, Richard J., 5
Rumsey, Charles B., 4(2), 5
Runckel, Jack F., 17
Runyan, Harry L., 5

S

Sadoff, Melvin, 33 Salters, Leland B., Jr., 26 Samanich, Nick E., 3, 5 Sarabia, Michael F., 3 Savin, Raymond C., 9 Scallion, William I., 10 Schacht, Ralph L., 66 Scherrer, Richard, 21(2) Schlaff, Bernard A., 11 Schmeer, James W., 11 Schult, Eugene D., 3 Schum, Harold J., 58 Scott, William R., 4 Seashore, Ferris L., 57 Seiff, Alvin, 3 Sellers, Thomas B., 33 Setze, Paul C., 58(2) Sherman, Windsor L., 38 Shillito, Thomas B., 58 Sievers, Gilbert K., 66(2) Silvers, H. Norman, 2(2) Sivo, Joseph N., 61 Sleeman, William C., Jr., 31(2) Smith, Arthur L., 62 Smith, Fred M., 3 Smith, Samuel L., III, 14 Smolak, George R., 58 Sorenson, Robert M., 12 Spearman, M. Leroy, 31, 34, 40(2), 41 Speegle, Katherine C., 2 Spreemann, Kenneth P., 13

Springsteen, D. F., 58
Stepka, Francis S., 5, 58
Stevans, William, 66
Stewart, John D., 33
Stewart, Warner L., 68
Stillwell, Wendell H., 46, 49
Stitt, Leonard E., 3
Stone, David Gregory, 35
Stoney, William E., Jr., 6
Strass, H. Kurt, 2(2), 3
Swain, Robert L., 5
Swanson, Andrew G., 3, 4, 5
Swihart, John M., 1(2), 3, 9, 19, 23
Syvertson, Clarence A., 3

Т

Taillon, Norman V., 1, 8
Thomas, George M., 17
Thompson, Robert F., 12
Thompson, William C., 53
Tinling, Bruce E., 29, 31
Toll, Thomas A., 9
Trescot, Charles D., Jr., 20
Triplett, William C., 49
Trout, Otto F., Jr., 4, 5
Tunnell, Phillips J., 30
Turner, Howard L., 32, 51
Turner, Kenneth L., 8, 37
Tyner, Thomas W., 2
Tysl, Edward R., 19

U

Ulmann, Edward F., 3

V

Valentine, Harold H., 19

Vick, Allen R., 49 Vosteen, Louis Frederick, 5

w

Wakelyn, N. T., 4 Walker, Joseph A., 83 Wanhainen, John P., 61 Wasserbauer, Joseph F., 2 West, Franklin E., Jr., 11 Weston, Kenneth C., 20(2) Whitcomb, Charles F., 9, 11 White, Maurice Donald, 11 Whitney, Warren J., 68(2) Whitten, James B., 38(2) Wilcox, Ward W., 66 Wiley, Harleth G., 45 Williams, James L., 10 Wingrove, Rodney C., 20, 23 Winovich, Warren, 13 Wintucky, William T., 68 Witte, William G., 3 Witzke, Walter R., 62 Wood, Charles C., 1 Woodling, Carroll H., 38 Woollett, Richard R., 20 Wornom, Dewey E., 9 Wyss, John A., 12, 14

Y

Yasaki, Paul T., 66(2) Yates, Edward Carson, Jr., 9 Yeager, Richard A., 17(2) Yohner, Peggy L., 68

Z

Zedekar, Raymond L., 2